# Covering the TI99/4A, the Myarc 9640 and compatibles



Volume 4 Number 12

January 1988





A new box developed by Miller Communications of Seattle gives you the capacity to expand your Geneve, plus their IBM clone card can be placed in your TI PE Box.

# Page 21



#### Page 2 MICROpendium/January 1988



Better to start with. Better to stay with. Better to grow with.

7 days a week— There may never be a better time than now to buy!

#### HOME ENTERTAINMENT

MODULER

	-
PHM 3023	Hunt the Wumpus4.95
PHN 3030	Amazing
PHN 3052	Tombstone City
PHM 3053	TE Invaders
PH# 3054	Car Wars
PHN 3057	Hunch Han4.95
PHM 3056	Alpiner
PHM 3112	Parsec
PHM 3031	The Attack
PHM 3032	Blasto
PH# 3194	Jawbreaker 11
PHM 3110	Chisholm Trail
PHM 3034	Chisholm Trail
PHM 3037	Hustle
	Hangman
PHN 3025	Mind Challengers
PHM 3036	Zero Zap
PHN 3024	Indoor Soccer
PHN 3038	Connect Four8.95
DUM 30430	T

# **PROTECT YOUR** INVESTMENT WITH A BACK-UP (2) TI99/4A

At only \$79.95 the Texas Instruments 99/4A home computer is still the wisest choice for any individual or family just starting out in computing. But for those of you who already own a 99/4A and have purchased hundreds or even thousands of dollars in peripherals and software. buying a back-up computer for under eighty dollars is the smartest and least expensive way to protect the investment in your system.

PHW 30420	funnels of Doom (with disk)
PHN 3042T	Tunnels of Doom (with tape)
PHN 3067	Othello
PHN 3149	Space Bandits
PHM 3220	Micro Surgeon
PHM 3219	Super Demon Attack
PHN 3224	Moonsweeper
PHM 3222	Fathom
PHN 3233	Burgertime
PHM 3131	Moonmine
PHM 3146	Munchmobile
PHM 3197	Stymolde
PHN 3225	Stymoids
PHM 3226	Star Trek
	Buck Rogers
PHN 3227	Congo Bongo

#### DISKETTE PROGRAMS NEW LOW PRICES! PHD 5002 TI-TREK(TE-11 req. for speech)......4.95 PHD 5025 Sat. Night Bingo (Ex-Basic & Speech)....4.95 CASSETTE PROGRAMS PHT 6002 TI-Trek (TE-11 req. for speech).....4.95



Are you using your 99/4A in the office and wish you had another to use at home? Is your family squabbling over who gets the computer first? You can put your back-up computer to use at once to solve these problems, and rest assured that your primary system is protected too

Time is running out. The Texas Instruments home computer will not be available for sale much longer. Buy your backup TI-99/4A now and protect your home computer system investment for the years to come

PHT 6010 PHT 6026 Sat. Night Bingo (Ex-Basic & Speech)....4.95 PHT 6037 Draw Poker (Ex-Basic).....4.95

\*Shipping, handling & insurance on this special offer is \$10.00 (Continental U.S.) to any UPS deliverable address, HI, AK, Canada and APO slightly higher.



### TEX+COMP

©1968 Tex-Comp



#### HOME ENTERTAINMENT



#### ADVENTURES

PHM 3041D Adventure Module & Pirate Adv.(disk)....6.95 PHM 3041T Adventure Module & Pirate Adv.(tape)....6.95 ADVENTURE SERIES (must be used with PHM 3041 module) specify disk or tape with order

Adventureland
Mission Impossible
Voodoo Castle
The Count
Strange Odyssey
Nystery Fun House4.95
Pyramid of Doom
Ghost Town
Savage Island [11] (two adventures)4.95
Golden Voyage
Knight Lronheart Adventure
****SPECIAL-ALL ABOVE ADVENTURES ON DISK OR TAPE17.95
Spiderman Adventure
Incredible Hulk Adventure
Buckaroo Banzal Adventure (based on the movie).7.95
Sorcerer of Claymorgue Castle
****SPECIAL-ALL OF THE ABOVE FOUR + HINT BOOK + TWO NEW
BONUS ADVENTURES
****SUPER ADVENTURE SPECIAL-BOTH OF THE ABOVE SPECIALS
+COMPLETE HINT BOOK+ADVENTURE MODULE
PHN 3189 Return to Pirate's Island(self contained
adventure on module with graphics)11.95

PHM 3021	Weight Control & Nutrition
PHM 3109	TI LOGO II (32K reg.)
PHM 3015	Early Reading (speech syn. req)9.95
PHM 3043	Reading Fun
PHN 3046	Reading On
PHN 3047	Reading Roundup9.95
PHN 3048	Reading Rally
PHM 3082	Reading Flight
PHN 3027	Addition & Subtraction 1
PHM 3028	Addition & Subtraction 11
PHM 3029	Multiplication L
PHM 3049	Division  9.95
PHM 3050	Numeration 1
PHM 3051	Numeration 11
PHM 3060	Scholastic Spelling 4 (speech)9.95
PHM 3061	Scholastic Spelling 5 (speech)
PHM 3062	Scholastic Spelling 6 (speech)
PHM 3088	Computer Math Games VI
PHM 3091	Milliken Subtraction
PHN 3092	Milliken Multiplication
PHN 3093	Milliken Division
PHN 3094	Milliken Integers
PHN 3098	Milliken Number Readiness
PHN 3099	Milliken Laws of Arithmetic
PHM 3100	Milliken Equations
PHN 3101	Milliken Measurement of Formulas4.95
PHN 3114	Alligator Mix6.95
PHN 3115	Alien Addition
PHM 3117	Dragon Mix8.95
PHN 3119	Meteor Multiplication
PHM 3118	Minus Mission6.95
PHM 3177	Face Maker
PHN 3178	Story Machine

۰Ş

MBX Programs (MBX Unit Required)

#### **COMPUTER PROGRAMMING AIDS**

#### MODULES

Рни 3999	Super Extended Basic	95
PHK 3026	Extended Basic49.	95
PHM 3058	Editor Assembler	95
PHM 3058	Mini Memory (with Writer 1)	,95

#### DISKETTE PROGRAMS

WIDNEI'E I	
PHD 5007	Teach Yourself 99/4A Basic
PHD 5019	Teach Yourself Extended Basic4.95
PHU 5004	Programming Aids 1
PH0 5005	Programming Aids H4.95
PHD 5012	Programming Aids 111
PHD 5077	Programming Aids 1, 11, 111
PHD 5067	Beginning Basic Tutor
PHU 5076	Text to Speech (Ex Basic Speech)4.95
PHD 5048	TI Forth & manual (Ed/Assem req.)19.95
PHD 5078	T  North Demo Disk (Ed/Assem)4.95
PHD 5079	TI Forth Source Code (2 disks)

#### DISKETTE PROGRAMS

-

PHD 5009	Husic Skills Trainer
₽HD 5011	Computer Music Box
PHD S018	Market Simulation
PHD 5030	Speak & Spell 11 (Ex Basic reg.)9.95
PHD 5031	Speak & Math (TE-11 req.)
PHD 5042	Spell Writer (TE-11 req.)
PHO 5026	Bridge Bidding 14.95
PHO 5039	Bridge Bidding []4.95
PHD 5041	Bridge Bidding [1]4.95
PHO 5020	Music Maker Demo (use with module)4.95

#### CASSETTE PROGRAMS

see	disk	versions for req. i.e. TE-11	
PHT	6009	Music Skills Trainer	
PHT	6011	Computer Music Box	
DHT	6018	Market Simulation	4.95

CASSETTE PROGRAMS

(818) 366-6631

### TEX+COMP

Visa & Mastercard Holders Call Direct 24-Hour Order Line

#### Page 4 MICROpendium/January 1988

# Contents

# MICROpendium

MICROpendium is published 12 times annually for \$20 per year by Burns-Koloen Communications Inc., 16606 Terrace Dr., Austin, TX 78728. **Application to Mail at Second-Class** Postage Rates is Pending at Round Rock, Texas. POSTMASTER: Send address changes to MICROpendium, P.O. Box 1343, Round Rock, TX 78680. No information published in the pages of MICROpendium may be used without permission of the publisher. Computer user groups that have signed exchange agreements with MICROpendium may excerpt articles appearing in MICROpendium without prior approval. While all efforts are directed at providing factual and true information in published articles, the publisher cannot accept responsibility for errors that appear in advertising or text appearing in MICROpendium. The inclusion of brand names in text does not constitute an endorsement of any product by the publisher. Statements published by MICROpendium which reflect erroneously on individuals, products or companies will be corrected upon contacting the publisher.

### 

# Table of Contents

# Regena on **BASIC**

How to number, clearing the screen, and other hints....Page 10



Unless the author specifies, letters will be treated as unconditionally assigned for publication, copyright purposes and use in any other publication or brochure and are subject to MICROpendium's unrestricted right to edit and comment. Display advertising deadlines and rates are available upon request. All correspondence should be mailed to MICROpendium at P.O. Box 1343, Round Rock, TX 78680. We cannot take responsibility for unsolicited manuscripts but will give consideration to anything sent to the above address. Manuscripts will be returned only if a self-addressed stamped envelope is included. Foreign subscriptions are \$25.25 (Canada and Mexico); \$23.50, surface mail to other countries; \$37 airmail to other countries. All editions of MICROpendium are mailed from the Round Rock (Texas) Post Office.

# 

# Working with Logo

# Rejuvenating troublesome cartridges

## A new box

For Geneve cards, plus an IBM clone card which will also fit in your 

# Archivers conference

A meeting of the minds on the Delphi network ..... Page 22

Mailing address: P.O. Box 1343, Round Rock TX 78680

# Geneve 9640

Getting started with MDOS	. Page	25
Using the Horizon RAMdisk	. Page	27
Software that's coming up soon	. Page	29

## Reviews

Quik Font	Page 30
EZ-Keys	Page 31

# Newsbytes

An index of everything there is on the TI, a Forth clearinghouse, and DataBioTics begins shipments of its Grand RAM....Page 33

### User Notes

Telephone: (512) 255-1512 Source: TI4596 CompuServe: 75156,3270 Delphi TI NET: MICROPENDIUM John Koloen.....Publisher Laura Burns......Editor

Cleaning print heads, a CHECKSUM update, and dealing with prob-

#### ... On Our Most Popular Sensational Prices!!! Hardware and Software!!

#### TOP QUALITY PERIPHERALS trom **CorComp** • Myarc

#### CORCOMP

Triple Tech. Board for PE Box includes clock/calendar, printer buffer, and speech synthesizer connection.

34643	\$138.00
34639 Clock/Calendar. Stand-alone.	<b>\$79.95</b>
34396 9900 32K Micro Memory. Stand-alone 32K.	\$99.95
The Memory Plus series	
41070 256K Memory Plus Stand-Alone.	\$219.00
41633 512K Memory Plus Stand-Alone.	\$279.00
41051 256K Memory Plus Card.	\$196.00
41065 512K Memory Plus Card. And a second second	\$253.00
See "Rest Selling Hardware" for more CorComp pro	oducts.

266 "Rest Seilind Llatamate in more corcor



MicroPal's Extended BASIC package now includes two free software programs! Bestsellers Typwriter and Name-It from Extended Software are included in disk. and cassette versions with complete manual - absolutely free!! You can immediately begin using the powerof Extended BASIC for word processing and data base functions. MicroPal Extended BASIC is unconditionally guaranteed to be 100% compatible with all programs written in TI Extended BASIC. With this powerful, highlevel language, programmers

# MYARC GENEVE COMPUTER

Here's the good news.... the new Myarc Geneve Computer you've been hearing about is to be shipping by press time! Imagine a computer that is 99/4A compatible but has the speed and incredible graphics capabilities that even IBM, Amiga, and Atari ST owners would envy!

#### MYARC

34324	256K Card.	\$179.00
42245	512K Card.	\$239.00
-	Extended BASIC Level IV.	\$59.95
		\$249.00
42231	512K Card with Extended BASIC Level IV.	\$289.00
	512K Upgrade Kit for the 128K Card	\$109.95
	"Best Selling Hardware" for more Myarc produc	ots.

#### COMPUTER WAR

"War Based on the hit movie Games"...one of our best sellers. Can you crack the code and destroy the simulated enemy missile before the world is enguifed in a thermonuclear holocaust?

42480 TI CARTRIDGE ..... \$24.95

#### MICROPENDIUM SPECIAL mjcro al ®A **THE 39¢ DISKETTE!**



Are you paying too much for diskettes? Try our first quality, prime, 51/41 diskettes (no rejects, no seconds) at these fantastic sale prices and save, save, SAVE! Disks are packaged in boxes of 50; each box contains 5 shrinkwrapped 10-packs that include diskettes in sleeves. labels, and write-protect tabs. Each diskette is certified to be 100% error free and comes with a lifetime warranty (if you have a problem. we'll replace the diskette). All diskettes include hub reinforcement rings and write-protect notch. Box of 50



32967

can have automatic access to the 32K memory expansion, utilize sprite graphics for smooth motion and animation, auto-load disk based programs, and add speech with a 400 word built-in vocabulary! Package includes Extended BASIC on a convenient plug-in car-Sug. Retail \$89.95 tridge with 240 page manual

**ONLY \$49.95!!** 

The Geneve is truly a breakthrough. since it's offered on a card, and is compatible with your existing Expansion Box, disk controller, and RS-232 cards, its advanced features can be offered at a cost much lower than you would expect to pay for a system of this power and versatility!

Features include standard or enhanced keyboard, 80 column display, 640K of RAM plus 128K VDP RAM, and conversion instructions.

#### **\$Call Today for Lowest Price!\$**

BEST-SELLING HARDWARE!
STAR MICRONICS PRINTER
75077 NX100 Rainbow Color Printer\$269.95
32986 MYARC RS-232 CARD\$ 99.95
13300 CORCOMP RS-232 CARD\$ 89.95
42250 PARALLEL PRINTER INTERFACE \$ 44.95
29784 CORCOMP RS-232 INTERFACE
29802 CORCOMP 9900 MICRO-EXPANSION SYSTEM
32972 MYARC DISK CONTROLLER CARD \$CALL
29770 CORCOMP DISK
CONTROLLER CARD SALE! \$149.95
13315 CORCOMP 32K MEMORY CARD SUPPLY
20164 BOX WITH POWER SUPPLY for external disk drive\$ 59.95
31173 WICO 3-WAY
GATELOCK JOYSTICK \$ 24.95
42442 TAC 5 <sup>™</sup> JOYSTICK. Requires TI Adapter\$ 14.95 42086 SLIK STICK <sup>™</sup> JOYSTICK. Requires TI Adapter \$ 6.95
42086 SLIK STICK JOYSTICK. Requires IT Adapter \$ 6.95 13329 NAVARONE CARTRIDGE EXPANDER\$ 24.95

$\star\star\star\star\star\star$	******
32403 DS, DD Disk	kettes \$24.50 (49¢ each!)
32391 SS, DD Disk	ettes \$19.50 (39¢ each!)



FKEE! "EVERYTHING BOOK" For the **TI Home Computer** Order Item #25982 \*\*\*\*\*

AVAILABLE FROM SHIPPING CHARGES NO EXTRA FEE FOR CHARGES We gladly accept YOUR FRIENDS AT CHARGE ORDER AMOUNT \$3.75 less than \$20.00 mail orders! 4.75 \$20.00 \$39.99 STATEARAN Card VISA TCNICV \$40.00-\$74.99 5.75



### **P.O. Box 6578** South Bend, IN 46660 **Questions?** Call

6 75 \$75.00 - \$149.99 7.75 \$150 00-\$299 99 8 75 \$300 & up Foreign Orders add \$4.00: heavy items ship at actual cost



We verify charge card addresses

ORDER TOLL FREE

1-800-348-2778 INDIANA 1-800-225-6838

NOTE. Due to publishing lead times, product prices and specifications are subject to change without notice.

# Comments

# What's in a report card?

What does the format of the MICROpendium Report Card really mean? You're familiar with the reviews we do and the way that the report card is designed, ie. Performance, Ease of Use, Documentation, Value and Final Grade. Long ago I think I described what the significance of these categories is in reviews that I write. But what about others? A review of Memocal that appears in this issue ended with a note from its author, Bill Gaskill, explaining what the report card categories mean to him. I'm reprinting his definition here because it's pretty close to mine, and it's been a long time since we've discussed it. To wit: "When evaluating a product for published review, I use and support the Micropendium standard of rating a product for performance, ease of use, documentation, value and final grade. However I think that some parameters need to be established to standardize and explain to the user what criteria are considered under each of these categories. I don't presume to be the one who has the right to establish those parameters, but I have provided mine here so that you may better determine the validity of the review. Perhaps such guidelines will be published for all of us to use in the future. "Performance — Measures how well the product lives up to its advertised capabilities and also measures its flexibility in the area it is designed to address. Also considered are the number of features provided to the user and such concerns as error trapping, speed of operation and tolerance for user error.

of MICROpendium (it would take up too much space to publish the entire index in a single issue). If we're lucky, the first installment should appear in February, which, incidentally, will mark the beginning of our fifth year of publication. Arrangements will also be made for readers to obtain the index on disk.

#### NICE WORDS ABOUT MYARC

I've been asked to say a few nice words about Myarc. I really don't think I should have to be asked. But it occurs to me that I haven't been saying nice things about the company despite the fact that it is doing so much with so little and so rapidly. I can't think of any small company (tiny is a better description) that has created its own computer and operating system. But that's not why Myarc deserves a few nice words in MICROpendium. In the past, we've offered space to readers to lodge their complaints about Myarc with very little offered to counterbalance it. This struck me recently because we received a very angry letter from a reader who complained about Myarc's Geneve and that he couldn't get it to work. Myarc, of course, also received a copy of the letter. Myarc worked with the reader to solve his problems, but to no avail. Finally, the company asked the reader to ship his Geneve card, PEB and disk drive to Basking Ridge, New Jersey, for examination. Myarc's technicians found that the problem wasn't in the Geneve but in the reader's disk drive, which needed to be realigned. Myarc realigned the drive and returned the system to the reader. Everything worked fine. The reader sent us another letter, urging us not to publish his first letter. Which we didn't. But I wonder how many times this type of thing has happened? I also wonder how many times we heard the complaints but never learned what resulted? And not just with Myarc. My opinion is that Myarc is doing a great job. I think the Geneve is the beginning of a fine computer system. I say "beginning" because there's so much to learn about it. It has more potential than a PC or an Atari and probably should be compared to an Amiga or an AT. And I think we'll see a lot of third-party development for the machine in 1988.

"Ease of Use — Measures the degree of complexity of the program for the veteran computer enthusiast and how difficult it is for the firsttime user to get the product up and running in a productive and useful capacity. Includes an assessment of the program's tolerance for user

error and the presence of or lack of on screen help, instructions and/or prompts that lead the user from step to step in any given operation.

"Documentation — Measures the professional appearance of the instructions and includes other considerations such as completeness of content, spelling and grammar, conciseness of context and ability to convey to the user the messages on how the program is used and what it will do for the person who has purchased the product.

"Value — Measures how well the product competes against similar products on the market and establishes a proportionate relationship between product cost and number of features offered to the user. It is the reviewer's opinion of the product's ability to meet one's needs in the area the product purports to address.

"Final Grade — The reviewer's overall assessment and impression of the product, based upon the results in the other rating categories and areas not covered, such as support after the sale, replacement costs if the product is defective or fails to work, backup copy protection if it applies, product warranty, etc. It is in essence the reviewer's statement to the reader on whether or not this product is worth owning." Couldn't have put it better myself. Thanks Bill.

#### **ON INDEXES**

#### **TIPS ON INTRUDER**

Several readers have reported problems loading the screens from Intruder, which was published in MICROpendium in November. When the program tries to load the Dining Room screen (which is the second screen that the player faces), the program crashes with the error message File Error in 2780. This error message can result from an improperly converted file as well as an inputting error. The former can be solved by making sure that the screen data file (FROGDATA) is properly converted into an I/V80 format. Make sure that line 130 of the conversion program uses LINPUT, and not INPUT. The file characteristics will be I/V80 regardless of whether LINPUT or IN-PUT is used, but the data won't be readable to the main program unless LINPUT is used.

The latter problem is likely to result because the instructions may not have been explicit. When entering the file using TI-Writer as recommended, we noted that the Alpha Lock key should be depressed. Well, that's not enough. When entering the number 2 as required, the shift key should also be depressed because, as we all know, the uppercase characters on the top row of keys is not controlled by the Alpha Lock key. This will produce a proper control character. If it produces a lowercase r, you didn't hold down the shift key.

—JK

After years without an index of MICROpendium (yes, I know, we were working on one. We just haven't finished it.) we've suddenly been deluged by them. Well, deluged may not be the correct description. For accuracy's sake, we've received indexes from three readers covering everything from Volume 1 Number 1 through Volume 4 Number 10. One of them is based on BASIC DATA statements, another is done with PR-Base and the third uses TI-Writer as the medium. We'll decide which to use and publish it in consecutive issues

#### Software HOME COMPUTER Big selection of software for the READING ROUNDUP HOME COMPUTER **READING FUN** Texas Instruments TI-99/4A Computer. HOMECOMPUTER

From home management and personal finance to education to arcade-type computer games, Texas Instruments offers you a library of software with programs for everyone in the family.

#### MANAGEMENT AND SMALL BUSINESS

#### MODULES

PHM 3006	Home Financial	Decisions	
		A M	4.00

Modules cet The Scott Foresman & Co. **Reading Series** with Special Value Package EARLY READING, READING FUN **READING ROUNDUP** the Three Most Popular Modules:

EARLY READING **9DLID STATE CARTINOGE** 

Now you can purchase the entire Scott Foresinan Reading Series at a fraction of the original price of over \$345. This series consists of 6 graded modules and manuals which take the child from pre-school through 6th grade level reading. This series has helped thousands of children to learn to read and to help improve their reading skills. By Special arrangement with Texas Instruments, TEX-COMP, is able to offer you a special package of the three most popular titles in this series, Early Reading, Reading Fun and Reading Roundup, at the amazing low price of only \$14.95 for all three (a 50 savings)

PHN	3007	Household Budget Management
PHN	3022	Personal Real Estate
PHN	3016	Tax/Investment Rec. Keeping (disk req.).4.95
PHN	3035	Terminal Emulator H
PHN	3044	Personal Report Generator (PRK reg)10.95
Рни	3113	Multiplan24.95
PHM	3112	<b>Ti Writer</b>
DISM	ETTE	PROGRAMS NEW LOW PRICE
PHD	5001	Mailing List (upgraded version)4.95
PHD	5003	Personal Financial Aids
PHD	5021	Checkbook Manager
PHD	5022	
PHD	5024	Inventory Management
PHD	5027	Involce Management
PHD	5029	Cash Management4.95
PHD	5038	Lease/Purchase Decisions4.95
PHD	5075	TE/Multiplan upgrade disk

#### CASSETTE PROGRAMS

PHT 6003	Personal Financial Aids	
PHT 6038	Lease/Purchase Decisions	

#### **TI-COUNT SMALL BUSINESS SOFTWARE**

General Ledger Accounts Receivable • EARLY READING: Engaging color graphics and computer speech introduce and reinforce important reading skills. Speech synthesizer required. Cartridge.

• READING FUN: Stories and practice drills help huild vocabulary and reading skills. Grades 1-3. Speech synthesizer is recommended. Cartridge.

• READING ROUNDUP: Several stories teach fourth grade level readers idioms, figures of speech and word meanings in context. Speech synthesizer optional. Cartridge.

The above titles are also available separately at \$9.95 each.

Also available at \$9.95 each are:

• READING ON: Teaches skills required to understand maps, graphs and schedules. Several stories and appropriate drills reinforce skills. Grade 3. Cartridge.

• READING RALLY: Practice basic reading skills and learn the difference between fact and opinion; understand the author's purpose and the bias and connotation of words. Grade 5. Cartridge.

• READING FLIGHT: For sixth grade level readers, several stories with special exercises to teach summarizing classifying and outlining skills. Speech synthesizer is optional. Cartridge.





Accounts Payable Inventory Payroll Mail System SPECIAL 1988 OFFER--ALL SIX PROGRAMS PLUS AUTO COUNT AUTO EXPENSE A \$250.00 SAVINGS 111111

#### MATH AND ENGINEERING

DISKETTE	PROGRAMS NEW LOW PRICE!	
PHD 5006	Math Routine Library	5
PHD 5008	Electrical Engineering Library4.95	5
PHD 5013	Graphing Package	5
PH0 5016	Structural Engineering Library4.95	5
PHD 5044	AC Circuit Analysis	5

#### CASSETTE **PROGRAMS**

PHT 6006	Math Routine Library
PHT 6000	Electrical Engineering Library4.95
PHT 6013	Graphing Package4.95
PHT 6016	Structural Engineering Library4.95
PHT 6044	AC Circuit Analysis
****SPECIA	LALL 5 OF THE ABOVE ON DISK OR TAPE17.95

#### **TI Math Series**

All 4 Modules for ONLY \$19.95 + S&H

 ADDITION/SUBTRACTION 1. Teaches basic arithmetic skills and provides drills. for reinforcement. Grade Level 1. Speech synthesizer recommended. Cartridge.

• ADDITION/SUBTRACTION IF More difficult problems and techniques than found in Addition/Subtraction I. Grade levels 1-2. Speech Synthesizer recommended Cartridge.

• MULTIPLICATION I: Teaches the basics of multiplication. Grade levels 3-4. Speech Synthesizer recommended. Cartridge.

• DIVISION I: Teaches the basics of division. Grade levels 3-5. Speech Synthesizer recommended. Cartridge.

Send for new 1988 Tex-Comp catalog & buyer's guide only \$2.00 (comes with \$5 savings certificate) **Drastic Reductions** 

#### Send order and make checks payable to: TEX+COMP P.O. Box 33064, Granada Hills, CA 91344



HOLDERS CALL DIRECT (818) 366-6631 24 Hour Order Line

TERMS: All prices F.O.B. Los Angeles. For fastest service use cashiers check or money order. Add 3% shipping and handling (\$3.00 Minimum). East of Mississippi 41/2%. Add 3% for credit card orders. Prices and availability subject to change without notice. We reserve the right to limit quantities.

NOTE: Payment in full must accompany all orders-credit card, company check or money order for immediate shipment. Personal checks require up to 4 weeks to clear. California orders add 81/2% sales tax.

# Feedback

# Reply to review

Thanks for reviewing our game disk called Spin-To-Win (Nov. '87). We're sorry your reviewer was unhappy with both the programs he reviewed, but would like to put out a couple of words in our own defense.

Your reviewer complained of two problems which turn out to be related. He didn't like the fact that our program did not start with a LOAD program, and he also up with the listing that I produced of the Intruder program. What happened was that some of the line numbers just were not the same. Why? Well, when I type in a program I use the NUM command which produces consistent line numbers. Had the published program been RES or RESE-QUENCEd then my problem would not have existed.

In some rare cases by using RES there appears in the program the line number 32767 in some GOTO or GOSUB stateSo what reason do I need to do all this manipulation? I have taken files archived in MS-DOS, unarced them and then converted them over to 4A format. True, this is only ASCII files, but if there is ever a file conversion program to modify BASIC programs either way, then I can do even more.

> Scott Darling Spokane, Washington

### Terminal emulators,

complained that the other program always gave him the same puzzle when it started. We know these problems are related, because we tried making our "Title Screen" a program called load, and found that doing so interferes with the operation of the RANDOMIZE statement. We don't know why that's so, but when we found that problem, we elected not to use a LOAD program. Incidentally, if the user wants to skip the title screen of our program, he can simply call for running the "SPINSPIN" program directly, and everything will work just fine.

His idea about giving the user an option of having our hostess turn the letters is a good one, and we'll incorporate that in our next batch of changes, because it can bement. This can only come about if the command is used on a partially written program, or if the original program really had some existing problem in it.

One way that I check out programs is to list them to disk and then use the RS command in the TI-Writer Editor to find those strings of line numbers that should not exist.

Just though I might pass this along as a suggestion.

By the way, the games in the November issue are outstanding.

William A. Ragsdale Mission Viejo, California

### File transfers

After being asked if it was possible to transfer any type of file between the 4A and the IBM format I decided to find out. So I tried hooking up the 4A and my XT using the XT serial cable. used Mass Transfer and Fast-Term on the 9640 and a program called Telix on my XT. I was able to transfer at 2400 baud using Mass and up to 9600 baud between both machines. Every type of file went both ways and was not trashed or garbaged by doing so. So, know my computer configurations are set up with the XT tied to the modem using COM1, COM2 goes to the TI RS232 port. My XT comm program allows for very fast and easy port changing. To download a file, I dump to my XT on the hard disk, switch ports and transfer it to my 9640, usually in about one minute or less. I then unarc, unpack or whatever I need to do with the file to get it to whatever point I want. Thus, I can change the file(s) and send them back to the XT and retransfer the code. I hope you can see I no longer need to change modem cables or use a switchbox to change things for me.

# video capability

We in the TI community have been blessed with terminal emulators generations ahead of TE-II. Although there are many things I would like to see, I will mention only two.

1. I would like to see an implementation of the KERMIT protocol. Although not popular in the micro community, this way of transferring files gets a lot of use in the mainframe and academic community.

2. I would like to see the TE-II sound and graphics protocol kept. Can you imagine what some of the 300 baud graphics would look like at 1200 or even 2400 baud? The TI community now has three ways to upgrade their video capability:

The Mechatronics 80-column expansion system.

come a pain waiting for the letters to be turned.

Finally, a word about the "Wheel." We would dearly love to make a really good wheel simulation, but opted to have a simulation of the *edge* of a wheel, simply because the programming necessary to truly simulate the wheel on TV would eat up all the TI's memory, leaving no program to actually play the game. Our choice does allow you to see what's happening with the numbers, bankrupts and lose-a-turns, etc. We felt that was more important than cosmetic effects per se.

The program is selling at a modest price, and we've had no complaints from purchasers.

#### Bruce Harrison

2. The Digit ADVDP 80-column expansion card.

3. The Geneve by Myarc.

I would like to see programs developed that would run on all three. Of course, on a Geneve the program could do more, but it seems like such a waste to write a program that just runs on one, but not the other two. Writing assembler programs that run on all three would not be that difficult since they all three use the 9938 VDP by Yamaha.

Yamaha of America's address is P.O. Box 6600, Whena Park, CA 90622. Phone is (714) 522-9011.

#### Dan H. Eichler

#### Harrison Software Hyattsville, Maryland

### Intruder line numbers

While typing in the programs from the November issue a drifting thought ran through my head when a problem cropped



The Feedback column is for readers. It is a forum to communicate with other readers. The editor will condense ecscessively lengthy submissions where necessary. Mail Feedback items to : MICROpendium, P.O. Box 1343, Round Rock, TX 78680.



they were lost forever. Now you can enjoy three of the best at one great price.

# **COMPUTER WAR**



Based on the film "WAR GAMES" this game became a best seller for the Commodore and Atarl computers. Defend the U.S.A. from missiles as a computer goes wild. Two scenes, Track enemy on a giant map

then as you target them, fly a fighter to shoot them down in air to air combat. Then crack the code in a limited time scale. One of the best games ever written



A submarine patrol simulator to hunt and destroy enemy shipping. Your mission is to destroy enemy shipping in Mediterranean waters. You have sonar to help you find them when you are submerged. If you are attacked you can dive deep (not too deep or the hull will crack) and try to dodge the depth-charges; then you can rise to periscope level for another attack on the convoy. But check the instruments for your oxygen level, fuel, battery charge, depth under your keel, and watch out for enemy destroyers, or it may all end in disaster!

### **RIVER RESCUE**



Navigate a treacherous river and save the refugees! A vicious and bloody war is raging on the north bank of a river swarming with giant electric eets and fearsome crocodlies. Thousands of innocent villagers.

made homeless by the battles, are trapped between the treacherous river and the violent conflict. They are starving and helpless. Generously, a friendly country on the south bank of the river has offered food and shelter to the refugees. It is your mission to rescue them in your powerful patrol boat and take them across the river to safety. Although your intentions are peaceful, the warning armies each think you are working for the other one --- so watch out for attacks from their helicopters and tanks. With danger all around you, you need nerves of steel to survive this tough mission of mercyl

SEND ORDER AND MAKE CHECKS PAYABLE TO

TEX + COMP<sup>m</sup> P.O. BOX 33084 - GRANADA HILLS, CA 91344

> All prices have been discounted for cash, add 3% for credit card orders.



VISA HOUR ORDER LINE

TERMS, All prives F.O.B. Los Angeles. For fostest service use cashiers check or money order Personal checks take at least ien days to clear. Add 314 shipping and handling (\$3.00 minimum) East of Mississippi 4 a % (Free shipping on all software orders over \$100.00) We wal ship UPS C O D, with 25% deposit C O D. In he poid by rash or certified check. All produris are said with the original manufacturer's guarantee (sent on request). Prices and availability subject to change without notice. We reserve the right to limit availabilities

> Minimum Configuration Required



99/4 or 99/4A console. 2. 1 Disk Drive and Controller. 32 K Memory Expansion. 4. Extended Basic Module.

## BASIC

# Programming reminder hints

#### **By REGENA**

Are you still having FUN with your computer? Life has been so hectic for me the last little while that I haven't had as much time to program. Once in a while, however, I do like to sit at the computer and program. (In fact, I'd rather program than write the articles, but of course most programmers are like that.) This month I am going to offer you a few "reminder" programming hints. These may be things you've known about for a long time but haven't used for a while — or they may be things you use in every program you write. I hope you find these hints helpful.

When you start a program, number your lines by 10s (100, 110, 120, etc.). If you need to add lines later, you'll be able to insert them with numbers within existing lines. You may want to start major sections with 1000, 2000, 3000, and so forth, so you can keep track of them. When the program is working in final form, you can use RESequence to renumber your lines. If you really need to conserve memory, you can RES 1,1 to number your lines by ones, starting with Line 1. I usually clear the screen with CALL CLEAR, but you can use other methods. For example, if you have all black printing on the screen, you can turn the screen black with CALL SCREEN(2). If you have graphics on the screen, you can change the color of those characters to "invisible" with CALL COLOR(S,1,1), where S is the set number for the characters involved. Or you may change the characters to be a blank. For example, if you have Character 99 defined as a tree, and there are trees randomly placed on the screen, you can make all the trees disappear with CALL CHAR(99,"")

statements to branch, such as if the answer is A, go to Line 1000; if the answer is B, go to Line 2000; if the answer is C, go to Line 3000; if the answer is D, go to Line 4000. A more efficient way to direct the computer is to use the ON-GOTO. If you have used CALL KEY to get the answer, you will get the ASCII code of the ASCII key pressed. First make sure the key pressed is A, B, C or D, then branch: 400 CALL KEY(0,K,S)

410 IF (K < 65) + (K > 68) THEN 400 420 ON K-64 GOTO 1000,2000,3000.4000 To create a pause or delay in a program, you may use either a FOR-NEXT loop or a CALL SOUND delay: 300 PRINT "ONE" 310 FOR DELAY = 1 TO 400320 NEXT DELAY 330 PRINT "TWO" 340 PRINT "THREE" 350 CALL SOUND (500,9999,30) 360 CALL SOUND (1,9999,30) 370 PRINT "FOUR"

You may fill the screens with blanks with statements such as CALL HCHAR(1,1,32,768)

Sometimes when you read and process data in a FOR-NEXT loop you will notice a slight delay before the last data item. You can avoid the delay if you use one more loop than you need and add a dummy variable. For example, if you are printing lots of graphic characters on the screen you might notice a delay before the last character is put on. Increase the loop and use the last data item twice (print the last character in the same place two times). 300 FOR N=1 to 25

#### or

#### CALL VCHAR(1,1,32,768)

The computer starts in the upper left corner, Row 1 and Column 1, and places the blank character or space in each position for 24 rows and 32 columns.

You may also use CALL HCHAR or CALL VCHAR to clear parts of the screen. As in the above examples, you do not need to restrict the number of characters in the fourth parameter to one row or one column. Let's say you have graphics on the top half of the screen and some printing on the bottom half. If you want to erase the bottom part of the screen only, you can use

ment means to go to the next line. If you are translating from other computer versions of BASIC, you may have noticed that the colon is a statement separator. If you want to print several blank lines, you need to use PRINT or ? for each line you want in other versions of BASIC. In TI BASIC, you may use the colon, such as PRINT :::::. You may use colons along with other numbers or to understand. You may also use a method such as strings, such as PRINT CHR\$(130);CHR\$(131);" ";CHR\$(132) PRINT :: "HELLO" ::::: "HERE IS THE TITLE" :::: Remember to use the ON-GOTO procedure rather than a series of IF-THEN statements. An example of this situation is when you ask the user to choose among several choices. Let's say you have PRINT #1: "TRY AGAIN." a menu screen of choices A, B, C and D. You may use IF-THEN (See Page 12)

310 READ ROW, COL, C 320 CALL HCHAR(ROW,COL,C) 330 NEXT N 340 DATA 3,5,42, . . . (your data items here) 350 DATA . . . 10,12,65,10,12,65

If you really have to "squeeze" your program to fit in the available memory, remove all the REMark statements. Use short variable names. For example, instead of NUMERATOR and DENOM-INATOR as variable names in a fractions program, use N and D. Also look through your program for any repetitious programming that could be more efficient using subroutines or FOR-NEXT loops or DATA statements.

If you have a lot of graphic characters, redefine the lowercase CALL HCHAR(13,1,32,32\*12) letters and symbols in ASCII codes 91 through 126. Use PRINT Another hint is to remember that the colon in the PRINT staterather than CALL HCHAR or CALL VCHAR to place the characters on the screens faster. For example, redefine the characters, then use a statement such as PRINT "abcd" rather than four CALL HCHAR statements. Many of the other character numbers are the same as CONTROL characters and may also be printed, although your listing will contain funny looking characters and will be harder In speech programming with the Terminal Emulator II command module, I like to use the caret symbol before the word or phrase and the period after it to get a more natural voice. For example,

# THE GENEVE 9640 HAS LANDED

You will recognize it by its trade mark, a graceful gray swan swimming on blue water, an apt symbol. The ugly duckling TI no longer wanted, is no ugly duckling anymore. The GENEVE has surpassed everyones expectations, even our own; with power, speed, graphics, and adaptibility not found in other microcomputers. In fact, the GENEVE does so much, this ad can only begin to tell you about it.

#### • Near 100% Compatible:

- If you have a program written in Basic, Extended Basic, XBII, Assembly Language, Forth, Pascal, you name it, if it runs on the 99/4A then it is near certain to run on the GENEVE.
- 32K No Wait State High Speed RAM:
  - Programs like MultiPlan, which are painfully slow on the 99/4A, run many times faster, thanks in part to the High Speed RAM.
- V9938 Video Processor with 7 Graphics Modes:
  - Compatible with the 99/4A so you can use the GENEVE with the TV or monitor you are currently using. Same resolution as the Mac but with color. Faster than the Amiga, as fast as the Atari and does it with true aspect ratio, something the Amiga and IBM AT can not do. Aspect ratio renders higher resolution, better color, and appearance, through the use of square pixels. In the high resolution mode, 256 colors may be displayed on the screen at one time by the GENEVE, eight times as many as the Amiga can display in its high resolution mode.

#### • Mouse Interface:

- The mouse interface is built in and ready to use with the MYARC mouse. But, we didn't stop there, it is also ready to support the newest hardware, like video digitzers, and that's just for starters.
- 6 Complete Pieces Of Software Are Included WithThe GENEVE. But, three you will not be able to see how you ever did without are:
  - My-Word Processor; 80 columns, help screens for all modes of operation including control-U, initialize a disk without leaving the program, print formatted text to the screen for viewing before sending it to the printer and that's still not all My-Word will do.
  - Advanced Basic; the best and most powerful basic on the market today.
  - Pascal V4.21; if you have a standard USCD Pascal program, you will be able to run it with this program. If you do not have any Pascal programs, let



Ś

me tell you, one of the largest library of programs available, is Pascal. Compilers for Fortran, Modula 2, Lisp, and Pilot, as well as business programs from A to Z, are all there. USCD Pascal Software developed for computers from Apple to IBM, will run on the GENEVE, without modification.





If you have heard enough, contact your MYARC dealer, they have one in stock for you. If you do not know who your stocking MYARC dealers are, or, if you want to know more about the GENEVE, telephone the number listed below, or mail your name and complete address with zip code to the address shown below.We will be happy to mail you a brochure covering the GENEVE in detail and a list of our stocking dealers. Supplies of the brochure are limited, so please hurry.

ENHANCED **KEYBOARD OPTIONAL** 



GENEVE P. O. Box 140 Basking Ridge, New Jersey 07920-1014 (201) 766-1700

### BASIC---

(Continued from Page 10) When you use IF-THEN statements, don't forget that we also have the ELSE option. You may specify a line number for branching if the condition is true and another line number if the condition is not true:

#### IF SCORE =10 THEN 500 ELSE 250

Also, you may check more than one condition in an IF-THEN statement by using parentheses and the + and \* signs. IF (A=B)\*(C>D) THEN 300

You may combine strings to save data that otherwise might be in several parts and use lots of memory. For example, if you have a series of numbers 5,7,1,3,8,9, you may read them in as 571389 then use the SEG\$ function to separate them for calculations or other use: 200 READ N\$,A\$

210 FOR M=1 TO 6

- 220 X=SEG(A,M,1)
- 230 NEXT M
- 400 DATA RICK, 571389

My final reminder is that if you have the disk system and do not need a lot of open files, gain valuable bytes by using this procedure:

- 1. From the title screen, press any key to begin.
- 2. Press 1 for TI BASIC.
- 3. Enter CALL FILES(1)
- 4. Enter NEW
- 5. Proceed as usual.

use this as a standard procedure every time I sit down to program. Some of my longer programs will not run (you'll get an OUT OF MEMORY error) if you do not do this before loading and running the program.

# The trials of a c99 beginnner Integer arithmetic

### By CHARLES E. KIRKWOOD JR.

Integers, like strings, are input as characters and the characters must then be converted to an integer. After conversion, the number of bits necessary to store an integer is 16 or 2 bytes. After using the first bit as a sign bit, the range of integers will be from -32768 to 32767, which is 5 digits and a sign. The buffer array for integers needs to contain only 7 elements (1 for the sign, 5 for the digits, and 1 for the NULL), such as char buff[7]. The input characters in the buffer are first stored as a character string. This character string is then converted to an integer by using the function atoi() which is in the string-integer conversion library CONV;C. An integer can be printed out by using the function **printf()**, which is an object file. The first argument of **printf()** is always a string, called the control string. To print an integer, this string would be %d. This is analogous to the IMAGE in XBASIC or a format in FORTRAN. The control character **n** can be included if a new line is desired. The function print() can also be used to print out a character or a character string. The control character for a character is /c and for a character string is %s. The number of arguments is determined by the number of control characters.

Example 1 will input two integers, add them, and print out the result. /\*EXAMPLE 1\*/ extern printf(); finclude DSK1.CONV;C main() int a, b, i, j, k; char buff[7];

The operators +, -, \*, and / are the conventional ones that are used in other languages. There is no exponentiation.

Store files CONV;C and PRINTF on your program disk. The disk should now have the following files: ASSM1, ASSM2, C99C, C99D, C99E, C99PFF, C99PFI, CONIO, CONV;C, CSUP, EDIT1, PRINTF, SAVE, and STRING. This will leave over 100 bytes to write your c99 program, the assembled version, the object program, and the program you want to save. If you need more than 100 bytes, it will be necessary to use two disks and swap. Probably it will be best to store ASSM1, ASSM2, C99C, C99D, C99E, CON-IO, CONV;C, EDIT1, and STRING on the program disk. Change to your master disk to link the files together and then back to the program disk after the linked files are in the computer.

```
a=gets(buff);
i=atoi(a);
b=gets(buff);
j=atoi(b);
k=i+j;
printf("%d\n",k);
```

Any function file, such as CONV;C, which is written in c99, can be linked to your program by the **#include** instruction outside of the program or a function.

The print function **printf()** is an object file and must be linked to your program in what is generally called the link-edit step. A good place to load DSK1.PRINTF is after DSK1.CSUP.

Functions or variables that are defined in other files may be identified by extern, followed by the function or variable name; such as extern printf[];, extern int x;, extern char z[5];, etc. Try these two output statements with Example 1 and see the results: printf("%d %s %d %s %d\n",1," + ",j," = ",k); printf("Xd + Xd = Xd\n",i,j,k); The sort program given in previous c99 articles will now be rewritten to sort integers, Example 2. First input the number of integers to be sorted and then the integers are input and stored into an array. The integers are then printed out as they are input, sorted, and printed out again. The sort function chrsrt will have only two (See Page 14)



# **BANNERS!** A NEW AND EXCITING SOFTWARE PACKAGE FOR THE TI-99/4A\*

**BETTER BANNERS** took TEX-COMP'S great Banner 99 program and made it even better. All the great features of Banner 99 with 15 different graphic figures and the ability to make your own. Create your own banners, signs, and posters with any type of printer--dot matrix or daisy wheel.

This program produces professional results. Use this great program at home, husiness, school, club, and religious and fraternal organizations to create interest and excitment. EXAMPLES OF BANNERS YOU CAN MAKE WITH BETTER BANNERS!



Use it to welcome, bid farewell, to announce sales, events... The all new graphics not found in Banner<sup>®</sup> 99 include a flag, dor, car and smiling face along with the heart, star and floppy disk.

Easy to follow instructions so you can start turning out beautiful banners. Just put in the disk, type out the message and the banner comes out of your printer.



**BANNER GRAPHICS** is an accessory disk for BETTER BANNERS with over 45 additional graphic figures. You Can also create and store your own.....\$14.95+s&h

**SPECIAL OFFER FOR BANNER 99® OWNERS!!!** If you have already purchased Banner 99, send in the original instructions with your BETTER BANNERS order and receive BANNER GRAPHICS free!!!

> SEND ONDER AND MAKE CHECKS PAVABLE TO: Texas Instruments TEXAS Instruments P.O. BOX 33064 - GRANADA HILLS, CA 91344 NOTE: Payment in full must accompany all orders. Credit-Card, NOTE: Payment in full must accompany all orders. Credit-Card, Company Check or Money Order for immediate ahipment. Personal checks require up to 4 weeks to clear. California orders add 5%% tax.

VISA and MASTERCARD HOLDERS CALL DIRECT: (818) 366-6631



add 3% for credit card orders

TERMS: All prices F.O.B. Los Angeles. For fastest service use cashiers check or money order. Personal checks take at least ten days to clear. Add 3% shipping and handling (\$3.00 minimum). East of Miseissippi 4½%. (Free shipping on all software orders over

\$100.00).

### **c99**

(Continued from Page 12) changes from the previous article. Change the name to intert and change char a[]; to int a[];.

int i, j, k, t;

for(i=0;i<n;++i)

```
/*RXAMPLE 2*/
                            /*function intsrt*/
finclude DSK1.CONV;C
                            intsrt(n,a)
extern printf[];
                            int n;
main()
                            int a[];
  char a[7];
  int b[100];
  int c,d,i,n;
    /*input number*/
```

/\*function prtarr\*/ prtarr(n,a) int n; int a[]; int c,i; for(i=0;i<=n;++i) c=a[i]; printf("%d ",c);

t=a[i]; /\*of integers\*/ ki; c=gets(a); for(j=i;j<=n;++j) d=atoi(c); /\*last subscript\*/ if(a[j](t) n=d-1; /\*input integers\*/ t=a[]]; /\*and store in array\*/ k=j; for(i=0;i<=n;++i) c=gets(a); a[k]=a[i]; b[i]=atoi(c); a[i]:t; putchar(10); return; /\*output of array\*/ for(i=0;i<=n;++i) c=b[i]; printf("Xd **"**,c);

# return;

If these two functions are to be used a great deal, they can be added to one of your library files.

Since no exponentiation is included, Example 3 has a function for this purpose. You can use any name you like for this function; however, I used intpwr(). There are two arguments, one the number and the other the power or exponent. Two versions of the function intpwr to take an integer to a power are included (one using the while loop and the other the for loop). A program is written also to test the function. The function intpwr can be added to a function library.

> /\*BXAMPLE 3\*/ extern printf(); finclude DSK1.CONV;C main()

```
/*sort array*/
intsrt(n,b);
putchar(10);
putchar(10);
  /*output of sorted*/
  /*array*/
for(i=0;i<=n;++i)
 c=b[i];
 printf("%d ",c);
```

The array **b** is printed out twice, once before the sort and again after the sort. This array output can be written as a function. Let us call this output function prtarr with two arguments, n and b. Remove the output statements from Example 2:

for(i=0;i<=n;++i)

int a, n, p, r; char b[7]; puts("INPUT A NUMBER "); a=gets(b); n=atoi(a); puts("INPUT AN EXPONENT "); a=gets(b); p=atoi(a); r=intpwr(n,p); puts("result "); printf("%d\n",r);

/\*function intpwr\*/ /\*function intpwr\*/ /\*version 1\*/ /\*version 2\*/ intpwr(x,p) intpwr(x,p) int x,p; int x,p;

c=b[i]; printf("%d ",c); before and after sorting and replace them with: prtarr(n,b); Now add the function prtarr after intsrt.

int i,r; int i,r; r=1; r=1; i=1; for(i=1;i<=p;++i) while(i<=p) r=r\*x; return(r); r=r‡x; ++i; (See Page 16)

# SMALL BUSINESS SOFTWARE. **TI-COUNT** For the Texas Instruments Home Computer ... can help you do business a whole new way.

TI-COUNT is a complete professional accounting system for the TI-99/4A. Developed by Pike Creek Software, it is the only system to be recommended and endorsed for the 99/4A by TI. This system has all the features of systems costing up to thousands of dollars and many TEX-COMP customers are already running small to medium size businesses on this system. The TI-COUNT system comes In six separate packages and you only have to purchase those packages you need for your particular application. All packages can be used separately except accounts receivable and accounts payable which require the General Ledger package. Pike Creek completely supports this system and even sample forms are provided that you can have printed locally or purchase from Pike Creek. A background in accounting or bookkeeping is recommended to use this system. Requires 32K Memory Expansion, Disk Drive, Ex-**SPECIAL SAVINGS!** tended Basic, and a printer.







#### **GENERAL LEDGER**

Pre-programmed for fast start-up in small businesses. Monitors up to 650 accounts. Operates 5 journals: purchases, sales, receipts, payments, general entries. Updates daily ... provides interim statements ... prints closing adjusted and unadjusted balances, summaries; statements and changes. Uses easy-to-follow familiar debit/credit double entry bookkeeping system

#### ACCOUNTS RECEIVABLE

Keeps up to 200 customer ledger accounts on 1 disk .... with ID data, cumulative payment, open invoices. Edits, verifies, prints invoices instantly lists receivables in customer accounts. Produces aging summary, billing statements weekly or montly. Guides user through every task stepby-clear-step. (Requires General Ledger.)

Keeps up to 200 vendor ledger accounts on 1 disk ... with ID data, terms of sale, cumulative payment, open invoices. Scans bills for errors, immediately prints and files. User controls automatic check-writing and system: pay by age, code, invoice, or specified amount. Produces vendor file list, check register, copy of purchase journal entry. (Requires General Ledger.)

#### INVENTORY

Keeps you instantly abreast of sales, returns, purchases, state of stock. Stores up to 700 items in 4 departments on 1 disk .... with ID data, vendor, stock, on-order, back-order, reorder, cost, list and selling price, current value for each item. You select periodic or perpetual report basis. Prints labels, invoice forms, computes sales tax and freight. Operates independently or with General Ledger.

Automatically provides payroll checks and stubs ... on your choice of weekly, biweekly, semimonthly, monthly basis, plus W-2 forms yearly. Computes 4 withholding taxes per employee .... 8 different deductions for each .... commissions, bonuses, tips, overtime. Keeps up to 100 employee files on 1 disk. Automatically locks for security after payroll is printed. Operates independently or with

#### MAIL SYSTEM

Change, move, and merge mail files. Add, correct or delete individual names and addresses, sort names and zip codes ... print mailing labels .... with automatic reports for each mail file and disk. System also edits and prints letters, labels, cards. Totals active and inactive names, specified search fields, last names, number of names in each state. Operates independently or with Accounts Payable and Receivable

N.

	Leuyer./			dependently or	r with General Lec	igen.	Systems to M	hail to custome	ers/vendors	•
		ink					NEWLY UPD	ATED FOR BO	THU.S.	
	_OC									
- 2/		hdse	<b>THEE</b>	INTIRE		)UN	IAC	UU		NG
		uctio	STHE E PACK	AGEA	<b>FONE</b>	LOW	PRI	CEC		95
	icke		THIS PRIC	E INCLUDES	STHE ENTRY	SIX FR	OGNAM 5			+S&H entire
nras					NUS PROGRA					package
F	REE SU	JPER BC	ONUS WHEN YO	DU ORDER T	HE TI-COUN	T PACK	AGE AT \$	99.95.		
			TAX LOG Record selected data months PACKAGES NC	ly or annually Gr D LONGER A	eat for tax record VAILABLE SE	PARATI		L SYSTEM		
COUNT	TI-COUNT	TI-COUNT	<b>Orde</b>	er toc	lay al	70 3	Save	TI-COU	TI-COUNT	TI-COUNT
	t delenting of the g annungenty oppositions g annungenty terrings			TEN		ЛЛ				
										••••••••••••••••••••••••••••••••••••••
- <b>31.221</b>			YOUR ]	FYAS	INSTRI	<b>JMF</b>	NTS S	<b>SOUR</b>	ĊE	
	<b>k</b>									

#### Send order and make checks payable to: TEX+COMP

P.O. Box 33064, Granada Hills, CA 91344

AUTHORIZED DEALER



#### VISA and MASTERCARD HOLDERS CALL DIRECT (818) 366-6631 24 Hour Order Line

TERMS: All prices F.O.B. Los Angeles. For fastest service use cashiers check or money. order. Add 3% shipping and handling (\$3.00 Minimum). East of Mississippi 41/2%. Add 3% for credit card orders. Prices and availability subject to change without notice. We reserve the right to limit quantities

NOTE: Payment in full must accompany all orders-credit card, company check or money order for immediate shipment. Personal checks require up to 4 weeks to clear. California orders add 6½% sales tax.

VISA

(Continued from Page 14) return(r);

Another way to make variables known to both main() and any function is to declare the variable(s) before main(). The declared variable(s) will be known to main() and all functions that follow the declaration. This is called external or global declaration. Arguments may be omitted and also additional declaration(s) within the function(s). Any change to an external variable in a function will also change it in the program, since the addresses are the same. External variables are analogous to COMMON in FORTRAN. Functions are always external, for c99 does not allow functions to be defined within another function.

changes to Example 3. Type the external declaration int n,p; prior to main() and omit int x,p in the function intpwr. The variables **n** and **p** will be common in the program and all functions that follow after you also make the following additional changes:

from	to
int a,n,p,r;	int a,r;
r=intpwr(n,p);	r=intpwr();
intpur(x,p)	intpwr()
r=r‡x;	r=r‡n;

The C Programming Language by Kernighan and Ritchie, C Programming Guide by Purdum, and others have been valuable references and have given some excellent ideas for these articles. Dennis Ritchie originally designed the C language for the UNIX operating system at Bell Laboratories.

One way to illustrate global variables is to make the following

# Working with Logo Let the turtle do fractals

#### By SUSANNE L. JOHNSTON and BRUCE W. JOHNSTON

A procedure that calls itself is recursive. Recursion is a powerful tool that allows complex operations to be performed by seemingly simplistic procedures. First we will investigate the use of recursion in Logo programs and then use it to create fractals with turtle graphics. First, let's review what occurs when one procedure calls another procedure. At the point of the call, the calling procedure is put on hold until the call is complete. Following execution of the call, control returns to the line following the call in the calling procedure. Each time a procedure is called an activation record is built that records important information relating to that particular activation of the procedure. The activation record contains the following:



1. Information on how to return to the calling procedure (the location of the instruction following the call);

2. Any parameters that are passed in the procedure call.

When the called procedure is complete,

A useful mental picture of recursion is that of a child's set of blocks. Each time the procedure calls itself another block is placed on the stack. Eventually, each block must be taken down, in turn, until only one block remains, the original calling procedure. At some point the procedure must come back and complete each of the recursive calls until control reverts to the top level at the location of the first call. The best way to illustrate this is to look at a

recursive procedure. We will have the computer draw a tree with turtle graphics (Table 1).

control returns to the calling program and the activation record can be discarded. The key idea is that repeated procedure calls, whether nested or recursive, will generate a long stack of activation records that can quickly exhaust available memory space. For that reason, recursion must be used cautiously.

1 TO TREE :SIZE 2 IF : SIZE < 5 STOP3 FD :SIZE 4 LT 20 5 TREE :SIZE/2 6 RT 40 7 TREE :SIZE/2 (See Page 18)

1111

1919

CorComp—the Number One Supplier of Quality Hardware for the TI-99/4A

A COMPLETE EXPANSION SYSTEM 9900 + FOR THE TI99/4A THE ULTIMATE 99/4A EXPANSION SYSTEM AT A SPECIAL INTRODUCTORY PRICE FROM TEX COMP

TEX-COMP, the undisputed leader in supplying the 99/4A User, has now put together the finest and most complete expansion system ever offered for the TI99/4A.



# NOTHING ELSE TO BUY!

- 9900 Expansion Box & Regulated Power Supply (UL Approved)
- 32K Memory Upgrade Adds 32K bytes of Random Access Memory to your system.
- Double Sided/Double Density Disk Controller (operates up to 4 drives)
- RS232 Interface Lets you add a wide range of other accessories, such as printers or telephone modems, one parallel and 2 serial outputs.
- 1 SS/SD Disk Drive Allows you to store and retrieve data on 5¼-inch single- or double-sided flippy diskettes.
- 1 Disk Drive Case & Regulated Power Supply Handles two 1/2-height drives easily (UL or LAC Approved)
- New Disk Manager with Improved Disk Utilities
- All Cables & Instructions Including a free TI RS232 Y-Cable.

ALL FOR \$379.95 Plus S&H

 $\sum_{i=1}^{n}$ 

For above system with full size of ½-height DS/DD DriveSPECIFY\$399.95For above system with a pair of ½-height DS/DD DrivesNEW LOW PRICE499.95

Other leading CorComp Hardware Values	
CorComp RS232 Card (for TI P-Box)	79.95
CorComp 32K Card (for TI P-Box)	99.95
CorComp 256K P-Box Card	69.95
CorComp 512K P-Box Card	229.95
	49.95
	299.95
CorComp Stand Alone RS232 with Free Y-Cable	99.95
CorComp Stand Alone 32K	89.95
Triple Tech P-Box Card (Clock/Buffer)	119.95
9900 Clock Stand Alone	69.95
"Grom Buster" (for 1983 Consoles)	24.95
Load Interupt Switch (with FREE Screen Dump Program)	19.95
PDI Diagnostic Module	24.95
NEW "Writer-Ease" Word Processor & Spell Check New Lower Price	39.95
IBM Connection (39.95 with Controller Card)	49.95
4-Height DS/DD Disk Drive (2 will fit in P-Box) New Lower Price	89.95
Full Size SS/SD Disk Drive (exact replacement for TI 1250)	59.95
Full Size DS/DD Disk Drive	79.95
Drive Enclosure with Regulated Power Supply for 2 12-height or 1 full Drive	39.95

Cable Kit for 2 ½-height Drives (torinstallation in P Box) Cable Kit for Stand-Alone Drives (specify TLor CorComp system) 29.95 29.95



Send order and make checks payable to: **TEX+COMP** P.O. Box 33064, Granada Hills, CA 91344

AUTHORIZED DEALER

TERMS: All prices FO B. Los Angeles. For fastest service use cashiers check or money and handling (\$3.00 Minimum). East of Mississippi 41/2%. Add and 3% for credit card orders. Prices and availability subject to change without notice. We

reserve the right to limit quantities

NOTE: Payment in full must accompany all orders---credit card, company check or money order for immediate shipment. Personal checks require up to 4 weeks to clear California orders add 61/2% sales tax.

VISA

#### Page 18 MICROpendium/January 1988

### LOGO-

(Continued from Page 16)

8 LT 20

9 BK :SIZE

10 END

 Table 1. Recursive TREE procedure. TELL TURTLE and HT.

This is a short procedure that looks relatively simple, but how does it really work? It's a bit more complicated than it first appears. Every recursive program must have a stopping point or the recursion will run forever (or until it runs out of memory). Line two is a STOP rule when branches of the tree are less than five turtle units. Table 2 illustrates the recursive process showing how the calls build upon each other and are later unstacked and completed. The procedure begins by drawing a line 20 units long then turns left 20 degrees. Now the first recursive call occurs, TREE 20/2. At this point the calling procedure is put on hold and an activation record is generated. This way the procedure can return to this point later to complete the call. The execution will not end until all calls have been completed. Five calls are made before the procedure starts to unstack. Calls four and five stop immediately and then the procedure returns to the last incomplete call, call three in line seven (Table 2). This call was made from line five, TREE 10/2 in Table 1, so the line after the call is executed; RT 40 (line 16 in Table 2). You may find it helpful to draw the tree by hand as you go through Table 2. You can see that the procedure stacks upon itself and then unstacks until it is back to the original calling level. This short ten line procedure actually executes 51 lines of code and calls itself 15 times.



10

12		TO TREE	5/2	5	5	7	STOP	
13		1.7 20	·					
14		PR 5						
15	RETURN	TO CALL	3		10			
16		RT 40					Line 6,	Table 1
17		TO TREE	10/2	6	10	7	,	
18		FD 5						
19		1.7 2.0						
20		TO TREE	5/2	7	5	5	STOP	
21		RT 40						
2.2		TO TREE	5/2	8	5	7	STOP	
23		LT 20						
24		BR 5						
25	RETURN	TO CALL	6		10			
26		1. <b>T</b> 2.0					Line 8,	Table 1
27		PK 10						
28	RETURN	TO CALL	2		20			
29		RT 40					Line 6,	Table 1
30		TO TREE	20/2	9	20	7		
31		FD 10						
32		ЬТ 20						
33		TO TRRE	10/2	10	10	5		
34		FD 5						
35		1.T 20						· .
36		TO TREE	5/2	11	5	5	STOP	
37		RT 40						
38		TO TREE	5/2	12	5	1	STOP	
39		LT 20						
40		RK 5						
41	REFERN	TO CALL	10		10			
42		RT 40					Line 6,	Table 1
43		TO TRRE	10/2	13	10	7		
44		FD 5						
45		5 <b>T</b> 20						
46		TO TREE	5/2	14	5	5	STOP	
47		RT 40						
48		TO TREE	5/2	15	5	1	STOP	
49 50		1.7 20 Br 5						
<b>a</b> 0		PR 3						

Line 8, Table 1

Line 8, Table 1

This gives you some idea of the power and complexity of recursion but what is it used for? Well, it is being put to some remarkable uses in the field of fractals.

Fractals were invented by Benoit Mandelbrot and are discussed at length in his book *The Fractal Geometry of Nature* (W.H. Freeman, 1982). A non-mathematical definition of a fractal is a design with innate self-similarity. That is, at any scale, the basic pattern of the design is the same. Looking at our tree, this is evident in the branching. The trunk splits into two branches which each split into two smaller branches. Thus, the branching pattern remains the same at all scales. Therefore, our tree is a fractal. But we can go a step further.

In his article Formulating Fractals (Computer Language v.4 n.4 April 87, pp. 28-40), Stephen Casey discusses seed fractals and squig fractals. Seed fractals are designs created by repetition of a given geometric pattern, such as our tree. Squig fractals are designs created by repetition of a given geometric pattern with controlled randomness. In this way, fractals can emulate nature's

own controlled randomness. Table 3 is a refinement of

(See Page 20)

Table 2 (at right). Recursive TREE procedure showing all recursive calls and how each is completed. Line 5 or 7 refers to the line in procedure TREE (Table 1) where the call is made. (SIZE = 20).

50 RETURN TO CALL 13 10 51 52 1.7 20 53 RK 10 20 RRIURN TO CALL 9 54 55 LT 20 RK 20 56 57 END





THIS NEW PRODUCT ANSWERS THE NEED MANY TI-99/4A USERS HAVE TO MOVE THE EXPANSION BOX FURTHER FROM THE CONSOLE THAN THE ORIGINAL CABLE PERMITS. IT ALSO MOVES THE HEAVY ORIGINAL TI CONNECTOR AWAY FROM THE CONSOLE WHICH IN TURN ALLOWS MORE FLEXABILITY. UNLIKE SOME PAST ACCESSORIES OF THIS TYPE, ONLY THE HIGHEST QUALITY CONNECTORS AND TWISTED PAIR FLEX CABLE IS USED FOR RELIABLE PERFORMANCE AND LOW LOSS. THIS 18" EXTENSION CABLE ALSO LETS YOU MOVE YOUR COR COMP 9900 SYSTEM 18" AWAY FROM THE CONSOLE. GREAT FOR TIGHT QUARTERS OR TO GAIN MORE SPACE NEXT TO THE CONSOLE.......\$19.95 +s&h



SUPER BUYI ONLY \$99.95 WITH ONE SS/SD DRIVE

Stand alone ss/sd drive (in case with power supply and cable).\$ 99.95 Stand alone ds/dd drive (in case with power supply and cable).\$119.95 Half height ds/dd drives (2 will fit in P-Box......\$ 89.95. Order 2 drives and receive P-Box installation kit with all cables. bracket, screw and instructions (reg. \$29.95) for only .....\$ 9.95. Stand alone drive case with heavy duty power supply for one full size or two half height drives.....\$ 39.95. Specify TI P-Box or Cor Comp 9900 system when ordering stand alone drives so we can provide correct cable and instructions! SPECIAL orginal TI-99/4A ss/sd drives NEW only \$59.95..add \$20 for ds/dd.

These units are sold with a 90-day warranty.

# Stand Alone Disk Drive

Cor Comp ds/dd controller card for P-Box-supports 4 drives....\$149.95 A Must Addition For Your System!

#### The Complete Low-Cost Plug-In Modem. VOLKSMODEM

It puts computer-to-computer communications within easy reach of every personal computer

#### owner.

Just plug Volksmodem between any wall phone jack and telephone and put your computer into **a** instant communication with thousands of others. It's that easy. No extra parts or tools are necessary-just one adapter cable and software is all that's needed.

MONEY SAVING SPECIAL. Get the Volksmodem (reg. \$59.95), 99/4A modem cable (reg. \$12.95), and Terminal Emulator II (reg. \$9.95) an \$80 + value for ONLY \$39.95.



Send order and make checks payable to TEX+COMP PO BOX 33064 - GRANADA HILLS CA 91344

VISA MásterCárd AUTHORIZED DEALER

VISA and MASTERCARD HOLDERS CALL DIRECT (818) 366-6631 24 Hour Order Line

TENNIS: All prices FO B. Los Arigeles. For fastest service use cashiers check or money. order Add 3% shipping and handling (\$3.00 Minimum). East of Missinsippi 412%. Add 3% for Credit Card orders. Prices and availability subject to change without notice. We reserve the right to limit quantities.

MOTE: Payment in full must accompany all orders. Credit card. Company check or Money order for immediate shipment. Personal Checks require up to 4 weeks to clear. California orders add 61/296 sales fax

### LOGO----

(Continued from Page 18) the tree procedure with some randomness added. TO TREES : SIZE : THETA IF : SIZE < 2 STOP PD :SIZR LT : THETA TREE3 :SIZE / ( (RANDON + 9) / 4 ) ( (BANDON + 5) + 2) RT : THETA \* 2 TREE3 :SIZE / (  $(RANDON + \sqrt{9}) / 4$  ( (RANDON + 5) + 2) RT : THETA TREE3 : SIZE / ( (RANDOM + 9) / 4 ) ( (HANDOM + 5) \* 2) LT : THETA \* 2 BK : SIZR RND

model nature in chemistry, biology, physics and other fields. With the TI 99/4A we can explore fractals on a small scale. For example, we can use our tree to draw a forested lane (Table 4). By drawing numerous trees (N) at different locations (SXY) we can simulate a forest. ROAD draws two rows of trees along a road giving a sense of diminishing perspective. You might also try drawing over TREE3 numerous times without clearing the screen, but change SIZE and THETA to draw a fuller tree. You can fractal computer graphics.

Table 3. Refinement of TREE procedure to create a squig fractal.

There are now two inputs to TREE3; SIZE and THETA. SIZE determines trunk and branch length and THETA controls the angle between the branches. On the recursive calls a random number is added to the equation to determine SIZE and THETA so the branches are not all uniform. The TI Logo primitive RANDOM generates a value between 0 and 9. Using the formulas in Table 3, SIZE will be in the range SIZE/2 to SIZE/4. THETA will vary from 10 degrees to 28 degrees. We also added a third branch and decreased the stop rule to two, to make the tree more interesting. Now when you execute TREE3 40 20 you see a much more natural looking tree. You may have to run it several times to get a tree you like: after all, it is a random process. This is the first step in producing a realistic computer generated landscape. Many features could be added to complete the design, such as leaves, coloring, shading, shadowing and other computer graphics techniques. But you can imagine the potential that fractals hold.

# User group update

The following are additions and updates to our user group listings, which we began publishing in the May 1987 issue.

# California

Central Valley T199/4A Users Group, 1914 Regis Dr., Davis, CA 95616. Ratchford Higgins, president. TIBBS at (916) 927-3012, Woody Large, sysop. More than 50 members. Meets at 8 p.m. third Thursday of month at Rancho Cordova Library, 9845 Folsom Blvd. (Sacramento area). Meetings open to public, no charge. Software and book library and newsletter membership \$12 per year.

## Florida

Manasota Users Group, 6625 Roxbury Dr., Sarasota, FL 33581. Has 20 members, meets first Monday of each month except July and August at Sarasota County Vocational-Technical Center, 4748 Beneva Rd., Sarasota, Florida. Meetings usually tutorials on Tf utilities, with occasional guest speakers on general computer applications. Newsletter. Annual dues \$20.

Some films are now using fractal images for landscape scenes because it is cheaper than going on location. Because fractals do have the ability to emulate nature so well they have been used to

```
TO FOREST IN ISIZE ITHETA
IF : N = 0 STOP
SXY (-10 - (:N - 1) * 10) (90 - (.N - 1) * 10)
TRER3 : SIZE : THETA
SXY (10 + (:N - 1) + 10) (90 - (:N - 1) + 18)
TREE3 : SIZE : THETA
POREST : N - 1 : SIZE - 5 : THETA
RND
TO ROAD
CS
FOREST 8 40 20
SXY (5) (90)
SETHEADING 155
```

# Mississippi

Jackson TI User Group (formerly Metro Jackson Microcomputer Group), P.O. Box 4425, Jackson, MS 39216. Mets at 7:30 p.m. every Monday at 231 Gaddis St. Annual dues \$12.

### Texas

Sun City 99/4A Computer Club, P.O. Box 6966, El Paso, TX 79906. William Borchardt, president. New phone: (915) 751-6844.

PD 150 SXY (-5) (90) SETHEADING 205 PD 150 RND Table 4. Procedures to draw numerous fractal trees along a country lane.



Old Dominion Users' Group, c/o Gary Sydnor, president, 709 Timken Dr., Richmond, VA 23229, phone (804) 741-3689 or c/o Wayne Stith, vice president, 715 Timken Dr., Richmond, VA 23229, phone (804) 740-6131. Meets second Tuesday of each month in a member's home.

# Computer maintenance Cleaning module contacts

Having trouble with computer lockups or just getting your computer started (such as screen garbage when you go into Extended BASIC)? If so the following two-part series may help you solve your problem.

The first part of the series is taken from the Central Iowa Users Group newsletter. The article is by Ron Rutledge. Part II is by Gary Cox and will appear next month. Readers who use the suggestions for cleaning the 4A and its cartridges do so at their own risk.—Ed.

off. If it should bend off don't worry, it won't effect the performance of your module.

The module board can now be removed. Do this carefully and note how the spring-loaded "door" is assembled, if there is one, so that you can put it back together if it pops out.

Once the board has been removed take the rag (a facial tissue will work but cloth is better) and rub off any residue from the edge connector contacts. Do the contacts on both sides if the module has them. Once the worst is removed take any soft rubber eraser and "erase" the contacts until they become dry, clean and shiny. You need to do only the outer half of the contacts as that is much as ever gets worn (you can see the scratch marks on the contacts). After the cleaning, put the cartridge back together and go. Symptoms of dirty contacts include the console locking-up and unusual errors where none occurred before. (For example, my dirty Extended BASIC cartridge gives me syntax errors in programs where there were no errors when it was clean.) Don't jump to clean a cartridge on the first appearance of an error. Such problems may be caused by static and not having the module firmly seated in the cartridge port, among other things. But if you have a continuing problem, cleaning the contacts is quick and cheap and may get you running again.

#### **By RON RUTLEDGE**

Dirty contacts can screw-up any electrical device and the 4A is not an exception. The only place you are likely to run into this problem is in using command modules. Both the module contacts and the port itself can become dirty, but cleaing the port itself is a big job as you have to disassemble the console. The good news is that cleaning the cartridge will almost always suffice and can be done quickly without special tools or cleaners. All you need is a screwdriver, a rag, a standard pencil eraser, and in some cases a medium phillips screwdriver.

Remove the screw from the center of the cartridge if there is one. Then pry the clips in the outside slots to the bottom left and right of the center screw. If there is a clip in the center instead of a screw, pry it back after the bottom left and right slots are pryed

# Seattle company builds box to accommodate

#### THE HORIZON RAMDISK BATTERY-BACKED RAM 192k

# 4A-9640-PC combination

A box to hold the Geneve 9640 plus other cards has been developed by Miller Communications of Seattle, Washington, for the Queen Anne Computer Shoppe.

The IBM-AT-style box has a 220-watt power supply with a disk drive controller slot and seven other slots, and will accommodate two hard drives and three floppy disk drives, according to Dave Miller of Miller Communications.

The box will hold two RS232 cards, and Miller Communications' videoflex and frame grabber cards. Key lock and LE status lights are provided, he says.

He notes that the box is configured for TI users and the boards will be vertical as in the TI box. A disk controller card for an IBM clone is available with a switch whereby the user can go between the IBM or the 9640 or 4A, he noted. He said the IBM-type card will also fit in the TI peripheral expansion box. The user would need a new keyboard with the TI, but the board can be used with the same drives. The 256K RAM IBM-type card has a floppy disk controller on board, he notes, and the user can add "layers" to make an extensive IBM system, if desired. Miller says the box was developed because of the need for a heavy power supply for the 9640 and his fear of packing the TI PE box for fear of overheating. (See Page 30)

for the 99/4a

#### \*\*\* NOW AT NEW PRICES \*\*\*

build yourself with readily available parts or purchase 192k-DSSD constructed card

FAS PC BOARD with MANUAL and SOFTWARE

538 PC BOARD ONLY, no minimum purchase required

CONSTRUCTED CARD, 90 DAY UARRANTY, MANUAL, SOFTUARE

Prices include shipping within N. America. Ohio orders add 6% sales tax. For ordering or information:

#### HORIZON COMPUTER, LTD P.O. BOX 554 WALBRIDGE, OH 43465

# Archivers confer on Delphi

A committee to established archiving standards for the TI was established at an archiving conference held Dec. 17 on Delphi's TI NET.

Although such a committee has no "official" status, it is composed of three persons who were described by TI NET sysop Jeff Guide as "in the forefront of developing archiving programs," Al Beard, Barry Boone and Barry Traver. Further along in the discussion, Beard and Traver asked Jerry Coffey, who chaired the con-

# Archiving conserves disk space, saves money on downloading

Archiving of computer programs is being used by software distributors to save money on media. This is particularly true of non-commercial software distributed or sold under the label of shareware, freeware, user-supported software, etc. In most cases, the distribution diskettes include utilities to decompress the archived programs.

The process of archiving is most beneficial with programs that include multiple files or are very long. The percentage of compressesion depends on the archiving technique, but it is not unusual to archive a file in such a way that it occupies only 60 percent of the disk space the unarchived program occupies.

ference, to join the committee.

Others participating in the conference from the TI community were Art Byers, Paul Charlton, Paul Gray, Walt Howe, Dave Ramsey, Jim Horn and Scott Darling. Peter Olson, programmer for Delphi and sysop of its Macintosh and Apple sigs, also participated.

Traver said the ability to unpack an individual file "without having to unpack the whole shebang" is an essential feature to an archiving program and one present even in in his earlier version of his program AR-CHIVER. He noted that the feature is especially important to persons with SS/SD systems.

He said that if he were doing his program now, he would include reserve bytes and room for expansion. He suggested that Boone's projected ARCHIVER III have "librarying" done last if compression and librarying are seen as separate activities so that files can be accessed or cataloged individually. Boone said he had already planned to do so. He said ARCHIVER II 2.3 was released earlier than he had intended because Darling, sysop on GEnie, convinced him to do it. Ramsey commented that the slant on archivers is as a telecommunications device, but that is only one aspect of their possible uses. He said he routinely uses LBR files under CP/M for many other applications, including storing programs that are occasionally run and running them directly from inside the LBR and storing documents in LBRs and accessing them through special utilities. He said TI standards need to be flexible enough to accomodate other applications of the archived files. Boone said the only problem with this is lack of memory, particularly where compressed files are concerned. DecomObviously, this also has benefit to those who download software from telecommunicatons services. Downloading a compressed files doesn't take as long as downloading the same unarchived program. In a medium where every minute costs money, the savings can be significant.

As archiving gains in popularity, it is necessary to adopt a standard so that users won't be confused by a surfeit of archiving utilities. That was one purpose of the Delphi TI NET conference. Of course, whatever standards are eventually adopted or proposed, it would be prudent for users of other telecommunications to do likewise.

pressing LZW (Lempel-Ziv compression algorithm) files is not a problem on the Geneve 9640, he noted, but the TI99/4A defines the standard.

Beard said it is important that archivers contain the ability to least each individual file. Another possible use for archivers, he said, is object (subroutine) libraries. He said archivers should be able to recognize and unpack the TRAVER format. transfers to download something other than a file with a TIFILES header.

Ramsey said there should be compression and archiving utilities to provide greater flexibility for the user.

Olson said he has a "plea" for MS-DOS ARC compatibility because of the "Tower of Babel" effect of different ARC programs for different machines.

Beard noted that "the big missing thing in that archiver format that we need is a file type byte."

Charlton said that since MS-DOS names are 11 characters (8+3 extension), TI names could be treated in the same way, through 10 character +1 type, with the rest of the information TI needs in the first sector of the packed file. After Beard and Ramsey brought up the difficulties other computers would have reading the 11th byte, Charlton said this would not be a problem since it would appear to be part of the 11 characters of the filename. Questioned by Boone, Charlton said it is possible to change a terminal program with file Beard said a single file archive is "a pretty isolated case." The usual archive upload is an archive with program source, executables, documents, disclaimers, etc., ' he said.

Traver commented, however that it can make sense to archive or library a single file, because de-arcing restores the original filenames. This can be important for the "average" user, he said, who otherwise can end up with files that can't access one another or can't be accessed at all. "Standard" filenames for other computers and telecommunications services don't work on the 4A, he noted.

He noted that some programs don't run unless they have exactly the right filename, and some novice users don't know how to change filetimes or what to change them to. Un-archiving an archived file automatically gives every file the intended correct name, he said. *A transcript of the conference is available on the Delphi TI-NET*.

# Printing in multiple columns

**By WILLIAM R. BROWN** Brown originally wrote this article for publication in the newsletter of the Sun City TI99/4A Computer Club, of El Paso, Texas. It has been condensed. — Ed.

Multicol is a supplemental format program written in Extended BASIC which uses data files that are produced by TI-Writer. It can produce printouts in either 2- or 3-column formats and in any of three print styles (Pica, Elite or Condensed). Any TI-Writer file may be used provided it has been reformatted to conform to the requirements of this program. The program generates printouts in a style similar to those used by magazines and newspapers. In addition to the three print styles that are available, all of the capabilities of the printer can also be used. It does require extra care and editing in preparing the data files so that the printouts are what is desired. It will use any D/V 80 file. However, these files will need re-editing and resaving by the Editor Save File function to operate properly with this program. I recommend using the TI-Writer Editor to produce your data files. The Editor gives you a variety of features plus the use of CONTROL U printer control code functions. The program provides additionally such features as pagination and left margins for both front and back side of sheet printing to allow for binding. It also has the ability to remove unwanted carriage return and line feed symbols from the data file. Right margin justification is provided by the the use of the Formatter print to disk option.

message will come up on the screen giving the error code number and a message "FILE CANNOT BE FOUND." Then the program goes back to disk drive selection and so forth. The screen does not clear here. This is done so that you can check to see if the wrong disk number was entered or if the file name is incorrect.

After the data has been loaded another screen comes up with the prompt "NUMBER OF COLUMNS PER PAGE." You enter either 2 or 3 here. The next prompt is for your printer's name. The

default name here is PIO. If this is your printer's name then press Enter. Or else, enter your printer's name then press Enter. The next prompt asks for the style of print. "N" is for normal Pica, "C" is for Condensed and "E" is for Elite. After this is entered, a new screen comes up saying "PRINTING" and remains until the printing is completed.

When the printing is completed, the next screen comes up asking "Do you wish to continue?" If continuing is selected, then another prompt asks "Want to clear the stack? Y or N?" You will need to clear the buffers before you can enter another page of text. If "Y" is entered then the screen flashes "CLEAR-ING STACK." When the stack is cleared the screen then flashes "STACK IS ENPTY" and the prompt "PRESS ENTER TO CONTINUE."

#### HOW THE PROGRAM WORKS

The first screen is the title screen. Press Enter to

Part II of this two-part series will be published next month. Next month's installment includes information about using this Multicol with the TIW Formatter as well as other tips and hints.

## MULTICOL

100 ! FILENAME MULTICOLS ! 19	280 !!131
2	290 CALL CLEAR :: CALL SCREE
110 ! xxxxxxxxxxxxxxxxxxxxxxx	N(5):: FOR B=0 TO 12 :: CALL
**** !017	COLOR(B, 16, 5):: NEXT B !215
120 ! *	300 DISPLAY AT $(2,3)$ : "A SUPP
* 1023	LIMENTAL - FORMAT" :: DISPLA
130 ! * A SUPPLIMENTAL - FOR	Y AT(4,5): "PROGRAM FOR USE W
MAT * !108	ITH" !217
140 ! * FROGRAM FOR USE WI	310 DISPLAY AT(6,8): "THE TI
TH * 1031	-WRITER'' :: DISPLAY AT(8.9):

advance to the next screen. The second screen has three options. These options are for selecting which control characters are to be removed. Option "C" is for files that have carriage return symbols in them. Option "L" is for files that have line feed symbols in them. Option "N" is for files that have had both carriage return and line feed symbols previously removed.

Files that are saved by the Editor SF function will have carriage return symbols. Files saved by using the Formatter print to disk option (which is used to obtain right margin justification) will have line feed symbols.

Saving files by using the Editor Print File C option will have all control codes stripped off. Note that files saved by the Print File method will need to be resaved by the Save File method so that the program can then use them.

Press Enter and the next prompt asks for Pagination Y or N? If Y is entered, then another prompt asks for page number. If N is entered, then the next prompt is for printout margins on front or back side of page. After this is entered the program goes to the next screen. The first prompt asks for which disk drive number is the data file located. The second prompt then asks for the data file name. After entering the file name the program goes to another screen which says "LOADING". This remains until the data is entered by the computer into its memory buffer. Then "LOADED" is flashed on. If, at this point there is an error in the data file, a

TH . . . . 150 ! \* THE TI-WRITER !031 \* <u>160 ! \*</u> VERSION 2.2 \* !143 REVISED 18 DEC 198 170 ! \* 1053 \* 5 by William R. Brow 180 \* 1073 n Sun City User Grou 190 ! \* ! 146 \* p 200 ! \* El Paso, Texas \* 1012 210 ! \* \* 1023 220 ! \*uses Ext. Basic, Mem. E xpan\* !173 230 ! \*2 Disk Drives, Printe r & \* !247 240 ! \*TI-WRITER Word Proce ssor\* !090 250 ! \* \* 1023 260 ! \*\*\*\*\* !()17 270 ! TI-WRITER REG. T/M TEX AS INSTRUMENTS 151

1/10110110100,3)'Version 2.2" !123 320 DISPLAY AT(14,5): "by Wi lliam R. Brown" :: DISPLAY A T(16,5): "Sun City Users Grou **p**" !098 330 DISPLAY AT(18,8): "EL PAS O, TEXAS" !037 340 DISPLAY AT (22, 4): "PRESS ENTER TO CONTINUE" !227 350 CALL KEY(0,K,S):: IF S=0 THEN 350 :: IF K<>13 THEN 3 50 :: CALL CLEAR !204 360 DISPLAY AT(2,6): " - FILR OPTIONS -" :: DISPLAY AT(4, 2): "for files saved by EDITO R -" !254 370 DISPLAY AT(6,2): "Save Fi PRESS 'N' :: DISPLAY le AT(8,2): "Print File PRESS 'C'" !067 380 DISPLAY AT(10,2): "For fi les saved by" :: DISPLAY AT( 12,2: FORMATTER PRESS L' :: ACCEPT AT(12, 26) SIZE(-1)) VALIDATE ("NCL") BEEP: F\$ !254 (See Page 24)

### MULTICOL---

F

(Continued from Page 23) 390 DISPLAY AT(14, 1): "INCLUD E PAGINATION? (Y/N) :: ACCEP T AT(14,28)SIZE(-1)VALIDATE( "YN") BEEP: C\$ :: IF (`\$="N" TH EN GOTO 410 1080 400 DISPLAY AT(16, 1): "STARTI NG PAGE NO. " :: ACCEPT AT() 6,22) VALIDATE (NUMERIC) BEEP: A 1235 410 DISPLAY AT(18, 2): "PRESS FOR FRONT PAGE" :: DISPL

610 DISPLAY AT(8,2): "PRESS ( 3' FOR 3 COLUMNS" :: ACCEPT AT (8,28) SIZE (-1) VAL IDATE ("23 ") REEP: T\$ !061 620 DISPLAY AT(10, 2): "PRINTE R PIO" :: ACCEPT AT(10, 11)S IZE (-16) HEEP: PR\$ !237 630 DISPLAY AT(14,6): "STYLE OF PRINT :: DISPLAY AT(16,2 ): "ENTER 'N' FOR NORMAL (PIC A)" !012 640 DISPLAY AT(18, 2): "ENFER 'E' FOR ELITE PRINT" :: DISP LAY AT (20,2): "FNTER 'C' FOR CONDENSED" ! 196 650 ACCEPT AT(20,27)S1ZE(-1) VALIDATE ("NEC") BEEP: PP\$ :: I F PP\$="N" THEN GOTO 670 ELSE GOTO 660 1060 660 IF PP\$="E" THEN GOTO 680 FLSE IF PP\$="C" THEN GOTO 6  $90 \ 1001$ 670 PL=80 :: SP\$=CHR\$(18)&CH R\$(27)&CHR\$(69):: GOIO 700 ! 250 680 H\_96 :: SP\$=CHR\$(27)&CH R\$(66)&CHR\$(2):: GOTO 700 !1 **98** 690 HL=136 :: SP\$=CHR\$(15):: GOTO 700 1200 700 CALL CLEAR :: DISPLAY AT (14,8): "PRINTING . . " !229 710 OPEN #1: PR\$, VARIABLE PL :: FRINT #1:SP\$ :: FRINT #1: CHR\$(27);CHR\$(80);CHR\$(64);C HR\$(0)!104720 IF T\$="3" THEN 880 !161 730 FOR I=1 TO L/2 1073 740 IF LEN(Bs(I))=0 THEN PRI NT #1: CHR\$(11):: (X)TO 780 !2 24 750 JF PP\$="N" THEN Z=39 ELS E IF PP\$="E" THEN Z=47 ELSE Z=67 !123

(6,2): "DO YOU WANT TO CONTIN UE?" :: DISPLAY AT(8,2): "PRE SS ENTER TO CONTINUE" !090 810 DISPLAY AT(10,2): "PRESS ANY KEY TO QUIT" :: CALL KEY (0,K,S):: IF S=0 THEN 810 :: IF K<>13 THEN 820 ELSE 830 1089 820 END 1139 830 DISPLAY AT(12,1): "WANT T O CLEAR STACK? (Y/N)" :: ACCE PT AT(12, 28)SIZE(-1)VALIDATE ("YN") HEEP: S\$ ! 142 840 IF S\$="Y" THEN 850 FLSE 500 !231 850 CALL CLEAR :: DISPLAY AT (8,2): "CLEARING STACK" :: FO R I=1 TO L :: R\$(I)=" " !182 860 NEXT I :: L=0 :: DISPLAY AT(14,7): "STACK IS EMPTY" : : DISPLAY AT(22,2): "PRESS EN TER TO CONTINUE" !149 870 CALL KEY(0,K,S):: IF S=0 THEN 870 :: IF K<>13 THEN 1 020 ELSE 1010 1098 880 FOR I=1 TO L/3 !074 890 IF LEN(B\$(I))=0 THEN PRI NT #1: CHR\$(11):: GOTO 780 !2 24

AY AT (20,2): "PRESS 'B' FOR B ACK PAGE" 1066 420 ACCEPT AT (20, 26) SIZE (-1) VALIDATE ("FB") BEEP: H\$ :: 1F HS="F" THEN H=6 ELSE H=3 !10 3 430 CALL CLEAR !209 440 DIM B\$(300):: FOR I=1 TO L :: B\$(I) = " :: NEXT I ::L=0 !071 450 DISPLAY AT(7,2): "INPUT F ROM DISK DATA FILE" 1235 460 DISPLAY AT(9,1): "ENTER D JSK NUMBER 1.2 OR 3" :: ACCE PT AT (9, 28) SIZE (-1) HEEP: DNS !148 470 DISPLAY AT(12,4): "ENTER DATA FILENAME" :: ACCEPT AT( 14,9)SIZE(-10)BEEP: FN\$ !139 480 ON ERROR 990 1234 490 DISPLAY AT(17,6): "LOADIN 500 OFEN #2: "ISK"&DN&&". "&FN \$, INFUL , SEQUENTIAL, DISPLAY , VARIABLE 80 1159 510 JF EOF(2) THEN 780 1062 520 IF F\$="N" THEN 550 !099 530 JF F\$="L" THEN 930 !222 540 IF F\$="C" THEN 960 !243 550 INPUT #2:X :: FOR I=L+1 TO L+X :: LINPUT #2:A\$ !007 560 B\$(I)=A\$ :: NEXT I :: IFASC(B\$(I))>127 THEN B\$(I)=" "!129 570 DISPLAY AT (19, 11): "LOADE D" :: L=L+X :: CLOSE #2 !072 XT DELAY 1074 590 CALL CLEAR :: DISPLAY AT (2,7): "READY TO PRINT" !111 600 DISPLAY AT(4,2): "NUMBER OF COLUMNS PER PAGE" :: DISP LAY AT(6,2): "PRESS '2' FOR 2 COLUMNS'' !203

760 FRINT #1: TAB(H); B\$(I); TA B(H+Z);B\$(I+L/2)!229 770 NEXT I :: PRINT #1: CHR\$( 11)!()24 580 FOR DELAY=1 TO 400 :: NE 775 IF PP\$="N" THEN YY=39 EL SE IF PP\$="E" THEN YY=43 ELS E YY=65 ! 125 780 IF CS="Y" THEN PRINT #1: TAB(YY); "Page "; A :: A=A+1 :: FRINT #1: : : ! 160 790 CLOSE #1 !151 800 CALL CLEAR :: DISPLAY AT

900 IF PP\$="N" THEN W=25 ELS E IF PP\$="E" THEN W=31 FLSE ₩=45 1098

905 IF PP\$="N" THEN YY=39 EL SE IF PPS="E" THEN YY=43 ELS E YY=65 ! 125

910 PRINT #1: TAB(H); B\$(I); TA B(H+W); B\$(I+L/3); TAB(H+(2\*W)));B\$(I+2\*L/3)!230

920 NEXT I :: PRINT #1:CHR\$( 11):: GOTO 780 !248

930 INPUT #2:X :: FOR I=L+1 TO L+X :: LINPUT #2:A\$ :: P= POS(A\$,CHR\$(10),1):: IF P=0 THEN  $B_{(1)}=A_{ELSE} B_{(1)}=SEG$ 

\$(A\$, 1, P-1)!125 940 IF ASC(A\$)>127 THEN B\$(I )=" " !201 950 NEXT I :: GOTO 570 !236

960 INPUT #2:X :: FOR I=L+1 TO L+X :: LINFUT #2:A\$ :: P= POS(A\$,CHR\$(13),1):: ]F P=0 THEN  $B_{(I)}=A_{I}EB_{(I)}=B_{(I)}=SEG$ \$(A\$, 1, P-1)!128 970 IF ASC(B\$(I))>127 THEN B \$(1)=" " !128 (See Page 34)

# What the manual doesn't say Getting started with MDOS

#### ©Copyright 1987 by Walter Howe By WALT HOWE

This article is the first in a series designed to help you get the most out of the Myarc Geneve 9640's operating system, MDOS. The article is being written after release of MDOS, version 1.0. Version 1.1 is scheduled to appear soon, and probably will have been released by the time you read this. What I have to say this month about MDOS should apply to either version, but if there are any exceptions, they will be brought up to date in a future article. MDOS takes care of all your routine disk and file utilities and a lot more. If you are a long-time 99/4A user, you took-care of disk management first with TI's Disk Manager 1 or 2 cartridge. Later on, improved disk managers came along, including the CorComp Disk Manager, DM1000 from Canada and Myarc's Disk Manager III, among others. Whichever one you used, you need the utilities to initialize (format) disks, catalog disks, copy disks, copy files, protect files from accidental erasure, delete files, rename files and disks, and so on. With MDOS, all these capabilities and much more are resident in the operating system and can be used without loading any other programs. Those who work with with IBM PCs or their clones are already familiar with many of the features of MDOS. MDOS was designed to look like PC-DOS or MS-DOS for those computers. The program code is completely different, but its familiar appearance makes it easier to learn. (This article is written primarily for non-PC users, although it will help point out some of the differences from MS-DOS as well as some of the disparities in the 9640 manual. The article does not try to replace the manual, which is better written than most, but concentrates on those things that are incomplete, have changed since the manual was written, or that new users have repeatedly had questions about. The focus this month will be on the commands that everyone must use in a basic 9640 system. **BOOTING MDOS** or Before you turn on the Geneve, you must have MDOS in one of three places.

The built-in software tells the computer to look for a file named SYSTEM/SYS (the filename for MDOS) on either a hard disk, a Horizon or comparable RAMdisk or on disk drive 1. The Geneve manual does not mention the Horizon RAMdisk for booting, but it was included, because the Horizon RAMdisk was well-designed for the purpose and many 99/4A owners were buying or building them, including some of the programmers working on the system software. However, the 9640 will NOT boot from MYARC's own RAMdisk. The first time you boot the system, you will probably be using drive 1. (The uses of the Horizon or hard drives will be covered in future articles.) When you turn on the power to the system, it runs some diagnostic checks, loads MDOS, asks you for the correct time and date if not already entered (or sometimes even if it has been), looks for a file named AUTOEXEC on the same drive you loaded from, and confronts you with the:

tage of this system is that as long as you want to use the drive designated by the prompt, you do not have to enter the drive in a command at all. For example, to get an onscreen directory of DSK3, all of the following commands will produce the same result:

C > DIR

A > DIR C:

#### A > prompt.

There are two systems of designating drives in the 9640 that MDOS recognizes.

### B > DIR DSK3.

Note that the colon (:) after the letter or the period after the disk number is essential. If you type just DIR C, for example, after an A > prompt, MDOS will look for a file named C on the A drive to list in the directory instead of using it as the drive indicator.

#### ASSIGN

The ASSIGN command (page 76 of the 9640 manual) can be used to redesignate what drives the letters represent. The command does not work exactly as shown in the manual. If you have set up a RAMdisk in an AUTOEXEC file (more on this next month) and you want to redesignate the letter C to stand for the RAMdisk at DSK5, you must use the following exactly as shown:

One is the familiar designation of DSK1, DSK2, etc. used with the 99/4A. The other is the use of letters A, B, C, etc. When you power up, the letters A through D stand for floppy drives 1 through 4, respectively. The letters E through G stand for hard drive s 1 through 3, whether you have them or not. On the other hand, while DSK1 through DSK4 represent the same thing as the letters A through D, DSK5 represents an internal RAMdisk (if you have one set up with an AUTOEXEC file), and DSK6 and DSK7 are set aside to represent RAMdisks on separate cards such as Horizon's. When performing disk operations, you can use the letters or the usual DSK designations, although the syntax (format) is different for each.

#### ASSIGN C = DSK5:

This is not done automatically as the manual suggests. A similar common application is to assign D or E to a Horizon RAMdisk at DSK6 using exactly the same format. If you type the command ASSIGN by itself, it does not cancel previous changes as stated in the manual, but instead lists the current assignments on screen.

#### FORMATTING DISKS

Before you can use a floppy disk of your own, it must be initialized or formatted (page 39). Depending on which controller card (Myarc, CorComp or TI) you are using, there may be several formats you can use ranging from 360 sectors to 2880 sectors. The one common format that all controllers and drives can use is single-sided, single-density (SSSD). This format places 9 sectors with room for 256 bytes or characters per sector on each of 40 concentric circular tracks on the disk for a total of 360 sectors and approximately 90,000 or 90k bytes of information. Because this (See Page 26)

The letter in the prompt is the designated active drive, and you can change it by typing another letter followed by a colon. If you type: A > c: or A > C: the prompt will change to C >. The advan-

### MDOS----

(Continued from Page 25) is the common denominator for all controllers and drives, nearly all commercial disks for the 4A and the 9640 come in that format. If you have double-sided drives, the available space doubles to at least 180k and 720 sectors with all disk controllers.

When you format a disk, MDOS can tell whether you have double- or single-sided drives and picks the larger available format. To format in single-density, just type the word FORMAT after the prompt and enter it. If you want to format a single-side only when two are possible, type /1 after the word FORMAT. For example: A > FORMAT /1

Eighty-track is sometimes referred to as quad-density, although strictly speaking quad-density correctly refers to higher density per track rather than more tracks. With 80-track drives, a double-sided drive has 2880 sectors or 720k at 18 sectors per track. Many ordinary floppies can handle 80-tracks, but if you find problems with one brand, try another, or switch to a brand rated for 80-tracks. Do NOT use socalled high density floppies, which are for true quad-density and are not compatible. To format in 80-tracks, add /80 at the end of the command line, for example: A> FORMAT C: /V /1 /16 /80 If you have 80-track drives and a Cor-Comp controller, you may find that 18-sector format does not work properly. If so, try 16-sector format. With 80-track, we have looked at all the options directly supported by MDOS, at least until someone writes or activates routines to change interlace and skew, two more characteristics of disk initialization that can affect the speed of reading and writing to floppies. MDOS does have built-in support for these characteristics, but they cannot be accessed through direct commands at present.

For single-density, try an interlace of 2. With good drives, you will see very fast read operations. For double-density, try an interlace of 3 or 4. Use the fastest setting on the DIP switches found inside the controller. If you have older drives, such as TI's original drives for the PE Box, you will have to use the slower setting in most cases and a larger interlace.

#### DISKCOPY

DISKCOPY (page 41) makes a duplicate of a disk. The advantage of DISKCOPY in MDOS over similar features in separate managers is that it will use all available memory, if necessary, to copy a disk. You can copy up to a DSDD 16-sector track disk in one pass this way. This is particularly convenient with single drive systems. The format is: A > DISKCOPY [sourcedrive] [targetdr ive]

To format in another drive than the prompt, just include the drive designator. For example:

A > FORMAT B:

#### or

#### A > FORMAT DSK3.

Most disks, even if they are marked single-sided, will work on both sides if you have a double-sided drive. When you format a disk, the operating system looks for bad sectors and omits them from the sectors available for use, so that you won't spoil a copied file by writing part of it on a bad sector.

With the Myarc and CorComp controllers, you can use double-density drives as well. All but the oldest disk drives will work just as well in double-density as in single-density. Double-density places 16 or 18 sectors on a track instead of 9. To format in double-density, include /16 or /18 after the FORMAT command. To format a single-sided, double-density in drive 3, the correct syntax is: A > FORMAT C: /1 /18

NOTE: If you have a Myarc controller, high quality drives, and want to increase the speed of your drives even further, do not use MDOS to initialize your drives! Use Myarc's Disk Manager III instead, in which you can set interlace. With the 4A or 9640, the number specified as the interlace refers to the number of disk rotations that are required to read a track of a disk completely. An interlace of 2 means that the track is completely read in two revolutions by reading every other sector in each rotation. When the disk is formatted, it is set up so alternate sectors are used and the remaining sectors are used on the second revolution. An interlace of 1 would mean that the complete track could be read in one revolution, but this is beyond the capability of most systems,

such as

A > DISKCOPY DSK2. DSK3. or DIS KCOPY B: C:

If you only list one drive, it assumes that the drive listed is the source drive and the drive represented by the prompt is the target. Remember the phrase "PROMPT IS TARGET" or "PIT" and you will keep them straight. If no drive is listed, MDOS assumes single drive copying using the prompted drive. Exactly the same rules apply to designating drives for file copying with the COPY command.

#### or

#### C > FORMAT / 1 / 16

If you want to add a volume label (diskname) to the disk when you initialize it, include /V and you will be prompted for the name at the appropriate time. B> FORMAT /V /1 /18

One more option is available that is not

#### COPY

The COPY command (page 43) lets you make a copy of one or more files (see WILDCARDS below). Normally the new files will have the same filename as the source files, but if you type a different filename for the target, the filename will be changed for the target. A word of warning! MDOS recognizes commands in both upper and lower case, and you can even create files with lower case filenames. Use lower case filenames with caution. You can create a file with a lower case filename, but many programs in 4A mode, for example, MY-Word, will not recognize it or even let you enter it in order to load it. A problem that many 9640 users run into very quickly is trying to COPY a file with a slash (/) in the filename, as for example, when trying to back up the SYSTEM/SYS

mentioned in the Geneve manual. MDOS also supports 80-track drives, either 5 ¼ inch or 3.5 inch (720k type ONLY — you CANNOT use the variable speed 1+ megabyte drives), with the Myarc and CorComp controllers. This option can be used only with specifically 80-track drives. because there must be enough time after reading a sector to move the contents out to memory before reading the next sector. Similarly, there must be time for the disk drive head to move to the next track after a track has been fully read. By the time this is done, the beginning of the next adjacent sector has already gone by.



### MDOS----

(Continued from Page 26) file. MDOS recognizes slashes as parameter indicators, not as part of the Attempts to COPY filename. SYSTEM/SYS do not work! The problem can be solved easily through the use of WILDCARD characters (page 37). Replace the last part of the filename with an asterisk or replace the slash with a question mark and you can then COPY the file. If you refer to the filename as SYS\* or SYSTEM?SYS, it will copy successfully. Another way to do it if you need an exact match because of similar filenames is to enclose it in quotes. 4A programmers have been systematically using slashes in filenames for years. They are often used to separate filename extenders where other computers use periods. With the 9640, avoid slashes from now on. Use a dash or underline in its place. See the top of page 37 for the complete list of allowable symbols. Note that the 4A's system of using consecutive filenames for sections of assembly programs or for saved cartridges lends itself to wildcard usage. You can COPY the full set of GPL files with a command like:

CON (for console) as the first listed (source) device and a filename as the second (target) device, you can create a text file consisting of what you type from the console. In this case you continue until you type a control-Z, which writes the file to disk. Next month we will look at using this method to create AUTOEXEC files to configure the system on power-up, tailor your prompts, load files, and create menus. Entering the command:

#### **OTHER DIFFERENCES FROM THE** MANUAL

To scroll the command stack (page 34), use the up and down arrow keys instead of F1 and F2. Screen scroll using F3 and F4 (page 35) is not supported at all in MDOS, version 1.0, but will be in a future release.

The TIMODE command (page 74) is not supported in MDOS 1.0, but the RAMdisk and Spool functions are automatically set when you load the GPL files for 4A mode. In MDOS 1.0, you cannot set up the RAMdisk from MDOS, load files and carry them forward into GPL mode. When the TIMODE command is implemented, it will add the carry forward capability.

A > COPY GP\* B: which will copy all six GPL files from drive B to drive A.

A > COPY CON AUTOEXEC will start a text file in the A > drive with the filename AUTOEXEC.

Another use of the COPY command lets you turn your system into a typewriter. PRN is the device name for your printer. COPY CON PRN will print whatever you type from the console after you enter the command until you type a control-Z. You can similarly COPY a text file to printer with: A > COPY TEXTFILE PRN COPY TEXTFILE CON will display the textfile onscreen, but the more usual way to do that is to use the TYPE command (page 43). TYPE TEXTFILE will rapidly scroll the text of the file name TEXTFILE on the screen. If you want the file to pause after every page (22 lines), follow with the parameter /M. This does not appear in the manual, but the command TYPE TEXTFILE /M will pause after every page until you strike any key to go on to the next page.

Hard disk functions are not supported in MDOS 1.0 and will probably not be supported in MDOS 1.1. A special version will be issued for hard disk controller purchasers, to be tentatively called MDOS 1.1H.

CONFIGSYS files are not supported as described on page 71. Use the filename AUTOEXEC in all such applications.

#### NEXT MONTH

This month's article has concentrated on differences between the manual and un-

COPY is a versatile command that can copy information to and from devices other than disk drives (see page 69). If you use

documented features that you can use. Next month, we will look at practical ways to use AUTOEXEC and BATCH files to customize your system and make it more useful.

# Geneve Using the Horizon RAMdisk

By MIKE DODD Using the Horizon RAMdisk with the Geneve has been a major cause of confusion. The following is an attempt to clarify the problem somewhat.

To use the Horizon RAMdisk with the Geneve, you must set the CRU base to

- MDOS will not boot from a Horizon using the Horizon-supplied ROS.

If you do not have the Genial Computerware Horizon RAMdisk EPROM, you must format the Horizon with a Geneve (i.e. the MDOS command FORMAT DSK6. /18 /2). After doing so, you will not be able to access the RAM-disk using a 99/4A, unless you reformat with the 4A. In other words, you can use the Horizon on either the 99/4A or the Geneve, but not interchangeably. If you have the Genial Computerware EPROM, you can use the Horizon RAMdisk interchangeably between the 99/4A

and the Geneve. It may be formatted with a 99/4A or MDOS.

There now exist much larger Horizon RAMdisks, in sizes up to one megabyte. However, their compatibility with the Geneve has yet to be fully established. There is one small error in the 9938 VDP manual: on page 78, the EQ bits are inverted. It should read: "EQ: When 1, ends execution when border color is found. When 0, ends execution when a color other than the border color is found." Thanks to Ron Walters of Cleveland, (See Page 28)

>1400 or >1600. A Horizon at >1400 will respond as DSK6., and a Horizon at >1600 will respond as DSK7. The Genial Computerware Horizon RAMdisk EPROM is NOT required to use the Horizon for normal storage. It is required, however, if you wish to boot MDOS (SYSTEM/SYS) from the Horizon

### GENEVE-

(Continued from Page 27) OH, for this information.

A commonly asked question about the Geneve is whether or not it is possible to add external DSRs to the Geneve. Some explanation is required here: a DSR (Device Service Routine) is a program that controls a peripheral, i.e. disk controller, RS232, RAMdisk, clock card, etc. On the 99/4A, whenever you attempt file access (e.g. OPEN #1:, SAVE, OLD, etc.), the computer searches all the external peripherals (i.e. the cards in the PEB) for a name equal to the name of the device you are trying to access (e.g. DSK1, RS232, RD, etc.). The disk controller card has five devices listed: DSK1, DSK2, DSK3, DSK4, and DSK (except the TI controller, which does not have DSK4). When the computer finds the correct name, it executes the program contained in the DSR. This program handles interfacing to the hardware and passing information back to the computer. Almost all future devices, such as a RAM-disk, will require a DSR to work.

keyscans, which often have a nasty habit of thinking you pressed a control key, when, in fact, you didn't. This causes MG Explorer to take off on some other task, often locking up the program. The easiest solution is to remove the CRU keyscans. While this is not a total fix, it does help quite a bit. A word of warning: once you start continuous execution (with CTRL-2), you can not switch screens (CTRL-1) or stop until MG Explorer hits a breakpoint. So, don't forget to set the breakpoint! To make the changes, use a sector editor. Don't forget to change both versions (EXP/Q/R, EXP<sup>1</sup>/<sub>2</sub>/3). Make sure you change a backup copy! All sector and byte numbers are in decimal. In the first file (EXP and EXP1), you will need to make nine changes. In sector 23 of the file (24 if counting from 1), change hex >3606 to >0706 at the following bytes: 18, 80, 108, 164, 192, 242. In the next sector, change the word at bytes 14, 64, 92. In the second file (EXQ and EXP2), you will need to make two changes. In sector 24 (25 if counting from 1), change the word at byte 254. In the next sector, make the change at byte 28. I have heard many complaints that the Thorn EMI games (i.e. River Rescue, Submarine Commander, and Computer War) will not run on the 9640. The reason for this is that those games use a CRU keyscan - that is, they scan the 99/4A keyboard directly, rather than use the standard console routine for this. Since the Geneve uses such a different keyboard approach, the programs do not work on the Geneve. There is one type of CRU keyscan that will work on the 9640 — direct scanning of the joystick. One program that uses this method is J. Peter Hoddie's joystick interrupt program, published in the October 1986 issue of MICROpendium. The article with the program states that it will not work on the 9640 — this is because at that time it was assumed that the joystick scan method would be different, as well as the keyboard. However, Myarc decided to use the same method as the 99/4A did for scanning the joystick — thus, Hoddie's program will work on the Geneve. Few terminal emulator programs will work on the 9640. This is because most TE programs use a CRU keyscan for faster

speed. The 99/4A standard key scan is horribly slow (relatively speaking) and would cause a loss of characters with many TE programs. The known working TE's are: P-Term, Mass Transfer V3.9 and earlier, some versions of Terminal Emulator II, and Paul Charlton's Geneve version of Fast-Term. A note about the Geneve version of Fast-Term: the print spooler will not work with a TI or Myarc RS232 card if PIO is selected. The program will spool

to the CorComp PIO or any RS232 port. OTHER NEWS

The Geneve, instead of searching the external peripherals, contains a single master DSR routine for almost all current peripherals: the disk controllers, RS232 cards, and Horizon RAMdisk. If you were to plug in a new card with an external DSR, such as DataBioTics' soon-to-bereleased Grand RAM card, you could not access it with the Geneve, as MDOS does not do external searches if it does not have the DSR programmed into it. In other words: no, it is not currently possible to add external DSRs to the Geneve. However, a programmer for MYARC has stated that MYARC is considering adding a routine to MDOS that will do external searches if it doesn't recognize the device, so perhaps sometime in the future this will change.

J. Peter Hoddie has released two loaders for MY-Word that are different from the MY-Word loader being distributed by Myarc. One, called ED, does not load the formatter or help screens. This is useful for quick edits of text files or assembly source files, where the formatter is not needed. The other loader, called RE, only loads one file (CONTROL) and then restarts MY-Word. RE assumes that MY-Word had been previously loaded and has not been corrupted by any other programs. Currently, the only programs that run from GPL mode which use the additional memory and therefore might kill MY-Word are: Myarc Disk Manager III V2.0 and higher, the Myarc version of Multiplan, and Hoddie's MEGASORT96 program. One programmer is currently working on a mouse interface for the 9640 that would use the mouse much as the Macintosh computer does. This would be a major addition to the currently rather sparse number of applications that use the mouse. Many people have reported difficulties using their joysticks on the 9640. The problem is that MDOS scans the joysticks backwards — all calls to joystick 1 actually go to joystick 2, and vice versa.

#### MG EXPLORER

MG Explorer is a wonderful debugger program. It may easily qualify as the single

Several people have reported difficulty using the TI-Artist program as patched from the instructions in the November 1987 MICROpendium Geneve article. I am trying to ascertain why these problems exist — on some systems, the patch works perfectly, while on others, the program will not work at all. The problem occurs when you exit the TI-Artist section with FCTN = to return to the main menu. Once you get there, the computer seems to lock up, refusing to accept any additional (See Page 29)

most complex program ever written for the 99/4A. Since Bytemaster Computer Services (171 Mustang St, Sulphur, LA 70663-6724) is now offering Explorer in an unprotected form (available for \$25 + \$2 s/h), Geneve owners can run this program — almost. MG Explorer uses many direct CRU

### GENEVE----

(Continued from Page 28) keypresses. Chris Faherty, author of TI-Artist, is reportedly working on a solution to the problem.

Interlace refers to a condition set in the VDP chip which causes all horizontal lines to be doubled. With interlace off, every other line is blank, which can cause dottylooking text. With the interlace on, however, the blank lines are filled in, causing the text to look fully formed. The problem is that not all monitors can handle interlace mode — selecting it causes the screen to rapidly vibrate, which can quickly cause severe eye-strain. Some Geneve programs allow you to select whether or not you want interlace on or off. MY-Word toggles the interlace with the I com-

mand from the main command line. MY-Art toggles interlace with the CTRL-I key. For those programs that do not allow toggling, if it is in GPL mode, you can press CTRL-SHIFT-ALT (all on the left side of the keyboard) to toggle interlace. The CTRL-SHIFT-ALT keypress also toggles the number of lines on the display (24 or 26  $\frac{1}{2}$ ). The first time you press the keys, it switches to 24 lines, interlace on, then 26 <sup>1</sup>/<sub>2</sub> lines, interlace off, then 26 <sup>1</sup>/<sub>2</sub> lines, interlace on, then back to 24 lines, interlace off. This can be useful for those people with monitors that can handle interlace mode, since almost all programs run with interlace off. It can also be used in Fast-Term Geneve to turn the interlace off, for those who do not have compatible monitors. This keypress does not currently work from MDOS.

An undocumented keypress from MDOS is CTRL-SHIFT-SHIFT. When running in GPL, of course, this will return you to the cartridge loader screen. When running in MDOS, however, this will do a cold boot of the system, returning you to the swan screen and reloading SYSTEM/SYS.

Mike Dodd is planning to devote a future column to problems that users have with the Geneve. Readers who'd like to submit a problem for consideration should mail it to Dodd at 116 Richards Dr., Oliver Springs, TN 37840.

# Software planned for 1st quarter

Geneve 9640 owners have several software releases to keep track of during the first quarter of 1988, according to company spokesman Jack Riley. Among these are Version 1.0 of the GPL interpreter, Version 1.1 of MDOS, Myare Advanced BASIC and Pascal Runtime. Also scheduled for release during the first quarter is the Myare floppy/hard disk controller. A 1.5 megabyte memory expansion is planned for a mid-year release. According to Riley, up to 1 megabyte of RAM can be partitioned for use as a battery-backed RAMdisk. Expected for release in the second quarter is GEME (Graphics Enhanced Multi-Tasking Environment), a windowing-multi-tasking program. A database manager with relational capabilities is expected by September. Also contracted for development is a Computer Aided Design (CAD) program by the author of MY-Art. Also, Myarc is soliciting suggestions from users about a terminal program that would be released this summer. Submit suggestions to Myarc at TE Ideas, P.O. Box 140, Basking Ridge, NJ 07920. Other programs to look for are a mousesupported disk manager, Forth and an upgrade of MG's Advanced Diagnostics for the Geneve. A flight simulator is under development as well as a MIDI. Most of

the products mentioned in this article are being developed outside of Myarc, and under contract. The flight simulator is a third-party project.

An upgrade of MY-Art also has been released. MY-Art 1.4 supports mirror imaging in both the vertical and horizontal axis. Expected for February release is the capability to output MY-Art drawings to color printers. As of Jan. 1, all 9640s are being shipped with a 101-key AT-style keyboard. Full use of this keyboard requires GPL interpreter Version .99 because of additional key codes. Version .98 of the GPL interpreter does not read all the key codes of the new keyboard. that it is patterned after the programmers development package for the Commodore Amiga.

Version 1.1 of MDOS supports all commands. Version 1.0 of the GPL interpreter carries forward print spooler and RAMdisk memory configured while in MDOS. Both of these are being shipped, along with the final version of Multiplan.

Previously, Myarc has announced development of a 1-2-3 clone called MY-Numbers, a c compiler and a BASIC compiler for the Geneve.

Riley noted that Myarc will release a "fix" for Plato programs that will allow them to be used on the Geneve. Riley said that other TI programs that fail to run on the Geneve may also be addressed in this way. He indicated that such program patches will be made available through dealers. Also released is PDS (Programmers Development System) with links, macros and manuals. Riley described it as "a professional grade developers kit," and said The Pascal and Advanced BASIC programs are going through a beta test loop involving a number of users in February. According to Riley, this should assure completely finished products prior to shipping. In the past, Myarc has shipped sofware, such as MDOS, in varying stages of completion. While some users appreciated this approach, rather than having to wait for a final version, others were frustrated. Both of these programs will be shipped to 9640 purchasers in late February.

The Pascal program, developed by Pecan Software, of Brooklyn, New York, is expected to run any Pascal program written to USCD Version 4.22 specifications. It will provide access to Fortran 77 and LISP, according to Riley. Advanced BASIC promises several advantages over Myarc Extended BASIC 2.1, which has been included with the Geneve. XB 2.1 runs on 128K of memory out of the GPL environment. This limits (See Page 32)

# **KWIKFONT**

# Assembly language made easier

#### **By BOB CARMANY**

Have you ever tried to read the TI Editor/Assembler manual and, like most of us, just got discouraged and gone on to something a little more simple?

Have you ever wished you could understand what all these "strange" A/L directives are?

If you have ever used the TI-supplied

# Bevieu

#### **Report Card**

Performance...Ease of Use...Documentation...Value...Final Grade...

becomes an excellent "idiot's" tutorial in assembly language. If there were a way to rate the documentation I would certainly do it! The documentation alone is worth far more than the asking price for the package.

Value: This is probably one of the best values I have seen on the "fairware" market. The program is excellently put together. The character redefinition portion is fast, convenient to use and completely user-friendly. The documentation is excellent and well-written. Everything is clear and easy to understand. It makes an excellent beginning A/L tutorial when it is used along with the E/A manual. Much of the material that is either missing or not fully explained in the E/A manual is clarified in Stith's documentation. For the price of \$6 (which includes the disk as well), you can hardly go wrong! I would encourage anyone who does significant work with graphics to latch on to this little beauty at the first opportunity! This package takes the drudgery out of character development and has encouraged my feeble attempts at as-

character definition program from the BA-SIC manual, this program is a real eyeopener! Nothing can be more trying than trying to redefine some graphics characters for a game program and it can be impossible to try to redefine an entire character font for that "special" effect in your programs. KWIKFONT will make these chores much, much easier.

The programs was written by Wayne Stith (author of HYPHENATOR) and, amazingly enough, takes up both side of a "flippy." A long program? Not really, the program itself is short — 45 sectors for both files. The rest of the disk is taken up with documentation!

**Performance:** KWIKFONT is a font/character redefinition program that is

#### **Cost: \$6**

Manufacturer: Wayne Stith, 715 Timken Ave., Richmond, VA 23229 Requirements: Console, monitor or TV, disk system, 32K memory expansion, E/A, TI-Writer or FUNNELWEB (or other program image file loader), printer optional but strongly recommended.

any questions you may have and there is even a short program included to help you retrieve the characters you create. I had no problems loading the program and redefining and changing characters from the first time I used it.

supplied as two program image A/L files. It has a multitude of functions (rotate, mirror, load, save, etc.) These are all documented in a nice little "Help" option that is selectable with a single keystroke, as are all the functions. The redefinition program works quite smoothly and presents a magnified box with cursor control to edit any character that you wish from ASCII 32 to 143. It loads easily from any cartridge that will load a program image file. Although the Editor/Assembler caqrtridge is the primary loader, KWIKFONT will also load from TI-Writer and, naturally, from FUNNELWEB.

Everything works smoothly and the redefinitions are fast and convenient to use. KWIKFONT works faster and more efficiently than any of the other font design or character definition programs that I have seen. Ease of Use: This is probably one of the most "user-friendly" programs I have encountered recently. It requires NO documentation because it is completely menudriven. The "Help" option will answer

**Documentation:** This is the truly amazing part of the program package! When I got my copy of KWIKFONT, one of my friends mentioned that the documentation included "commented source code." I was prepared for a terse half-line of comments after every line or two of source code. Well, this hardly prepared me for what followed! The first thing I did was made up a little TI-Writer print file to load the separate documentation files that come with the package. I then ran the whole "mess" through the Formatter. I had doubts, as time wore on, if there was an end to the documentation. The Formatter "churned" out some 78 pages of documentation that are among the best I have seen. This was

sembly language programming.

I would encourage anyone who has struggled with the complexities of assembly language to send Stith a \$6 "donation" for his efforts — you won't be disappointed!

### BOX—

#### (Continued from Page 21) The basic box retails for \$329.95, according to Barbara Wiederhold of the Queen Anne Computer Shoppe. The 256K IBM-type card sells for \$399. Dealer inquiries are welcomed, she says.

She notes that the boxes are assembled in the United States and all the parts needed for them are readily available in this country. For further information, contact the Queen Anne Computer Shoppe, 6102 Roosevelt Way, N.E., Seattle WA 98114 or (206) 522-6558 or (206) 622-9400 (answering service 8:30 a.m.-5 p.m. M-F).

truly a labor of love.
The whole thing is done much in the pattern of the MG Night Mission package.
Each section of source code is *fully* commented — not with a few lines, but in most cases with paragraphs or more. When used in conjunction with the texts referenced in the beginning of the documentation, it

### EZ Keys

# Taking the drudgery out

#### **By HARRY BRASHEAR**

I want you to remember a name. Harry Wilhelm! Got that? I'm pretty sure you've never heard it before, but you're going to hear it very often, very soon. The upper echelon of TI-dom had best get on its toes because Harry's the originater of EZ-KEYS, which is being distributed by Asgard Software. This is his first attempt at commercial software and it looks like a super pro job. He's working with a minimum TI system right now and I shudder to think of what he's going to do with a full blown system. I can't wait to see, either! At first I had a little problem figuring out exactly what kind of program EZ-KEYS really is because it's very hard to describe. There are at least two or three pieces of software on the market already that allow you to program your function and control keys, and this seemed for all the world like another one of them. Frankly, that kind of thing never excited me. The ability to hit one key and have LIST "PIO" execute seemed like the epitome of laziness. After thoroughly reading the extensive docs, though, I decided that EZ was a lot more than that. Some say there has never been anything like this for the TI, and it's true. EZ-KEYS is a programmer's environment, made up by the programmer to take all the drudgery out of his work. At the same time, however, it's also for the nonprogrammer, the user, if you will. Everyone has need for this package. Yes, it does what you suspect it does program your keys, 55 of them to be exact. It also allows you 668 characters of programming per key, and you can embed up to 16 levels of key passes. In other words, one key can call a second, etc. It sounds very complicated, but it's not. I was able to set up this program after one good reading of the docs, and about an hour later I was comfortable with it. That's not to say I mastered it. I just started figuring out a small percentage of the fantastic power it has for making computer chores a lot easier. Lets get on with the details. First of all, a couple of built-in CALL LINKs.

#### **Report Card**

Performance	-
Ease of UseA	L
Documentation	
ValueA	L
Final GradeA	

trouble using it with the Super Extended BASIC cartridge and am presently keeping it in my Horizon RAM for quick retrieval. (It's only 40 sectors, and you are expected to make copies of the disk for your own use.)

You are greeted with a title screen and a blinking cursor ready for programming on a colored screen. At this point you may want to use the final CALL LINK, which will set your programming screen colors, editor screen colors, and the colors of some special characters we will discuss later. FCTN 5 puts you into EZ-KEY editing mode. There is a status screen first, telling you what keys have been programmed, and how many bytes of memory are left for you to use. By pressing the key you want to program (i.e. CTRL=), you are sent to the editing screen. If you just bought the program and would like to see whats happening, by all means, press CTRL=. This macro has been preset to give you a disk catalog.

Cost: \$14.95 — 50 cents shipping Manufacturer: Asgard Software, P.O. Box 10306, Rockville, MD 20850

How many times have you locked up your computer in the middle of line 1200 and haven't saved to disk since line 250? (Darn! and you promised yourself that you would save every 10 lines.) That will never happen to you again. EZ-KEYS has a built in "savings plan" you can "bank" on. CALL LINK("AUTO",8) will save your program to disk approximately every eight minutes all by itself. The time period can be from one to 18 minutes. (Of course, it's based on an interrupt, so the time is not accurate.) It's quite a shock to be typing along madly on a program, finish a line, hit enter and up pops SAVE DSKI.BACKUPI. You don't have to hit enter or anything, it just goes to the drive. Spooky, huh! Well, you wanted your computer to do things for you, didn't you? CALL LINK("HILITE") is simple, and valuable. It highlights all numbers and arithmetic operators while you are programming. No more confusion between "I" and "I" or "O" and zero. Great for debugging that type-in program that won't run. CALL LINK("RCOLOR", Fground, Bground) will set color to all character sets from within a running program. CALL LINK("EZKEYS") and CALL LINK("OFF") toggles the EZ editor, the meat of this package. The EZ-KEY EDITOR is, to say the least, the invention of a diabolical mind. Real twilight zone stuff to the TI computer, but easy enough for anybody to handle. The program is accessed via XBASIC autoload. I should point out that I have had no

The cataloguer is just an Extended BASIC program, but that's where the similarity ends to anything you have ever seen before. This macro looks like you had set up a program in TI-Writer without carriage returns, and then hit reformat. The line numbers are buried in with the code. as are various predefined control characters that show up in a reverse color pattern. These characters are for ENTER, CTRL, FCTN, arrow keys, or anything you normally can't detect in a program. In other words, the cataloguer looks like one continuous chain of code, no spaces. You can edit anything you like there, and that's another neat wrinkle — full screen editing! The FCTN arrow keys will put you anywhere you want on the screen, and you can use standard editing controls from there.

Okay, fine. Now kick out with the FCTN 5 again twice and you will return to BASIC. (EZ-KEYS calls it "BASIC," it's really XBASIC.) Try the macro out by pressing CTRL= from command mode and here's what happens: The macro first LISTS itself as gram would, as lines 1 to 9, then (See Page 32)

## EZ-KEYS\_\_\_\_

(Continued from Page 31) You enter the drive number, it executes a directory, then it deletes itself! It has no effect on the program you are working on as long as you follow the instructions. It is recommended that you start your programming at line 100 so that the macros don't use your line numbers.

One of the permanent features of EZ-KEYS is the ability to run up and down through a program line with the FCTN 6 and 7 keys, very handy for those long code lines that you need to get to the end of quickly. There are also macros provided that will delete everything to the right of the cursor and kick you back to the beginning or end of a line of code. If you would like, you can set up a super eraser by programming a macro as FCTN 3;FCTN X. This would erase the line the cursor is on and then bring up the next line with a single key press. Neat, huh? I want to straighten out an idea that some of you may have gotten by now. Many people have been buying the Super Extended BASIC and may think that they have many of the features of EZ-KEYS program already covered. I don't agree. It's true that many of the editing features and color calls are already yours, but this program makes these all the more powerful. Things such as LIST "PIO":28:1-30000 can be had with one key stroke instead of typing it all out. Plus, you can initialize the printer to enhanced mode at the same time. Here's one that I created that was a real step saver: To get to Draw 'n' Plot in Super XBASIC, you have to type in four commands (refer to MICROpendium review, September, 1987). Since NEW has no effect on EZ-KEYS, I was able to set up a macro to take me right to Draw 'n' Plot by pressing FCTN "J" There is no end to the possibilities, and no matter what you're using, or what you're programming, EZ-KEYS may double or triple your power.

uses for such routines, and that must include the macros you have developed. As a matter of fact, the object code and loader are included to load a bare bones version of the program along with your own. Here's another interesting possibility for EZ-KEYS. Let's assume you had a program that demanded a lot of repetitious input. EZ-KEYS can be laid in behind the program with macros set up to enter multiple inputs on a single keypress. I tried it using a short file manager program. The program required input of the words "FAMILY", "ASSOCIATE" or "PER-SONAL" and then a date that was always the same. I set up CTRL 1, 2 and 3 with the words and then the date along with each one. By George, all I had to do was press one of the three keys depending on the requirement and, bingo, there were the inputs.

On the other side of the coin, though, you can convert a program to DV/80 and dump it to the keys you want, or it's possible to make up your functions in TI-Writer and then use this utility to load them to EZ-KEYS.

2. )LISTMACROS: This one will look at the custom version you have made and print the complete listing of the macro coding to your printer.

There was really only one thing that bothered me about EZ-KEYS. It's an old

EZ-KEYS also comes with a couple of nifty utilities:

1. POKER: This program is designed to load a text file into the macros. (Help files for that program you've been working on?)

problem with so many software products today. The author and distributer leave too much to the imagination of the user. This program has potential that could take months to discover, so a lot of time could be saved if more examples were given. When I called Asgard to make sure I had the latest version of the program, the company indicated the possibility of a newsletter to tell people about new discoveries for this program, and others that they distribute. Sounds like a good idea to me. Asgard's price for EZ-KEYS is only \$14.95, a pittance for this kind of power.

### SOFTWARE\_\_\_\_

(Continued from Page 29) programs to a length of about 10K. Advanced BASIC will load directly out of MDOS and will allow programs up to 64K, not including string data. Information about variables and strings is paged in and out of memory as it is required. A feature not addressed in the documentation is overwrite protection. When saving a program or writing a file to disk, Advanced BASIC will ask whether the data or file should be overwritten. This feature can be implemented from within a program as well as from a running program.

Let me quote from the EZ-KEYS documentation: "The uses for program-

GEME (pronounced Jimmy) will probably be Myarc's major software release of the first half of 1988. The program provides mouse support in an icon-based environment, a windowing-multi-tasking environment that will allow more than 100 tasks to be run simultaneously if memory is sufficient, and an intelligent print spooler that can direct output from various tasks to multiple printers. The spooler will also direct traffic of output to a single printer so that each task is outputted sequentially.

One name suggested for the product is MY-Works.

GEME will also allow the user to define screen fonts for any window. Riley says the program is relatively easy to develop for the Geneve because support for it is built into the hardware and accessed by CALLs and because the Geneve utilizes memory dynamically where it finds it.

The data base manager, expected between July and September, will be a departure from those available for the 4A. Data base sizes will be determined solely by available memory and storage. Entry screens will be free-form and designed entirely by the user. Data from word processors and spreadsheets can be imported, and it will support math functions.

mable macros aren't well defined — there being no precedent set elsewhere." True. I haven't been able to find any program like this for any computer. You can use other assembly language routines with EZ-KEYS as long as you don't exceed the 8K that Extended BASIC



# Newsbutes

# Index of everything for the TI

Bill Gaskill, of Grand Junction, Colorado, is attempting to put together an index "literally everything that I can find that has been written about the TI99/4 and 4A."

"Currently, I have information available from most of the major magazines that supported the 99, many books, monthly tabloids and a couple of user group newsletters. I am soliciting any and all contributions for this project, with the ultimate goal being to offer any contributing user a 26-disk (A-Z) Master Index for the cost of the diskettes, mailer and postage." Gaskills says the index will be made available to non-participants for a nominal fee. Gaskill says the index will be in a D/V80 format. He also plans to offer an Extended BASIC or assembly language utility that will allow the user to find items in the in-Anyone who wishes to contribute dex. to the project is encouraged to write Gaskill at 2321 Wintergreen Dr., Grand Junction, CO 81506.

ies containing their registration number, they will be eligible to receive 30 percent of the amount paid by persons who, in turn, pay Chavanne and register their copies.

Chavanne notes he has acquired a Geneve 9640, so TI-Tax is available for users wanting to take advantage of that machine's speed and 80-column capability. For a flyer on TI-Tax, write Chavanne at 4549 English Ave., Fort Meade, MD 20755. Brea Users Group in California, equivalent
to three or more man-months of testing.
For further information, contact DataBioTics, P.O. Box 1194, Palos Verdes Estates, CA 90274 or call (213) 867-0481 or
(213) 925-2120.

### Knecht corrects item

Bill Knecht of the Houston Users Group has written to correct a statement in the December MICROpendium.

He writes: "I did not resign because of ill health; in fact, I did not resign at all. I chose not to run for another term as sysop of HUG TIBBS several months before any signs of cancer were discovered. I wanted to start discovering other areas of the TI99/4A and as sysop, there was no spare time for these other areas . . . . Don't worry. I am doing GREAT!!! (my opinion and the doctor's opinion also)." Correct spelling of the new HUG TIBBS sysop's name is Henri Schlereth.

# 1988 TI-Tax version slated for January

# Forth clearinghouse initiated by user

John H. Carver Jr. has announced his intention of acting as a "clearing house" for Forth programmers.

He asks that anyone "even remotely interested in Forth" write him at RR #1, Box 125-2, Bringhurst IN 46913 or leave messages for him on GEnie, CompuServe, The Source or Delphi. He also asks that readers post this message on their local BBS. Carver said he would like to point out the existence of the TI-Forth International Information Center, 4122 Glenway St., Wauwatosa, WI 53222, which has public domain Forth applications and tutorials, and the Forth Interest Group, P.O. Box 8231, San Jose, CA 95155, which offers memberships for \$30 per year.

# Worldwide Echo Conferencing for TI

A system of Worldwide Echo Conferencing for the TI is now operational, according to Rich Hill, sysop of Rich's Oregon Opus, located near Portland, Oregon.

William Chavanne has announced that the 1988 version of his program TI-Tax, for the 1987 tax year, is scheduled for release in January. The 1987 TI-Tax version was reviewed in the February 1987 MICROpendium.

He says TI-Tax will be capable of doing "almost all, if not all, calculations for many taxpayers and printing IRS approved forms. A most significant addition is the ability to overprint the standard IRS preprinted Form 1040, freeing users from having to copy to that form by hand in order to comply with the IRS rules that prohibit the computer generation of forms that

# DataBioTics shipping Grand RAM

DataBioTics began shipping its Grand RAM to dealers in limited quantities this month and will "ship to everyone" in early February, according to Bill Moseid of the company.

The company is attempting to complete its desk-top publishing program this month, he said.

He says the company is also selling TI Workshop, a program support environment with memory manager, disk manager, Editor/Assembler, a cross-reference program and the equivalent of E/A options 3 and 5 in a 64K module for \$59.95, which includes a 63-page manual. TI Workshop requires extended memory. A disk system is optional but recommended. He commented that the module underwent extensive beta-testing with the The conference was founded by Hill and Rory Binkerd, sysop of Dakota InfoNet Opus, located in Sioux Falls, South Dakota.

According to Hill, both had been operating independen TI based bulletin board systems and both switched to IBM based systems within weeks of each other, as their user list and file bases had outgrown the storage capabilities of the TI at the time. Both systems are almost identical, using Opus 1.03a Computer-Based Conversation System software. They formed the International Texas Instruments and 9640 Echo Conference using the established International Fido Net Association's parameters as a guide. Systems in California and North Carolina have joined the network and Hill says the Boston Computer Society has indicated (See Page 34)

require signature.

Chavanne says prices will be the same as last year (from \$9.95 to \$19.95 per disk), with additional distributers (such as Disk Only Software), and a new fairware rebate plan. He says TI-Tax owners may register their legitimately payed-for copy with him. Then, when they give away cop-

#### Page 34 MICROpendium/January 1988

# Newsbutes

(Continued from Page 33) that its system will be linked to the network and the groundwork is being laid to connect it to Australia and parts of Europe.

There is no charge for the use of the service, but the sysops will accept donations, Hill says.

Boards currently in the service are: Oregon Opus (503) 692-7204, Rich Hill, sysop. Accessible by PC Pursuit.

Dakota Infonet Opus (605) 336-3578, Rory Binkerd, sysop.

North Carolina Central Opus (919) 852-8460, Amnon Nissan, sysop. Accessible by PC Pursuit.

• Simulates 64K of GRAM and 16K of RAM (in two 8K banks at >6000->7FFF).

• Gives ability to backup GROM and ROM cartridges to disk. All TI, Atarisoft and Parker Brothers cartridges can be backed up (does not work with MBX).

• Acts as a "Super Space cartridge allowing the user to run progras requiring RAM at >6000->7FFF (including Myarc's XBII.

• Allows the user to use a customized' GROM 0, 1 or 2 while a cartridge is in the slot. One application is that the user can use his own character set with a cartridge like TI-Writer.

tory in the United States, a database of more than 13 million Yellow Page listings. Any personal computer or terminal with modem can be used to access the Instant Yellow Page Service. Charges are \$1 per minute for connect time, plus 12 cents per record printed or displayed. A prepaid subscription of \$95 for the first year (\$60 annual renewal rate) is also required. According to Mary Kay Hyde, product manager for the Instant Yellow Pages, MI-

CROpendium readers are offered a signup offer of \$100 free usage when they mention MICROpendium.

Compulink Opus (805) 494-3350, Eric Daymo, sysop.

Each of these boards operates 24 hours a day and is closed from 1 to 2 a.m. in its respective time zone for mail processing.

Hill says the speed legends of these systems are listed at 2400 bauds per second and can receive calls at speeds or 300, 1200, 2400 and upwards to 9600.

# Hard to phone IP

Several readers have reported difficulty with receiving orders or refunds from Innovative Programming, P.O. Box 2737, Rohnert Park, CA 94928.

• Can load user-written GPL code.

• Has 80K memory with lithium battery backup.

According to Van Coppenole, the software needed to load and save GRAM and GROM will be built in for instant access. A memory editor, which will be supplied on disk, will allow the editor to alter and save any program loaded into the built-in GRAM or RAM. User documentation and technical information will be included.

Memory expansion and a disk drive are required to take full advantage of the Gramulator, he says.

For further information or to express interest in purchasing the Gramulator, contact Mark Von Coppenole, 52 Audobon Rd., Haverhill, MA 01830 or (617) 372-0336.

The service offers selection options including multiple Standard Industrial Classification and ZIPcode retrievals, county or state selection and franchise/brand or professional specialty selection (physicians, dentist, etc.). "Company Profile" shows all the Yellow Page categories a company lists under by simply entering their phone number. The profile includes the Yellow Page category title, the size of the ad in that category and the year the ad first appeared, in addition to the name and address of the company.

Access is available at 300,1200 or 2400 baud.

For more information, or to subscribe, contact Instant Yellow Page Service, Division of American Business Lists Inc., 5711 S. 86th Circle, Omaha, NE 68127 or (402) 593-4593.

The company's phone at (707) 585-3922 was disconnected at one point recently. It has apparently been reconnected. However, no one has been answering the phone when MICROpendium has called as of press time, and a letter from us has received no response.

# Gramulator designed

The Gramulator, described as a direct equivalent for the out-of-production GRAM Kracker by MG, has been designed by Mark Van Coppenole of Haverhill, Massachusetts.

A wire-wrapped prototype has been demonstrated to Massachusetts users groups.

Van Coppenole has not built production

# CompuServe guide new edition released

The third edition of *How to Get the Most* Out of CompuServe by Charles Bowen and David Peyton has been published by Bantam Books.

The book, part of the Bantam On-Line Services Library, retails for \$19.95 in the United States and \$24.95 in Canada. For further information, contact Bantam Books, 666 Fifth Ave., New York, NY 10103.

Newsbytes is a column of general information for TI99/4A users. It includes product announcements and other items of interest. The publisher does not necessarily endorse products listed in this column. Vendors and others are encouraged to submit items for consideration.

### MULTICOL----

(Continued from Page 24) 980 NEXT I :: GOTO 570 !236 990 CALL ERR (CODE, TYPE, SEVER ,LINE):: IF CODE=130 THEN DI SPLAY AT(17,4): "FILE CANNOT **BE FOUND'** !134 1000 PRINT "ERROR"; CODE; "IN LINE"; LINE :: RETURN 460 !15 8 1010 CALL CLEAR :: GOTO 360 **!011** 1020 CALL CLEAR :: GOTO 490 !141

models yet. He says to go from a prototype to a production model would require an investment of about \$1,000. He is interested in hearing from users who would consider purchasing the product or who have questions about it. Features listed for the Gramulator are:

Instant Yellow Pages provided on-line The Instant Yellow Page Service, online

24 hours a day, is said to provide instant online access to every Yellow Page direc-

# User Notes

# Clean those print heads

'It takes only three things to get good, dark, crisp print from you printer,'' writes Chuck Reinhart, of Bellaire, New York.
1. A properly adjusted printer
2. A good ribbon
3. A clean print head. The guide for the fine print wires

gradually gets clogged with a mixture of

• Finally, install the ribbon and enjoy the improved print.

## CHECKSUM update

This comes from Frank Geitzler, of Dartmouth, Nova Scotia. He writes: Tom Freeman wrote an excellent article and group of programs to calculate checksums in your October 1987 issue. I would be very interested to see the E/A source code in a future issue. One minor bug seems to have crept into the Create Checksum program. With lines 130 through 160 in the published order, the screen scrolls down one line after entering DSK1.XXXXX for the input file, so that the cursor does not rest on the default DSK1. for the output file. This can be corrected simply by moving line 150 to become line 135, as shown in the attached listing. Since the default is displayed after the screen scrolls, the cursor will now rest on the default DSK1. I found that the Create program displayed the line number of one line immediately after displaying the chucksum of the previous line, making it difficult to do a comparison. Deleting line 170, inserting line 215, and changing lines 190 and 220 resolved that minor problem. Now the line number and checksum are displayed together, and remain until the next line number/checksum pair is displayed. Notice that line 90 has been added to the program. Whenever I key in a program, I use line 90 as a file-name line. After keying for a few minutes, I REDO line 90, blank out the line number and REM, and press enter to save my work. No worries about forgetting the filenam, and I am apt to save frequently, avoiding major losses if a cable is moved, or the power is lost. 90 REM SAVE "DSK1. CHECKADD2" !231

Tom Freeman" !()85 130 DISPLAY AT(10, 1): "INPUT MERGE FILE?": " ISK1. " !007 135 ACCEPT AT(11,3)SJZE(-15)BEEP: I\$ :: OPEN #1: I\$, VARIAB LE 163, INFUT ! 192 140 DISPLAY AT(13, 1): "OUTPUT MERGE FILE?": " DGK1." !108 160 ACCEPT AT(14, 3)SIZE(-15)BEEP: OS :: OPEN #2: OS, VARIAB LE 163, OUTPUT !053 180 LINPUT #1:A\$ :: IF LEN(A \$)=2 THEN CLOSE #1 :: PRINT #2: CHR\$ (255) & CHR\$ (255) :: CLO SE #2 :: STOP !115 190 Z=ASC(A\$)\*256+ASC(SEG\$(A \$,2,1))!000 200 B\$=SEC\$(A\$,3,163):: L=LE N(B\$):: 1F L>157 THEN 230 !1 62 210 N=0 :: FOR X=1 TO L :: YNEXT X :: N=N AND 255 :: N \$=STR\$(N):: N\$=RPI\$("0",3-LE N(N\$)) & 1088215 DISPLAY AT (20, 1) HEEP: "AN ALYZING LINE "; Z: "CHECKSUM I S:";N\$ !081 220 PRINT #2:SEX\$(A\$,1,L+1)&

lint, ink and oils from the ribbon. As this dirt builds up and dries out, the pin wires drag in the guide. The result is you get light, low-contrast print even from a new ribbon. The following is a procedure for cleaning the print head that is quick, simple and does not require removal of the print head.

• Obtain an aerosol can of Color TV Tuner Cleaner (Radio Shack No. 64-2320 or equivalent). Make sure the label states that it contains silicone, that it will not harm plastic and that it has a plastic tube to plug into the spray nozzle.

• Turn off the printer. Leave paper in the printer, but remove the ribbon. Gently move the print head to the middle of the carriage.

• Cut a two-inch square from a lint-free cotton handkerchief. Fold the cut cloth over on top of itself a couple of times until it is about the width of your printer ribbon and is about four layers.

• Insert the cloth into the print head exactly where the ribbon was, between the pin guide and the ribbon shield. The cloth should not fit too tightly.

• Insert the tube into the aerosol spray cap. Put the end of the tube in contact with the cloth next to the pin guide of the print head and give a short quick press to wet the cloth.

Turn on the printer and send a page of print to the printer (self-test may be used). Now, move the cloth a little to the side so that you have a clean spot. If necessary, give the cloth another shot of fluid and print out another page.
Remove the cloth from the print head and print a page (without the ribbon). If you see any printing on the paper, put the cloth back into the print head and repeat the whole process until the page prints clean.

100 !CREATE CHECKSUMS FOR XB ASIC PROGRAMS, BY TOM FREEMA N, LA 99 'ERS !250 110 !SHOULD BE USED TOGETHER WITH "CHECK" ASSEMBLY FILR THAT WILL PRINT CHECKSUMS ON SCREEN !099 120 DISPLAY AT (2, 1) ERASE ALL : "CREATE CHECKSUMS FOR XBASI C ERROR CHECKING": :" by CHR\$(131)&N\$&CHR\$(0):: GOTO 180 !088

230 DISPLAY AT(22,1) BEEP: "WA RNING!": "LINE"; 7; "IS TOO LO NG!": "PRESS ANY KEY TO (XONI'I NUE" !123

240 CALL KEY(0,K,S):: IF S=0 THEN 240 ELSE PRINT #2:A\$ :

: GOTO 180 !232 250 END !139

# Variable coder

### and retreiver

Floyd Donaldson, of Buckingham, Quebec, writes:

Unlike the TI, a few computers such as the IBM have a command or procedure to link or chain programs, so that the next program or series of programs can contain and use the same values. Since the TI resets all numeric variable to zero and all alpha variables to null strings, I set out to find a method to chain a program. Remembering from my Extended BASIC (See Page 36)

# User Notes

(Continued from Page 35) manual that character hexadecimal codes above 32 are not reset when the present program in memory executes a RUN command, I realized that the values of numeric variables could be stored in the area of memory where the character definitions are kept by first converting the values into strings and then using CALL CHAR to load them in.

I have included two programs as examples. The first program stores the values

1 REM VARIABLE (X) RR ! 141 10 FOR A=1 TO 10 !097 20 RANDOMIZE 1149 30 N=INT(100\*RND)+10 !04240 IF LEN(STR(N))<3 THEN A\$ =A\$&"0" !255 50 A\$=A\$&STR\$(N)!214 60 PRINT A; N !223 70 NEXT A !215 80 FOR A=128 TO 143 !005 90 CALL CHAR(A, "") ! 175 100 NEXT A !215 110 CALL CHAR(128,A\$)!114 120 RUN "CS1" !058 Axiom interface may have problem The Axiom printer interface unit may have a built-in failure potential due to its design. The wires of the multi-conductor cable going to the printer are connected at the control board by press-in insulation displacement connectors. The slot into which the wire is jammed is rather small. One reader notes the very find strands comprising each wire were almost all cut in two by the jamming process. The result was that after using the unit for awhile, including movement of the cable, the wires broke loose and the output turned to garbage. To fix this problem (do this only if the interface has been giving you a problem, at your own risk), remove the covers of the control unit. Pull the wires of the cable loose, one at a time. Clean out the jam connector. Nip off the damaged ends of the wire, take off 1/8-inch insulation, tin the wire end, and solder it into the jam connector. Proceed slowly, and don't overheat the connectors. Fix one wire at a time so as to avoid mistakes and crossing wires.

to the PEB interface card and also for disk drives and RS232 interface. Most of the year I get a good picture from the TI using the RF modulator, but in the fall-winter picture quality suffers. Disk drive accesses always caused picture distortion, which became worse in the fall- winter.

The steps that I describe here have produced remarkable results for me. For \$5 and about an hour's labor they be worth trying by other users. Parts needed:

and the second program retrieves the values from the character codes. The following is an explanation of the two programs.

The first program generates ten random numbers to be stored in the character codes 128 and 129. The numbers in this program can be a maximum of three digits long, although the program can be changed to accept more or fewer digits. If the random number is less than three digits long a zero is added to it when it is placed in the string - 33 would become 033. To verify the numbers the program prints them out. When it is finished it resets characters 128 to 143 so that any definitions remaining there do not affect the values in the string. Using a CALL CHAR statement, it loads the string into characters 128 and 129, and waits for you to run the second program. The second program, after being loaded in, uses the CALL CHARPAT command to retreive the string stored in characters 128 and 129, converts them to numeric values using a FOR-NEXT statement and prints out the values, which should be the same numbers that were displayed on the screen in the first program. The programs require Extended BASIC. Those with disk systems will want to change line 120 in the first program to access a disk drive rather than a cassette recorder.

Newspaper or some other nonconducting material

50 feet aluminum foil

75-300 ohm converter with same type of antenna lead wires as the TI converter has coming out on one side and a screw connector for the 75 ohm wire

2 small bolts and nuts

3-6 feet coaxial cable

**Step 1** Cover RF modulator cord from console to its silver box with aluminum foil. Do not allow foil to touch the silver box.

Step 2: Attach RF modulator to 300-75 ohm converter using the two screws. Step 3: Stuff newspaper-aluminum foil combo between the RF modulator to 300-75 ohm converter so that the lead wires are separated as far apart as possible and only newspaper touches the wires and connectors. Make sure the aluminum foil is in the middle. Step 4: Attach 3-6 foot coaxial cable to the converter and TV coaxial connection. Do not use another converter at the TV. **Step 5**: Wrap RF modulator tin box and lead wires with newspaper, covering it totally. Use several layers. Cover newspaper with many layers of aluminum foil.

#### 1 REM VARIABLE RETRIEVER !21 6 10 CALL CHARPAT(128,A\$)!090

# Improving quality of TV display

This comes from Joe Constance, of Pittsburgh, Pennsylvania. **Step 6**: Locate RF modulator box in best place by trying it in different places while accessing the disk drive. Firmly secure it in the place of least interference.

This worked well for me. I still get a little noise from sound but little interference when accessing the drives. The noise on the TV sound is also reduced.

20 CALL CHARPAT (129, B\$) !092 30 A\$=A\$&B\$ !166 40 FOR A=1 TO LEN(A\$)-3 STEP 3 !073 50 N=VAL(SEX\$(A\$, A, 3)) !160 60 PRINT INT(A/3)+1; N !150 70 NEXT A !215

Here's a tip that helped me improve the picture quality on the TI RF modulator using a 19-inch color TV. I live in an area where there are many TV and radio station broadcasts and can pick up a picture without using rabbit ears. Add to that ribbon cable from the console

Moving RAMdisk by menu This comes from Jack H. Miller, of

(See Page 37)

# User Notes

(Continued from Page 36) Trenton, Michigan. He writes: The following programs allow the moving of the Horizon RAMdisk from Version 6.4 of John Johnson's menu program without exiting to BASIC or XBASIC.

The commented source code for moving the RAMdisk to DSK1 is shown first and then the program for moving it to DSK3. Not everyone will want the RAMdisk moved to DSK3 but the comments in the source code allow changing the destination. Not that where the RAMdisk doesn't matter (at least for CRU > 1000), the program only sets up the destination. The first thing to do using the Editor/Assembler is to enter the first program as listed and save it to disk as DSK -> 1/S.Then enter the second program, modifying it if you do not want the RAMdisk to go to DSK3. The first two LI instructions are destination. The following table shows the required entries:

#### 

**\*SOURCE DSK->1/S \*OBJECT DSK->1/0 \*PROGRAM RD->1** \*This does the same as CALL DN(1) but is usable from \*the MENU program Ver 6.4 for the ramdisk as an option **\***By Jack H. Miller 7/28/87 

	DEF	SFIRST, SLAST, SLOAD	
DRIVE		>4ØØE	DISK NUMBER HEX
DSKNO SFIRST		>4ØØ8	ADDR OF x FOR DSKx. ASCII
SLOAD	LWPI	MYWS	
	LI	R1,>ØØØ1	DISK #1
	LI	R2, >3131	DSK1. ASCII
	LI	R12,>1000	CRU ADDR
	SBO	Ø	TURN ON RAMDISK
	MOV	R1, @DRIVE	LOAD DRIVE 1
	MOV	eDSKNO,R3	FIND DSK ADDR POINTER
	AI	R3,8	FIND ACTUAL DSK ADDR
	MOV	R2, #R3	LOAD DSK1. ASCII
	SBZ	Ø	TURN OFF RAMDISK
	BLWP	eø	GO HOME
MYWS	BSS	32	WORKSPACE
SLAST	END		
*****	****	***********	******
<b>\$SOURCE</b>	E DSK-	->3/S	
<b>#OBJEC</b>			
<b>*PROGR</b>			
*This does the same as CALL DN(3) but is usable from			
*the menu program Ver 6.4 for the ramdisk as an option			
		Miller 7/28/	
Ŧ			*****

		Moves
LI R1,	LI R2,	<b>RAMdisk to</b>
>0001	>3131	1
>0002	>3231	2
>0003	>3331	3
>0004	>3431	4

>3531 >0005

After typing the correct items save this to disk as DSK->3/S. Of course, you may use other save names but keep track of which is which.

Then assemble each source code into separate D/F80 files. I labelled these DSK->1/O and DSK->3/S, respectively. These D/F 80 object files must then be converted to program files by use of the SAVE utility on the E/A disk. See the E/A manual for directions.

You will then end up with two programtype files which I called RD > 1 and RD - > 3. These files (two sectors each including the directory) are then to be copied to the RAMdisk using the disk manager. You now have the capability of moving the RAMdisk, although the programs do not appear on the menu. Now use the menu program and go to the edit function as described in the documentation. Use the edit function to enter two new items on the menu such as Move RAMdisk to 1 and Move RAMdisk to 3, listing the files as  $DSK^*.RD > 1$  and

	DEF	SFIRST, SLAST,	
DRIVE	EQU	>4ØØE	DISK NUMBER HEX
DSKNO	EQU	>4ØØ8	ADDR OF X FOR DSKX. ASCII
SFIRST			
SLOAD	LWPI	MYWS	
	LI	R1,>ØØØ3	DISK #3
	LI	R2,>3331	DSK1. ASCII MSB
	LI	R12,>1000	CRU ADDR
	SBO	Ø	TURN ON RAMDISK
	MOV	R1,@DRIVE	LOAD DRIVE 3
	MOV	edskno, R3	FIND DSK ADDR POINTER
	AI	R3,8	FIND ACTUAL DSK ADDR
	MOV	R2, *R3	LOAD DSK3. ASCII
	SBZ	Ø	TURN OFF RAMDISK
	BLWP	eø	GO HOME
MYWS	BSS	32	WORKSPACE
SLAST	END	、 、	

DSK\*.RD->3. Be sure to use DSK\*. Then save the edited menu back to the RAMdisk. Remember, you have to unprotect your old menu on the RAMdisk first.

If you should encounter intermittent and unexplainable problems with accessing disk drives with the 9640, check the TIME setting from MDOS or any of the application programs that display the current time. If the clock chip goes into a test mode so that the time changes uncontrollably, it will interfere with disk access. From MDOS, set the TIME and DATE again, and the (See Page 38)

Troubleshooting

the 9640

This comes from Walt Howe:

# User Notes

(Continued from Page 37) problems should cease.

# Tinygram correction

Mike Stanfill, the author of TINYHUS-TLE published in the December 1987 User Notes, points out two errors in the program. The errors are in program line 6. This is how the line should be corrected: ...THEN F = (K = 5) - (K = 0) :: G = (K = 2) - (K = 3)

### GRAM Kracker batteries

Kracker can be difficult. Electronic supply houses are a good place to start. Radio Shack doesn't usually carry these batteries.

# Taking off

This little program produces the sound of an airplane taking off. It comes from the Tasmanian TI User Group and was written by P. Bruce.

The noise -4 and -8 vary the tone of the third tone specified in a sound statement. By use of these noises, any noise can be created. Where -4 can create noise -1, -2 and -3 and where -8 can create noises -5, -6 and -7. The program uses 129 noises created by -4 to form the sound of the airplane engine.

520 INPUT C\$ 530 IF C\$="Y" THEN 390 540 END

# Time-saver for XBASIC users

The following tip appeared in Ozark 99'er News, the newsletter of the Ozark 99'er User Group. Harold Hoyt gets the credit for it.

Lots of programmers put their program

How long are the batteries in the MG GRAM Kracker supposed to last? And what are good replacements? A.S. Whiteman published an article about his experiences in this regard in TopIcs, the newsletter of the Los Angeles 99ers. The information here is condensed from the article.

According to Whiteman's observations with his GRAM Kracker, a battery lasts between 203 and 213 days. Battery failure shows up as lost data and unusual performance of the GRAM Kracker.

While the manual recommends a Duracell DL2430 be used as a replacement, he's used three types. They are: Duracell DL2430 Duracell DL2430B Varta CR2430 Finding a battery for the GRAM 100 FOR T=110 TO 4000 STEP 3 0

```
110 CALL SOUND(~100,110,30,1
10,30,T,30,~4,0)
120 NEXT T
```

130 CALL SOUND(-100, 110, 30, 110, 30, T, 30, -4, 0)

# Get to the bottom of TI-Writer

Know how to get to the end of a document while using the TI-Writer editor? Just enter S (for Show Line) from the command line and then enter E. The next thing you know the cursor will be on the last line of the document. To get back to the top, enter S and then 1. The letter E for "end" can also be used when deleting, copying or moving lines. For example, after entering D for delete in the command line, enter 10 E to delete everything from line number 10 to the end of the document. identification in line 100 as a REMark. Six months later, listing the program, it answers you questions. What the heck is this? When did I write it? Why did I write it?

I've been pulling a little trick in XBASIC that the more I do it, the handier it seems. I add another program line, so that the beginning of my program looks like this: 1 !SAVE DSK1.PROGRAMNAM 100 !Prog 'PROGRAMNAM' H. Hoyt 7/28/87 Demonstration Prog Note all of the 10 characters in the program name can be used to describe the program. One of my friends was using single letter program names because he hated the extra typing.

If you type line 100 program description data once, and then hit Enter followed by FCTN 8 (REDO), you can edit out 00 in 100 to create line 1 and further edit it to create SAVE DSK1.PROGRAMNAM and delete the rest of the stuff. By itself, this wouldn't be worth the trouble, but just see what happens next. After line 1 has been properly entered, hit FCTN 8 again and then FCTN 3 (DELETE) to eat the line number, space and exclamation mark. What results is SAVE DSK1.PROGRAMNAM in the screen buffer. Just hit Enter and the program is automatically saved. This saves so much typing that it encourages you to save program pieces more frequently, reducing the loss in case of a program crash.



# Another ending for label printer

Wanda Clark, of Austin, Texas, put last month's label printing to work right away. And she made a small improvement. She modified it so that the program queries the user as to whether he wants to run another set of labels. 490 PRINT #1: CHR\$(13),CHR\$(10) :: NEXT I 510 PRINT: "DO YOU WANT TO CO NTINUE? (Y or N)"

	DESCRIPTION & SCHEMATICS	modif
		user as
	WEEKEND HARDWARE SEMINAR	set of
	· · · · · · · ·	490 P
1	Send \$19.95 Check or Money Order To: (CANADA & FOREIGN SEND \$23.00 U.S. FUNDS)	NEXT
{	VOLUME RATES AVAILABLE - ON REQUEST	510 PI
	PO BOX 53171, LUBBOCK,TX79453	NTIN

User Notes is a column of tips and ideas designed to help readers put their computers to better use. The information provided here comes from many sources, including TI user group newsletters and MICROpendium readers. MICROpendium pays \$10 for any item sent in by readers that appears in this column. Mail User Notes to MICROpendium, P.O. Box 1343, Round Rock, TX 78680.

# Classified

# Software

**PRINTER CONTROL & MORE** Learn how to control your printer. Printer control books & software available for Star, Epson compatibles, Fastext 80, and Okidata. Latest release — "Fast & Easy Tutor for Star-NX10 Printer" w/easy to read booklet and interactive disk — \$12.95 + (\$2.00 S&H). Also Tractor Feeds for Fastext 80 ---\$49.95 + (\$4.00 S&H). For a complete catalog, send \$2 to McWare, Dept. TIM, POB 2784, Fairfax, VA 22031. v4n12

# Policy

The cost of classified advertising is 25 cents per word. Classified display (i.e., special formatting or graphics) is \$9 per column inch. Classified advertisements must be paid in advance. Classified advertisers may request a category under which they would like their advertisement to appear, but the final placement decision is the responsibility of the publisher.

Classified deadlines will be kept open for as long as practical. For the purpose of classified advertising deadlines, any classified ad received later than the first day of any month cannot be assured of placement in the next edition. We will do our best to include every advertisement that is submitted in the earliest possible edition.

The publisher offers no guarantee that any advertisement will be published in any particular issue. Any damages that result either from errors in copy or for failure to be included in any particular edition will be limited to the amount of the cost of the advertisement itself. The publisher reserves the right to reject any advertisement. The advertiser may elect to publish the advertisement in subsequent editions at the same charge, payable prior to publication. The deadline for carryover classifieds is the same as for In submitting an ad, please indicate whether you would like a refund if it is not published in the requested edition or whether you would like us to hold it for the next edition. Cancellations and refunds cannot be made after the second day of the month. Send classified advertising to: MICROpendium, P.O. Box 1343, Round Rock, TX 78680.

### **CHECKBOOK RECONCILE \$29.95**

Balance to the penny every month. Rocketman Checkbook Program. See our program review in August 1987 MI-CROpendium. California Programs, 4426 Appian Way, El Sobrante, Ca. 94803. 415-222-1626. v4n12

#### ATARISOFT FOR SALE Defender, Pole Position, Moon Patrol, Jungle Hunt, Protector II, Picnic Paranoia, \$6.95 each. Four different, \$20.00. \$2.00 shipping. Send SASE for pricelist of our software. TEX\*IN Treas-

# Systems

#### COMPLETE SYSTEM

Two TI99/4A consoles, PEB, memory expansion, RS232, RAM disk, three drives, modem, all docs, many books, software, complete list: Blaine Byers, 2718 Topley, Las Cruces, NM 88005, (505) 523-4420. v4,n12

Miscellaneous

#### Texas Instruments TI-99/4a

### Hardware & Software

DataBar, MG, Myarc, Star, McCANN, Proto-Board Bonyard Bk, Modems, Cables, Printers, Books. Joysticks by Amiga for the TI \* \$12.00 \* PerCom Disk Drive/w Controller \$225 Speech Editor \$20, Side Port Ext. Cable & Cart-Port Ext. Cable \$25 ea, Plato \$45 \*P-Code Card/w Software \$159. TI Manuals 9900, 9901, 9902, 9904, 9918, 9919,9995 CALL TI Extended Basic \$39, used Consoles \$60 TPA \$22.50 & Font Disk 1 \$11.50 same day UPS Yes, we stock most Hardware & Software If We Don't Have it, We Can Get it! L.L. CONNER ENTERPRISE **COMPUTER & ELECTRONICS** 1521 Ferry Street Lafayette, IN 47904 Call 317-742-8146 or 317-423-4879 Visa or M/C Accepted v4,n12

ures, POB 95, Belle Plaine, KS 67013 (316) 488-2737 (eve.) v4n12

CREATIVE FILING SYSTEM v 7.0

"The most versatile data management system available for the TI99/4A!" This power packed system is extremely easy to operate and totally crash proof. Create up to 1000 records per lle, graph numeric data, print mailing bels, print professional reports, cre-#e business forms and memós in ANY ormat plus a whole lot more! The CFS ilso supports mathematical opera-MARK BECK

VALDOSTA, GA 31602 \$125; (304) 456-3379. v4n12 **Magazine Holders for MICROpendium** Now in stock again. \$3 for a set of 12 (includes postage). Can be used with other publications as well. Send to MICROpendium-Binders, P.O. Box 1343, Round Rock, TX 78680. Allow 3-5 weeks for delivery. Texas residents add 7.5% sales tax.

#### FOR SALE

TI99/4A stand alone system. Ultracomp RS232/PIO interface, Tachyon 32K memory, TI disk controller and TI disk drive, Joy sticks, Carts, lots of software, Navarone extension for three carts, Adaptor for TV, Manuals and Docs for all\_software and hardware. \$200.00 takes it all. Call Ralph 516/234-2010 or 201/254-7732. v4n12

#### FOR SALE

99/4A, PEB, SSdisk, speech, 32K, lons. Requires 32K, Ext. BASIC, 1-3 RS232, TI-Writer, Ed/Asm, Logo II, Exlisk drives and printer. Send \$15.00 to: BASIC, numerous other cartridges and documentation; \$325; Commodore Col-**8 FORRESTRIDGE CIRCLE** or Monitor \$125; Gemini 10X printer v4n12

99/4A P-CODE CARD WITH ALL	
DISKS AND MANUALS	\$149
PE-BOX/RS232/32K/DRIVE/CONTLR	\$349
I II-WRITER NEW	\$ 29
TI ORIGINAL RS232 CARD	\$105
PARALLEL PRINTER CABLE	
TI MULTIPLAN (NEW)	\$ 15
STAND ALONE DIAL	→   Y

99

99

•• (•••••• STAND-ALONE DISK DRIVE (NEW( TI ORIGINAL 32K MEMORY CARD TI ORIGINAL COLOR MONITOR \$199 HAYES COMPATIBLE MODEM \$ 12 FREE SHIPPING CALL OR WRITE JIM LESHER 722 HUNTLEY DALLAS, TX. 75214 214 821 9274 v4,n12

**SECOND CLASS** 

Page 40 MICROpendium/January 1988

# The LEADING monthly devoted to the TI99/4A

#### 

**Subscription Fees** \$20 for 12 issues via domestic second class mail \$25.25 (U.S. funds) Canadian or Mexican delivery \$23.50 (U.S. funds) for 12 issues foreign delivery via surface mail

**Tell us about it** Please let us what columns or features you like the most about MICROpendium. Rank your selections in order of preference using this form. Return it to us when you renew your subscription.

\$37.00 (U.S. funds) for 12 issues foreign delivery via air mail

Outside U.S., pay via postal or international money order; personal checks from non-U.S. banks will be returned

#### **Address Changes**

Subscribers who move may have the delivery of their most recent issue(s) delayed unless MICROpendium is notified six weeks in advance of address changes. Please include your old address as it appears on your mailing label when making an address change.



#### **Back Issue Policy**

Back issues of MICROpendium are available to subcribers only. Those wishing back issues may notify us of the issue(s) desired and include \$2.00 per issue desired in a check or money order. No shipping charge in U.S., Canada and Mexico; Texas residents add 7.5% sales tax. For foreign delivery, add 50 cents per issue surface mail, \$2 per issue surface mail. No discounts on orders of sets. All prices U.S. funds. OUT OF STOCK: Vol 1, nos. 1-2

MICROpen 78680	ium, P.O. Box 1343, Round Rock, TX
Name _	
Address	
City	
State	
	umbers on the left of your mailing label e cover date of your last issue.

.

. . .

· · ·

.