Covering the TI99/4A, the Myarc 9640 and compatibles





The Boston Fayuh 🛩 More Geneve questions answered 🛩 Reviews 🛩 Bulletin boards 🛩 Widget 🛩 And much, much more



PHT 6020 Husic Maker Demo (use with module).....4.95

MANAGEMENT AND SMALL BUSINESS

HOOULES

PHM 3006	Home Financial Decisions
PH# 3007	Household Budget Management
PHM 3022	Personal Real Estate
PHN 3016	Tax/Investment Rec. Keeping (disk req.).4.95
PHN 3035	Terminal Emulator Il
PH# 3044	Personal Report Generator (PRK reg)[0.95
PHN 3113	Multiplan24.95
PH8 3112	Tl Writer
DISKETTE	PROGRAMS NEW LOW PRICEI
PHD 5001	Mailing List (upgraded version)
PHD 5003	Personal Financial Aids
PH0 5021	Checkbook Manager
PHD 5022	finance Hanager4.95
PHD SO24	Inventory Management
PHD SQ27	Invoice Management
PHD 5029	Cash Hanagement4.95
PHD 5038	Lease/Purchase Decisions
PHD 5075	Fl/Muitiplan upgrade disk4.95

CASSETTE PROGRAMS

PHT 6003	Personal Financial Aids	
PHT 6038	Lease/Purchase Decisions	

1988 Send for Tex-Comp catalog & buyer's guide only \$2.00 (comes with \$5 savings certificate)

MATH AND ENGINEERING **NEW LOW PRICE!** DISKETTE PROGRAMS OUR. CAAC Sath Coutine Library

PHD 5006	Bath Routine Library	į.
PHD 5008	Electrical Engineering Library4.95	į
PHD 5013	Graphing Package4.95	į
PHD 5016	Structural Engineering Library4.95	
PHD 5044	AC Circuit Analysis	

CASSETTE PROGRAMS

PHT	6006	Math Routine Library
PHT	6008	Electrical Engineering Library4.95
PHT	6013	Graphing Package
Pht		Structural Engineering Library4.95
PHT	6044	AC Circuit Analysis
***	SPECIAL	ALL 5 OF THE ABOVE ON DISK OR TAPE17.95

SPECIALS

Original TI Joysticks \$7.95 (patr)

Replacement Console **Power Supply** (external transformer) 39.95

Replacement 99/4A Keyboards (plug in connection) \$7.95 Cassette Cable \$5.95 **Consule Dust Covers** \$7.95

purchased hundreds or even thousands of dollars in peripherals and software, buying a back-up computer for under eighty dollars is the smartest and least expensive way to protect the investment

in your system.



Are you using your 99/4A in the office and wish you had another to use at home? Is your family squabbling over who gets the computer first? You can put your back-up computer to use at once to solve these problems, and rest assured that your primary system is protected too.

Time is running out. The Texas Instruments home computer will not be available for sale much longer. Buy your backup TI-99/4A now and protect your home computer system investment for the years to come.

*Shipping, handling & insurance on this special offer is \$10.00 (Continental U.S.) to any UPS deliverable address, HI, AK, Canada and APO slightly higher.









P.O. BOX 33064 - GRANADA HILLS. CA 91344

AUTHORIZED DEALER

TENNE: All prices FO B. Los Angeles. For fastest service use cashiers check or money. order, Add 3% shipping and handkno (\$3.00 Minimum). East of Mississippi 41/2%. Add 3% for Credit Card orders. Prices and availability subject to change without notice. We reserve the right to limit quantities



NOTE: Payment in full must accompany all orders. Credit card. Company check or Money. order for immediate shipment. Personal Checks require up to 4 weeks to clear California. orders add 61/2 % sales tax

NEW LOW PRICES ON PERIPHERALS AND SOFTWARE...OUR LOWEST PRICES EVER!!!!!!

> Tex-Comp P.O. Box 33084, Granada Hills, CA 91344



Charge-It On Your Visa or MasterCard

(818)366-6631

24 HOURS a day— Send for **1988** Tex-Comp catalog & buyer's guide only \$2.00 (comes with \$5 savings certificate)

Better to start with. Better to stay with. Better to grow with. Software

RIESE

HOME ENTERTAINMENT

PWM 3053	TI Invaders	5
PMR 3054	Car Wars	5
PHR 3057	Hunch Han	5
	Alpiner	

ADVENTURES

TI-99/4A Home Computer

The System. The Software.

PHR 3041D Adventure Module & Pirate Adv.(disk)6.95	PH1
HN 30417 Adventure Module & Pirate Adv.(tape)6.95	PHT
DVENTURE SERIES (must be used with PHW 3041 module)	PHT
necify disk or tage with order	PHT
Adventureland	FD
Mission impossible	
Yoodoo Castle4.95	MO

1988

CASSETTE PROGRAMS

6806	Programming Aids L	l
6867	Teach Tourself 99/4A Basic	i
6019	Teach Tourself Extended Basic4.95	•
6067	Beginning Basic Tutor	•

EDUCATION

MODULES

		f	
11 3662	LATIV LEATING	f [[[],,,,,,,,,,,,,,,,,	**************

PHN	3112	Parsec4.95	
PHN	3031	Ine Attack4.95	
Per	3032	81asto4.95	
PHN	3194	Jawbreaker 11	
PHN	3110	Chishole Trail	
PHI	3034	Hustle6.95	
PHR	3037	Hangman	
PHN	3025	Mind Challengers	
PHN	3036	Zero Zap8.95	
PHN	3038	Connect Four	
PHN	30420	Funnels of Doom (with disk)	
PKN	3042T	Tunnels of Doom (with tape)	
PHN	3067	Othel to	
PHN	3220	Nicro Surgeon	٠
<u>Phit</u>	3219	Super Demon Attack	
PHN	3224	Noonsweeper	•
PHN	3222	Fathom	
PHR	3233	Burgertime	P
PHŅ	3131	Noonmine	
PHN	3146	Hunchmobile	N
PHE	3197	Stymoids	₽
PHN	3225	Star Trek	P
PH#	3226	Buck Rogers	(
PKN	3227	Congo Bongo	-
		-	

DISKETTE PI	ROGRAMS NEW LOW PRICES!
	TI-TREKITE-II req. for speechl4.95
PHQ 5010	Hystery Helody4.95
PH0 5015	Oldies But Goodies 1
PHO SOLT	Oldies But Goodles 114.95
****SPECIAL	L Oldles But Goodles &
PHD 5025	Sat. Night Bingo (Ex-Basic & Speech)4.95
PHO 5037	Oraw Poker (Ex-Basic)
CASSETTE PI	ROGRAMS
PHT 6002	TI-Trek (TE-LI req. for speech)4.95
PHT 6010	Hystery Helody4.95
PHT 6015	Oldles But Goodles 1

		Dual 33449
	The Count	PHN 3002
	Strange Odyssey	PHN 3003
1	Nystery Fun House4.95	PHN 3010
ł	Pyramid of Doom	PHM 3010
	Ghost Town	PH# 3021
	Savage Island IALE (two adventures)	PHM 3109
I	Golden Voyage4.95	PHM 3015
	Knight Fronheart Adventure4.95	PHN 3043
••	SPECIAL-ALL ABOVE ADVENTURES ON DISK OR TAPE17.95	PHN 3046
	Spiderman Adventure	PHM 3047
	Incredible Hulk Adventure	PHN 3048
	Buckaroo Banzoi Adventure (based on the movie).7.95	PHN 3082
	Sorcerer of Claymorgue Castle	PHM 3027
	SPECIAL-ALL OF THE ABOYE FOUR + HINT BOOK + THO NEW	PHM 3028
	BONUS ABVENTURES	PHM 3029
	SUPER ADVENTURE SPECIAL-BOTH OF THE ABOVE SPECIALS	PHN 3049
	+COMPLETE HINT BOOK+ADVENTURE MODULE	PHM 3050
	3189 Return to Pirate's Island(self contained	PM# 3051
n	adventure on module with graphics)11.95	PHM 3060
ĭ	Programs (NBK Unit Required)	PHM 3061
	3154 Terry Turtle's Adventure	PHM 3062
	3155 I'm Hiding	2HM 3091
	-	PHN 3092
L	MPUTER PROGRAMMING AIDS	PHN 3093
0	DULÉS	PHN 3094
12	3999 Super Extended Basic	PHN 3098
HI.	3026 Extended Basic	PHN 3099
(III	3058 Editor Assembler	PHH 3100
	3856 Mini Hemory (with Writer 1)	PHM 3101
		PHN 3114
15	KETTE PROGRAMS	PHR 3115
• :	5007 Teach Yourself 99/4A Basic	PHN 3119
-	5019 Teach Yourself Extended Basic 4.95	PHN 3118
	5004 Programming Aids 1	PHM 3177
	5005 Programming Aids 11	PHH 3178
	5012 Programming Aids 111	·• ·
	5077 Programming Aids L. II. Ili	DISKETTE
	5067 Beginning Basic Tutor	PHD 5009
lŪ	5076 Text to Speech (Ex Basic Speech)	PMD 5011

446	Lot 17 Country
003	Beginning Grammar
010	Physicial fitness
OtQ	Music Maker
Q21	Weight Control & Mutrition
109	TI LOGO II (32K reg.)
015	Early Reading (speech syn, req)9.95
043	Reading Fun
046	Reading On
04]	Reading Roundup
048	Reading Raily
882	Reading Flight
027	Addition & Subtraction 1
028	Addition & Subtraction 11
029	Nuitiplication 1
049	Division 1
050	Numeration L
1051	Humeration []9.95
1060	Scholastic Spelling 4 (speech)
1061	Scholastic Spelling 5 (speech)
1062	Scholastic Spelling 6 (speech)9.95
3091	Rilliken Subtraction
3092	Williken Multiplication
3093	Rilliken Division9.95
3094	Williken Integers
3098	Nilliken Number Readiness4.95
3099	Nilliken Laws of Arithmetic
3100	#111iken Equations4.95
3101	Williken Nessurement of Formulas4.95
3114	Alligator Nix6.95
3115	Alien Addition6.95
3119	Meteor Multiplication
3110	Hinus Hission
3177	Face Maker
3178	Story Machine9.95
5 7 7 5	PORCEANS

Nusic Skills Trainer.....

. 4. 95



Contents

MICAOpendium

MICROpendium is published 12 times annually for \$20 per year by **Burns-Koloen Communications Inc.**, 16606 Terrace Dr., Austin, TX 78728. Application to Mail at Second-Class Postage Rates is Pending at Round Rock, Texas. POSTMASTER: Send address changes to MICROpendium, P.O. Box 1343, Round Rock, TX 78680.

No information published in the pages of MICROpendium may be used without permission of the publisher. Only computer user groups that have exchange agreements with MICROpendium may excerpt articles appearing in MICROpendium without prior approval.

While all efforts are directed at providing factual and true information in published articles, the publisher cannot accept responsibility for errors that appear in advertising or text appearing in MICROpendium. The inclusion of brand names in text does not constitute an endorsement of any product by the publisher. Statements published by MICROpendium which reflect erroneously on individuals, products or companies will be corrected upon contacting the publisher. Unless the author specifies, letters will be treated as unconditionally assigned for publication, copyright purposes and use in any other publication or brochure and are subject to MICROpendium's unrestricted right to edit and comment. Display advertising deadlines and rates are available upon request. All correspondence should be mailed to MICROpendium at P.O. Box 1343, Round Rock, TX 78680. We cannot take responsibility for unsolicited manuscripts but will give consideration to anything sent to the above address. Manuscripts will be returned only if a self-addressed stamped envelope is included. Foreign subscriptions are \$25.25 (Canada and Mexico); \$23.50, surface mail to other countries; \$37 airmail to other countries. All editions of MICROpendium are mailed from the Round Rock (Texas) Post Office. Mailing address: P.O. Box 1343, Round Rock TX 78680 Telephone: (512) 255-1512 Source: TI4596

Regena on BASIC

Games for those who left their hearts in San Francisco...Page 10

c99

Delphi contests

Contests for programmers and hardware buffs, plus a special sign-

The Boston Fayuh

Bulletin boards

Your autodial can do the walking to a wealth of computer information Page 24

Hard disk hierarchy

For TI and Geneve users, Walt Howe sketches out a map for organizing your hard disk Page 25

Geneve

Mike Dodd answers more questions	. Page 28
Protect the back of the Geneve card	
Logo II fix and modifications for a RAMdisk	

Reviews

Super Space	e 33
PC-Transfer	
Calendar MakerPag	e 36
Archiver	e 37

Newsbytes

More fairs, Beyond Video Chips and a new database Page 40

User Notes

Programs revisited: file lister, Disk Labeler and more...Page 41

Classified Page 46

CompuServe: 75156,3270 Delphi TI NET: MICROPENDIUM

John Koloen.....Publisher Laura Burns......Editor

Programming conventions

Here are some tips to help you when entering programs from MICROpendium: 1. All BASIC and Extended BASIC programs are run through Checksum, the numbers that follow exclamation at the end of each program line. Do not enter these numbers or exclamation points. Checksum was published in the November 1987 edition.

2. Long XBASIC lines are entered by inputting until the screen stops accepting characters, pressing Enter, pressing FCTN REDO, cursoring to the end of the line and continuing input.

... On Our Most Popular Sensational Prices!!! Hardware and Software!!

TOP QUALITY PERIPHERALS tram

CorComp • Myarc

CORCOMP

Triple Tech. Board for PE Box includes clock/calendar, printer buffer, and speech synthesizer connection. \$138.00 34643 34639 Clock/Calendar, Stand-alone. \$79.95 9900 32K Micro Memory. Stand-alone 32K. \$99.95 34396 The Memory Plus series 256K Memory Plus Stand-Alone. \$219.00 41070 41633 512K Memory Plus Stand-Alone. \$279.00 \$196.00 256K Memory Plus Card. 41051 \$253.00 41065 512K Memory Plus Card. See "Best Selling Hardware" for more CorComp products.

MYARC

34324	256K Card.	\$179.00
42245	512K Card.	\$239.00
38179	Extended BASIC Level IV.	\$59.95
38395	255K Card with Extended BASIC Level IV.	\$249.00
42231	512K Card with Extended BASIC Level IV.	\$289.00
38108	512K Upgrade Kit for the 128K Card.	\$109.95
	"Best Selling Hardware" for more Myarc produ-	

COMPUTER WAR

on the hit movie "War Based Games"...one of our best sellers. Can you crack the code and destroy the simulated enemy missile before the world is engulfed in a thermonuclear holocaust? 42480 TI CARTRIDGE \$24.95



MicroPal's Extended BASIC package now includes two tree software programs! Bestsellers Typwriter and Name-It from Extended Software are included in disk and cassette versions with complete manual -- absolutely free!! You can immediately begin using the power of Extended BASIC for word processing and data



32967

base functions. MicroPal Extended BASIC is unconditionally guaranteed to be 100% compatible with all programs written in TI Extended BASIC. With this powerful, highlevel language, programmers

can have automatic access to the 32K memory expansion, utilize sprite graphics for smooth motion and animation, auto-load disk based programs, and add speech with a 400 word built-in vocabulary! Package includes Extended BASIC on a convenient plug-in car-Sug. Retail \$89.95 tridge with 240 page manual.



Here's the good news ... the new Myarc Geneve Computer you've been hearing about is to be shipping by press time! Imagine a computer that is 99/4A compatible but has the speed and incredible graphics capabilities that even IBM, Amiga, and Atari ST owners would envy!

The Geneve is truly a breakthrough.... since it's offered on a card, and is compatible with your existing Expansion Box, disk controller, and RS-232 cards, its advanced features can be offered at a cost much lower than you would expect to pay for a system of this power and versatility!

Features include standard or enhanced keyboard, 80 column display, 640K of RAM plus 128K VDP RAM, and conversion instructions.

ONLY \$49.95!! | \$Call Today for Lowest Price!\$

MICROPENDIUM SPECIAL **THE 39¢** DISKETTE!



Are you paying too much for diskettes? Try our first quality, prime, 51/4 " diskettes (no rejects, no seconds) at these fantastic sale prices and save, save, SAVE! Disks are packaged in boxes of 50; each box contains 5 shrinkwrapped 10-packs that include diskettes in sleeves. tabels, and write-protect tabs.

Each diskette is certified to be 100% error free and comes with a lifetime warranty (if you have a problem, we'll replace the diskette). All diskettes include hub reinforcement rings and write-protect notch.

DICBINERIC IIIIGS and White-protocol from.	Box of 50
32391 SS, DD Diskettes	\$19.50 (39¢ each!)
32403 DS, DD Diskettes	\$24.50 (49¢ eachi)
*******	****
II-EE/4A FREI II-EE/4A FREI II-EE/4A FREI II-EE/4A FREI III-EE/4A For the forth III-EE/4A For the forth III-EE/4A Forth	G BOOK" ne omputer #25982
	We gladly accept

TENEX

mail orders! P.O. Box 6578 South Bend, IN 46660

SHIPPING CHARGES CHARGE ORDER AMOUNT less than \$20.00 \$20.00-\$39.99 \$40.00-\$74.99 \$75,00-\$149.99 \$150.00-\$299.99

\$3.75 4,75 5.75 6.75 7.75 8.75 \$300 & up

NO EXTRA FEE FOR CHARGES



We verify charge card addresses

ORDER TOLL FREE

1-800-348-2778

INDIANA 1-800-225-6838

BEST-SELLING HARDWARE! STAR MICRONICS PRINTER 75077 NX100 Rainbow Color Printer.....\$269.95 \$ 99.95 32986 MYARC RS-232 CARD 13300 CORCOMP RS-232 CARD\$ 89.95 42250 CORCOMP RS-232 INTERFACE\$127.00 29784 CORCOMP 9900 29802 MICRO-EXPANSION SYSTEM \$329.00 MYARC DISK CONTROLLER CARD \$CALL 32972 CORCOMP DISK 29770 \$119.95 CORCOMP 32K MEMORY CARD 13315 20164 BOX WITH POWER SUPPLY for external disk drive\$ 59.95 31173 WICO 3-WAY GATELOCK JOYSTICK \$ 24.95 10285 TI JOYSTICK ADAPTER \$ 4.95 TAC 5" JOYSTICK. Requires TI Adapter\$ 14.95 42442 SLIK STICK[™] JOYSTICK. Requires TI Adapter \$ 6.95 42086 NAVARONE CARTRIDGE EXPANDER \$ 24.95 13329



Foreign Orders add \$4.00; heavy items ship at actual cost



Questions? Call 219/259-7051

NOTE Due to publishing lead-times, product prices and specifications are subject to change without notice

Comments

Updating programs, and benchmarks

Last month we promised an article about adapting a mouse for use with the TI, but it's not quite ready. We need some information on DSR routines from the author. When that's available, we'll publish it. It will allow those with a Super Sketch module to use a mouse with TI-Artist.

Meanwhile, you'll find an unusual number of programs in User Notes that are revisions of programs that previously appeared in MICROpendium. We think they're all significant upgrades and we hope you do, too. Even Regena gets in on this with three programs called San Francisco Revisited.

WAITING FOR THE HARD DISK CONTROLLER

Like many of you, we're waiting for delivery of our Myarc Hard and Floppy Disk Controller. Seems that the company has received a lot of orders and is having trouble keeping up. Can't say that I'm surprised. Being compatible with both the TI and the Geneve, it should have wide appeal. Walt Howe's article this month isn't about M-DOS this month, but about how to structure hard-disk directories. It is equally relevant to TI and Geneve owners who are contemplating or have purchased a hard disk system.

Speaking of the Geneve, here are two charts comparing the

speed No. 5. The benchmark test on the Geneve was conducted last year by Myarc. Results of other computers came from an article published in Byte Magazine.

Benchmark for SIEVE of ERASTOSTHENES Byte Magazine September 1981 and matching test by Myarc

Computer	MHz	CPU	Execution time
Geneve (M-DOS)	12	9995	0.95
Apple Macintosh	8	68000	1.12
IBM-PC & clones	8	8086	1.90
Geneve (GPL-5)	12	9995	2.08
IBM-PC & clones	5	8088	4.00
TI99/4A	3 、	9900	6.00

OPERATING SYSTEMS COMPARISON

Computers Systems News 12/4/87 and Geneve Tech. Ref. Man.

Features	M-DOS	O\$/2	UNIX	MS-DOS	C-DOS
Multitasking	Y	Y	Y	Ν	Y
Graphical interface	Y	. Y	Ν	N	Ν
Character interface	Y	Y	Y	Y	Y
Integrated commun.	Y	Y	Y	Ν	Ν
Memory locking	Y	Ν	\mathbf{Y}^{-1}	Ν	Ν
Price of software	Free	\$795	\$75-495	\$75	\$295
C-DOS is Concurrent DOS					

September: Mechatronic 128K Card

Geneve in M-DOS mode with five other computers - Apple Macintosh, IBM-PC and clones using an 8086 CPU and IBM-PC and clones using an 8088, TI99/4A and the Geneve in GPL mode

Reviewed in MICROpendium

1984

February: B-1 Nuclear Bomber, Tandon TM-100 Disk Drive, Void, Beanstalk Adventure, Microsurgeon, On Gaming, Database 500.

March: Star Trek, Escape From Balthazar, Garkon's Getaway, Sky Diver. Mail-Call, Prowriter 8510 Printer.

April: Monthly Budget\$ Master, Budget Master, Home Budget, Thief, Donkey Kong, Khe Sanh. May: Companion Word Processor, Q*Bert, Mad-Dog I & II, Programs for the TI Home Computer. June: Creative Expressions Accounts Receivable/Accounts Payable, CDC 9409 Disk Drive, Starship Concord, Lost Treasure of the Aztec, ASW Tactics II. July: Theon Raiders, Introduction to Assembly Language for the TI Home Computer, Game of Wit, Pole Position

August: TE-1200, Tower, Galactic Battle, Galaxy September: Wycove Forth, 99/4 Auto Spell-Check, QUICKCOPYer, Wizard's Dominion, Anchor Automation Mk XII Modem

October: Killer Caterpillar, ZORK I, Defender November: 9900 Disk Controller Card/Manager, Super Bugger, Transtar 120S printer, Floppy-Copy, Data Base-X

December: Gravity Master, Data Base Manager System, Learning 99/4A Assembly Language Programming

March: Morning Star Software CP/M Card, WDS/100 Winchester Disk Drive, Sketch Mate, **BMC** Color Monitor April: 9900 Micro Expansion System, Disk+Aid, Gemini 10X-15X May: Character Sets and Graphics Design, Draw 'N Plot June: GRAPHX, DATA BASE I July: Acorn 99, Advanced Diagnostics August: Model Dow-4 Gazelle, TI-Artist, PC-KEYS, Not-Polyoptics' Bankroll September: Midnite Mason, Myarc 32K/128K Card, **GRAPHX** Companion October: 4A/TALK, Extende BASIC II Plus, XB Detective, Console Writer 2.a November: Foundation Z80A/80-column cards, 9900BASIC, Adventure Editor December: Display Enhancement Package, Triple Tech 1986 January: BITMAC, Starcross

February: Night Mission, Peripheral Diagnostic Module, BA-Writer March: Super Duper, Tunnels of Doom Editor, Business Graphs 99 April: U.S. Open Tennis, PRBASE

October: TI-Forth Utilities, CorComp Memory Plus November: Submarine Commander, PEP, MAX-RLE December: GK Utility I and II and GRAM Packer. X-10 Powerhouse, RAVE 99/101. 1987 January: MG DISkASSEMBLER, Myarc XBII February: TI-Tax, Mechatronic Mouse March: Wycove Forth version 3.0, DIJIT Systems RGB Conversion Kit, Spad XIII Flight Simulator April: Geneve 9640, Disk Utilities May: QS-Solitaire, Geneve 9640 (Part 2), Technical Drive, Console Calc June: Character Sets and Graphic Design III, Writerease Ver. 1.1, 4A DOS, Prescan__It July: Junkman Junior, Avatex 1200/1200hc modem, **Bubble Plane** August: Prostick, The Brain, Rocketman, Menu Ver. 6.3 September: TI-IBM Connection, Super Extended BASIC October: Fontwriter, Mechatronic 80-Column Card, Star NP-10 printer November: Legends, Music Preprocessor, QS-

—JK

1985 January: Super Sketch, Foundation Computing 128K Card, PTERM-99, TI-Runner February: Super Extended BASIC, Beginning Assembly Language for the TI, ZORK II

Intern, GPL Linker

May: 4A Flyer; GRAM Kracker, Artist's Companion June: Myarc Disk Controller Card, Maximem July: Horizon RAMdisk, Old Dark Caves, Funlwriter, TI99/4A Macro Assembler August: JOYPAINT 99, GPL Assembler, TI99/4A

Wheel, Spin-to-Win

December: Remind Me, Certificate 99, Myart-Art and Myarc Mouse 1988

January: Quik Font, EZ-Keys February: Disk Utilities 4.0 March: Telco, String Master, Epson LX-800 printer

THE MYARC Hard & Floppy Disk Controller with Streamer Tape Backup Support



Features include:

- Hard drive transfer rate of 5Mbit per second, for speed comparable to an external RAM disk card
- Interfaces with standard, off the shelf, hard, floppy and streamer tape drives
- Built-in real time clock, for time and date stamping of files
- Supports up to four 5 ¼" and/or 3 ½" floppy drives, mix or match
- All disk formats, SS/SD (90K), DS/DD (320/360K) and DS/QD (640/720K) supported
- MYARC Disk Manager V, the most intuitive and user friendly manager available
- One year limited warranty, 12 months parts, 6 months labor, is



Feedbach

16 bit memory

Having finished reading the history of the Horizon RAMdisk in the February issue, I feel compelled to write concerning the mention of a 16-bit console 32K memory. I found it strange that in the interview with Bud Mills, MICROpendium implies that such a memory is unheard of.

I want to remind you of a letter that I sent in last year which concerned the very same thing. Though I had designed and published 16 bit memory articles in 1985-86, I certainly don't claim to be the originator of the idea. That article, however, implies that this is a recent invention of Horizon Computer Limited or Bud Mills Services and I do take exception to that.

Please don't think this letter represents a tub full of sour grapes; it doesn't. I don't mean any disrespect to anyone in our fine TI community, of which I am happy to be a part. As a matter of fact, I am the proud owner of an HRD+ myself. I do think, however, that a fine publication such as this should have its left hand know what its right hand is doing.

a dot matrix head. It is my understanding that the ink used on dot matrix ribbons contains a special ink that has a lubricant in it. The stamp pad ink probably doesn't have this lubricant, and over a period of time, this could cause problems.

Finally, there is an undocumented printer code for the SG-10 printer that will switch the printer between the IBM and Star modes. The code is:

ESC w 1 IBM Mode

ESC w 0 Star Mode

Many thanks to Bret Frohlich of Star for this one. It could come in handy for those who are using their SG-10s on both the TI99/4A and an IBM.

> Joe Nuvolini Colorado Springs, Colorado

DSK1 with Horizon RAMdisk

Les ships everything I order promptly, and answers all my questions cheerfully and patiently. It is a real pleasure doing business with him, and I highly recommend L&M Systems!

When I first got Geneve, it went against the grain to start the system with a disk in the drive. After all, we've always been cautioned NEVER to have disks in the drive when turning the computer on and off. Now, after much anguish when Geneve kept refusing to boot MDOS, I know why, thanks to my local computer expert. After ruling out everything else as the cause of the trouble, we checked the MDOS disks, and found that three of them refused to load, while the original master disk that came with the computer worked fine. He told me that there is a surge of power whenever the computer is turned on, and apparently that is enough to zap a disk sometimes, and the cure is to leave the drive door open when turning the computer on, then close it. We almost went nuts before we figured this out - after all, it just wasn't reasonable that THREE disks would all go bad at the same time, but it DID happen. Another compliment, to Myarc for not waiting till all the software was complete before putting Geneve on the market. Sure, it's an inconvenience that Geneve won't do everything that the manual says it will. But we who bought it early knew that, and meantime we can enjoy what it DOES do, knowing that there is more to come. My-Word is a real joy to use, as is MyArt, and I am looking forward eagerly to other good things to come.

Ron Marrisen St. Thomas, Ontario, Canada

Grom port, ribbons and printer code

While cleaning will sometimes solve your problem with the grom port, it won't always correct it. Over the years, the constant pulling and pushing of the cartridges can cause the solder joints in the grom port to crack and all the cleaning in the world will not fix it. What needs to be done is to disassemble the console. Next, remove the "T" connector in the grom port and remove the metal shield covering the mother board. One must then carefully reheat and resolder the 36 connections on the back of the "T" connector and the 36 on the connector on the back of the mother board that the "T" plugs into. Of course, if you can find the one with the crack, you need fix only that one. Be careful not to create a solder bridge between any of the connectors.

Normally, when a Horizon RAMdisk is designated as DSK1, the physical DSK1 drive is useless and cannot be used. It can, however, be used if, after a diskette is inserted in the physical DSK1 drive, the file is addressed as

DSK. disk__name.file__name

This was discovered recently when the DSK1 drive was activated after I had neglected to add a number after DSK. I do not know if this will work with other RAMdisks or not. Just try it and see!

> Charles E. Kirkwood Jr. **Ciemson**, South Carolina

Sharing good news

We are quick to complain and share bad news; it is really important to spread compliments when they are due and share the good news, too!

When I got ready to buy Geneve, I checked the pages of MICROpendium to see who was offering it. The ad that really caught my eye was that of L&M Systems, because of the statement, "You are a personal customer to us - NOT just an invoice number!" I had tried two other sources, without success, so I was disap-

Claire Roberts Clovis, New Mexico

'Sharp character' sought

In line with your request about future items, could you get some sharp character out there to do a bit of technical scoop about the 9928 VDP chip and how we might use it in replacement of the 9918, in the 4A, if it is possible.

Regarding the item on recycling ribbons in the User Notes (March 1988), while running the ribbons across a stamp pad may re-ink the ribbon, I'm not sure the ink on the stamp pad is the best in the world for pointed when I called L&M and an answer-

ing machine came on the line. However, true to the message I heard, Les Merryman DID call back very shortly, and the next day my Geneve was on its way to me.



The Feedback column is for readers. It is a forum to communicate with other readers. The editor will condense excessively lengthy submissions where necessary. Mail Feedback items to: MICROpendium, P.O. Box 1343, Round Rock, TX 78680.



Share the excitement of Baseball



STRIKE THREE!

NKJ. State Cartridge Cartridge.

ONLY \$19.95

~~~~~

Plus S&H

AT LAST! An exciting all new baseball game for the TI-99/4A. Developed by John Phillips (4A Flyer), Strike Three combines action and simulation in an exciting high speed assembly language arcade quality game which you can play against a friend or the computer.

On the pitcher's mound choose your pitch. A hard one, a slow curve or anything in between. When at the plate, use your best batter's eye to pick out the pitch you can drive out of the park for a nome run.

If you get a hit, the computer determines the outcome based on actual major league statistics. A diamond display on your screen allows you to watch your runners advance. A second screen display allows you to see the pitches being thrown.

Fantastic graphics, professional animation, realistic sounds, and actual major league stats controlling the outcome of each · play makes Strike Three a home run as far as computer ball games go. Completely self-contained on a module!

## be part of exciting TI-99/4A Baseball in 1988!

Send order and make checks payable to:









BALL

60

HIBBLE

i Ti

#### P.O. BOX 33064-GRANADA HILLS, CA 91344



TENNES: All prices F.O.B. Los Angeles. For fastest service use cashiers check or money order. Add 3% shipping and handling (\$3.00 Minimum). East of Mississippi 4½%. Add 3% for Credit Card orders. Prices and availability subject to change without notice. We reserve the right to limit quantities.



PRESS

**BATTER:** 

PRESS

HETE: Payment in full must accompany all orders. Credit card, Company check or Money order for immediate shipment. Personal Checks require up to 4 weeks to clear. California orders add 61/2% sales tax.

.

VHEN

©1988Tex-Comp

TO THROW BALL

IS THROWN

BACKVARBS

## BASIC

# Bring San Francisco home

By REGENA Years ago, TI-FESt was planned for San Francisco, and I wrote a program called "San Francisco Tourist."

It was published in the 99'er Magazine (I:5) and consisted of games with a San Francisco theme. The original program had three parts, but the published program had only two of the games. I was talking with Ray Kazmer (of "Woodstock" fame) at TI-XPO-88 at Las Vegas and mentioned the missing middle part of the program He requested a copy of the original program, and I decided to resurrect the program. After I finally found the program in my unorganized file, I decided to share the program with MICROpendium readers.

This program has been revised from the previously published version, so I am calling it "San Francisco Tourist Revisited." It will now fit on disk with the TI99/4A.

Since I wrote it six years ago, I have learned more efficient programming, but most of the original programming is in place. The program is written in TI BASIC, so it has some of the "slow" features of BASIC games. The second game has quite a few commands between CALL KEY statements, so the response is not as good.

I love visiting (and revisiting) San Francisco and have used three tourist attractions in these games. First is Lombard Street, the crookedest street in the world. Your goal is to drive down Lombard Street without crashing. Use the left and right arrow keys to steer.

The second game is Seal Rocks. I could spend hours watching the seals in the ocean. This game has no time limit. You have a roll of film with 24 pictures to take. Use the arrow keys to aim the camera and then press ENTER to take a picture of a

seal. Remember that seals jump, and they randomly appear and disappear. The white peaks represent ocean waves. When the roll of film is finished you will be told how many good photos you took (the others were of waves or ocean).

The third game is Muir Woods. North of San Francisco is a peaceful retreat of giant trees. In the game you look at trees in the park by moving with the arrow keys, then pressing ENTER to mark a tree. Try to mark as many trees on your map as possible before the computer counts to 100.

If you prefer to save typing effort, you may have a copy of this program by sending \$3 plus a blank casssette or diskette and a stamped, self-addressed mailer to REGENA, P.O. Box 1502, Cedar City, UT 84720. Be sure to specify the title "Revisited" and that you need the TI version.



## San Francisco Revisited

REM REVISITED 1137 2 REM BY REGENA 1971 3 DEF R19=INI(19\*RND)+1 !200 5 DEF R=(-1)^(INI'(4\*RND))\*(I NT(3\*RND+1))!132 6 CALL CLEAR 1209 7 CALL CHAR(64, "18183C3C5A5A 9999") !Ø64 8 CALL CHAR (35, "Ø1Ø1Ø2Ø4Ø83Ø FFFF")!@27 9 CALL CHAR(47, "1818181818FF FF")!214 10 CALL CHAR (36, "80601806FFF F") !098 11 CALL CHAR(37, "Ø1Ø6186ØFFF F")!Ø92 12 CALL CHAR (38, "80804020100 CEFFE") !Ø53

13 CALL SCREEN(4)!149 14 PRINT TAB(12); "@ @": TAB( 11); "#/\$%/&" !Ø44 4 DEF R28=1NF (26\*RND) +2 ! 199 15 PRINT : : : \*\*\* SAN FRANCI ": : " 3 MUIR WOODS" ! Ø68 SCO TOURIST \*\*": : : : : !Ø02 16 P=3ØØ !1Ø8 17 CALL SOUND (P, 330, 0) ! 112 18 CALL SOUND (P, 349, Ø) ! 122 19 CALL SOUND (P, 440, 0) ! 114 20 CALL SOUND(4\*P,392,0,131, 10,165,8)!247 21 CALL SOUND(P,440,0)!114 22 CALL SOUND (P, 494, Ø, 165, 1Ø ,196,8)1069 23 CALL SOUND(P, 523, Ø) ! 116 24 CALL SOUND(P, 440, 0, 147, 10 )!196 25 CALL SOUND(4\*P,294,0,220, 8,175,1Ø)!248

26 FRINT WHICH DO YOU WISH TO VISIT?": :" 1 CROOKEDES T STREET": : " 2 SEAL ROCKS 27 FRINT : : " 4 END PROGRA M": : : :!]16 FFFFFF") !Ø62 FFFFF")!Ø13 30 CALL CHAR (40, "0") !205 31 CALL KEY(Ø,K,S)!187 32 IF (K < 49) + (K > 52) = -1 THEN 31 174 33 CALL CLEAR 1209 34 ON K-48 GOGUB 42, 108, 190, 265 1000 35 GOTO 13 1092 (See Page 12)

# 

## **EMERSON 10" COLOR TV/MONITOR**

\$219.95 + \$10.00 shipping charge

#### This stylish TV/monitor from Emerson is ready to perform double-duty

IF YOU HAVE BEEN LOOKING FOR A GREAT BUY TEXAS INSTRUMENTS IN A MONITOR NOW IS THE TIME! THIS HIGH HOME COMPUTER RESOLUTION TV/MONITOR FROM EMERSON HAS EVERY 0 FEATURE YOU COULD WANT AT A SUPER LOW PRICE. Eal Maria (\* 1831 \$1981 FIRST IT IS A HIGH RESOLUTION COMPOSITE TEXAS INSTRUMENTS MONITOR (560HX240V). THIS 10" VIDEO MONITOR WAS DESIGNED TO HANDLE THE WIDE RANGE OF . Proving COLOR GRAPHICS AND AUDIO MUSIC AND TONES THAT YOUR TI-99/4A CAN DELIVER. SECOND, IT IS monitor or TV ALSO A QUALITY TV WITH ELECTRONIC TUNING. IT ALSO WORKS ON 12V-DC AND EVEN COMES WITH A AUTO CORD. IT ALSO COMES WITH A TI-99/4A MONITOR CABLE. IT EVEN HAS AN EARPHONE JACK AND A BUILT-IN TILT UP STAND, WE BOUGHT OUT THE REMAINING STOCK ON THIS MODEL AS THE MONITOR FEATURE HAS BEEN LEFT OUT OF THE NEWEST MODEL TO BRING THE PRICE DOWN. THIS UNIT IS EVEN SUPERIOR TO THE 10" MONITOR TI OFFERED WHICH WAS BUILT FOR THEM BY PANASONIC. VERY COMPACT ONLY 11" W x 11" H x 14" D. IT ALSO HAS LED CHANNEL DISPLAY AND AUTO FINE TUNING. COMES WITH A 90 DAY FACTORY WARRANTY FROM EMERSON, A LEADER IN HOME ELECTRONICS. FOR YOU VIDEO TYPES, IT ALSO HAS AUDIO AND VIDEO OUTPUT JACKS SO IT CAN BE USED AS A TUNER FOR OTHER MONITORS OR VCRS. WITH THIS GREAT PRICE AND FANTASTIC PERFORMANCE AND FEATURES COMES ONE PIECE OF "BAD NEWS". THE COLOR OF THE CABINET IS SOMEWHERE BETWEEN DUSTY ROSE AND MAUVE. SO IF YOU CAN THINK PINK, YOU CAN THROW YOUR RF MODULATOR OUT AND HAVE A GREAT COLOR DISPLAY WITH A PREMIUM AC/DC TV \$219.95

+ \$10,00 shipping charge

## JOYSTICK

## The World's First High Performance Joystick **FOR THE TI-99/4A**

- The only joystick actually designed to fit in the paim of your hand.
- Trigger finger firing for faster, more accurate shooting.
- Tactile response switches on top for faster, more precise movements.
- Microswitches guaranteed for ten million uses.

**§24.95** ESEM includes 2-unit adapter (reg.\$10.95)

ONLY



#### SUPER JOYSTICK III \$14.95 IF YOU ALREADY HAVE THE ADAPTER

Send order and make checks payable to:







**VISA and MASTERCARD** HOLDERS CALL DIRECT (818) 366-6631

P.O. BOX 33064-GRANADA HILLS, CA 91344



TERMS: All prices F.O.B. Los Angeles. For fastest service use cashiers check or money order. Add 3% shipping and handling (\$3.00 Minimum). East of Mississippi 41/4%. Add 3% for Credit Card-orders. Prices and availability subject to change without notice. We reserve the right to limit quantities.



MasterCard

INFE: Payment in full must accompany all orders. Credit card, Company check or Money order for immediate shipment. Personal Checks require up to 4 weeks to clear. California orders add 51/294 sales tax.

### **REGENA**—

| (Continued from Page 10)       | 73 CALL HCHAR(8, X, G) ! Ø67                     | 115 PRINT : "USE THE ARROW KE           |
|--------------------------------|--------------------------------------------------|-----------------------------------------|
| 36 PRINT "PRESS ANY KEY"; ! 19 | 74 CALL KEY(Ø,K,S)!187                           | YS TO AIM": : "YOUR CAMERA. ":          |
| <b>4</b>                       | 75 IF (K<>83)+(K<>68)=-2 THE                     | : "PRESS <enter> TO TAKE A"</enter>     |
| 37 CALL KEY (Ø, K, S) ! 187    | N 84 ! 1Ø4                                       | ! 185                                   |
| 38 IF S<1 THEN 37 1046         | 76 IF K=83 THEN 81 !14Ø                          | 116 PRINT : "PHOTO. YOU HAVE            |
| 39 CALL CLEAR 1209             | 77 X=X+2 !Ø42                                    | A ROLL": : "OF 24 SHOTS. ": :           |
| 40 RANDOMIZE ! 149             | 78 IF X<31 THEN 84 !150                          | ::!Ø45                                  |
| 41 RETURN !136                 | 79 X=31 1068                                     | 117 GOSUB 36 !116                       |
| 42 PRINT " ** CROOKEDEST STR   | 80 GOTO 84 1163                                  | 118 CALL SCREEN(6) ! 151                |
| KET **" ! 109                  | 81 X=X-2 1Ø43                                    | 119 CALL COLOR $(11, 16, 6)$ ! $@24$    |
| 43 CALL CHAR (96, "387C7C38387 | 82 IF X>2 THEN 84 100                            | 120 PRINT TAB(18); "PHOTOS":            |
| C7C38")!Ø75                    | 83 X=2 1017                                      | :TAB(18); "SHOTS" ! 173                 |
| 44 CALL CHAR (97, "C3633618183 | 84 CALL GCHAR (9, X, G) 1067                     | 121 X = 12 ! 067                        |
| 663C3")!Ø26                    | 85 IF G=41 THEN 91 140<br>86 IF G=96 THEN 91 150 | 121  M = 12  (MO)<br>122  Y = 16  (M72) |
| 45 PRINT : : "LOMBARD STREET   |                                                  | 123  CL=0 970                           |
| IS THE": : "CROOKEDEST STREET  | 87 IF G=32 THEN 1022 !151                        |                                         |
| IN THE": : "WORLD. IT IS ON    | 88 CALL SOUND(-50,-5,0)!112                      | 124 P=Ø 1007                            |
| E HLOCK" ! 166                 | 89 CALL HCHAR (9, X, 97) ! Ø55                   | 125 SH=Ø 1082                           |
| 46 PRINT : "LONG ON A STEEP H  | 9Ø C=C+1 !255                                    | 126 FOR I=1 TO $ABS(R)+2$ 132           |
| ILL. ": : "YOUR CHALLENCE IS T | 91 CALL HCHAR(9, X, 96) ! Ø54                    | 127 CALL HCHAR (R19, R28, 112, A        |
| O DRIVE": : "DOWN THE RED BRI  | 92 NEXT 1 1223                                   | BS(R)+1)!114                            |
| CK ROAD" 1254                  | 93 PRINT "YOU MADE IT; ": : "N                   | 128 CALL HCHAR(R19, R28, 104)!          |
| 47 PRINT : "WITHOUT HUMPING T  | UMBER OF CRASHES: ";C ! 182                      | 123                                     |
|                                | 94 TE CAR THEN 105 1008                          | 129 NEXT I !223                         |

HE CONCRETE :: SIDES. USE THE ARROW KEYS": : "TO STEER. 

 : : !ØØ1
 659,659 !166

 48 C=Ø !25Ø
 96 RESTORE 95

 49 GOGUB 36 !116
 97 FOR I=1 TO

 50 DATA 6,6,7,8,9,11,13,15,1 8,20,20,17,15,13,11,9,6,6,8, 53 CALL COLOR(9,2,11)!229 Ø)!154 57 CALL HCHAR(1, J, 40, 8) 1024 Ø 59 NEXT I !223 Ø 65 IF I>59 THEN 71 !133 F9F1F1")!217 69 IF J>1 THEN 71 1072

94 LF C>10 THEN 1120 11298 95 DATA 330,392,523,659,523, 

 96
 RESTORE 95
 138 133
 IF
 K<>69
 TI

 97
 FOR I=1
 TO
 7
 1062
 134
 DX=-1
 1022

 98
 READ S
 1234
 135
 DX=-0
 1084

 98
 READ 5
 :2.54
 135
 DY=Ø
 !Ø84

 99
 CALL
 SOUND(15Ø,S,Ø)!115
 136
 GOTO
 148
 !227

 11, 13, 16, 19, 20100NEXT I 1223137IF K<>68THEN 141 14051CALL SCREEN (3) 148101GOTO 105 1184138DX=0 108352CALL COLOR (2,7, 16) 1232102CALL SOUND (200, -5, 0, 400, 139DY=1 1085 

 54 RESTORE 50 !143
 103 CALL HCHAR (9, X, 97, 2) !229
 141 IF K<>88 THEN 145 !146

 55 FOR I=1 TO 24 !110
 104 PRINT "SORRY; THE CAR IS
 142 DX=1 !084

 56 READ J !225
 DAMAGED": "HEYOND REPAIR" !0
 143 DY=0 !084

 57 

 57 CALL HCHAR(1, J, 40, 8) !024 57

 58 CALL HCHAR(1, J+1, 41, 6) !21 105 GOGUB 36 !116 

 144 GOTO 148 !227 

 145 IF K<>83 THEN 164 !160 
 106 CALL COLOR(2,2,1)!172 146 DX=0 1083 107 RETURN ! 136 60 CALL HCHAR (9, 20, 96) !010 108 PRINT TAB (6); \*\* SEAL RO 148 CALL HCHAR (X, Y, G1) !204 61 J=18 !059CKS \*\*" !062149 X=X+DX !20362 X=20 !066109 CALL CHAR (96, "FF8 18 18 181150 IF X>0 THEN 152 !16663 G=41 !0528181FF") !069151 X=1 !01664 FOR I=1 TO 75 !116110 CALL CHAR (97, "FFBDFFFFFD152 IF X<20 THEN 154 !218</td> 

 66 J=J+R ! 101 111 CALL CHAR(104, "0C3E7FFEF

 67 IF J<21 THEN 69 ! 120
 CF8F0F")! 147

 110 CHU (OD(0, 0, 11)) 1000 
 67 IF J<21 THEN 69 !120 CF8F0F") !14768 J=22-ABS(R) !130 112 CALL COLOR(9,2,11) !229113 PRINT : : "ON THE COAST N EAR SEAL ROCKS": : "YOU CAN W ATCH SEALS": : "JUMPING AMONG THE WAVES. " ! 122 114 CALL CHAR(112, "061C38707 ØFØF8FE")!111

130 CALL HCHAR(X,Y,96)!141 131 CALL KEY(Ø,K,S)!187 133 IF K<>69 THEN 137 !137 140 COTO 148 !227 147 DY=-1 1023 152 IF X<20 THEN 154 !218 153 X=19 !Ø74 154 Y=Y+DY !206 155 IF Y>Ø THEN 157 !172 156 Y=1 1017 157 IF Y<33 THEN 159 !228 158 Y=32 !Ø7Ø 159 CALL GCHAR(X,Y,G1) !203 16Ø IF G1<>104 THEN 163 !247 161 CALL HCHAR(X, Y, 97)!142 (See Page 14)

7Ø J=ABS(R)!146 71 PRINT TAB(J); "()))))(" ! **@24** 

72 CALL SOUND (-100, 110, 1, -1, 1) 1087



# NEW LOW PRICE \$4.95 each

A NOTE ABOUT DEMO DISKS: TEX-COMP's demo disks are a collection of disks containing unique and entertaining features which we believe will help you get more out of your TI-99/4A. Some if not all of them are in the public domain. However, in certain cases, the author requests a contribution if you use and enjoy it. While you are not legally obligated to do so, we at TEX-COMP encourage your assisting these talented programmers if you enjoy their work. That is why we offer these disks at such a low price.

#### SERIES 1

#1. "THE SINGING TI-99/4A" SPEECH & MUSIC DEMO DISK This is the disk everyone is talking about. The computer voice actually sings to animated graphics. Includes routines by master programmer Ken Gilliland. Bert & Earnie. Natilda & much much more. 2 disk sidesspeech & 32% req.

#### #2. WHEEL OF FORTUNE, BLACKJACK, & JOKER POKER Three fantastic freeware programs on one disk. Professional quality

P7. SPACE SHUTTLE NUSIC/GRAPHICS DEMO DISK One of the real outstanding examples of programming. This disk has it all. Great graphics. music, and continuity. A real salute to the space program. It is almost like watching a moviel

#### 18. LOTTO DENO DISK

This program randomly generates numbers for use in the various state lotto games and even runs a simulated lotto game. Easy to modify for pick 6 etc. games. A great learning and fun disk.

\$9. NONA LISA PRINT OUT DENO

#13, STRIP POKER (PG RATED) Play Poker against your T1-99/4A. When you win a hand she loses--a plece of her clothes that is. Don't worry about being a lousy poker player. Another file is included where you don't even have to know an ace from a king.

#14. FIGURE STUDY DEND (PG RATED)
A collection of Playboy type
centerfolds that can be printed
out at your command. Use with any
printer.

#### #15. STAR/EPSON PRINTER DEMO This 2 sided disk contains a large collection of demo pro-

#19. TI WRITER/MULTIPLAN UPGRADE DISK This disk released by TE adds real lower case to your TI Writer, speed to your Multiplan and other enhancements. Easy to use, just substitute new files for old! Instructions Included.

#20. ACCOUNTS RECEIVABLE DEMO This self contained prize winning program loads and runs in Exbasic and has all the features found in a professional accounting system. Complete with documentation and a second disk side with report generating programs.

#### SERIES II

and the best "wheel" game around at any price. Yana would love it!

#3. DUMPIT DEMO DISK

This disk helps you transfer many TI modules to disk. Recommended for users with some programmingability. Ed/Assem & "widget" recommended.

#### 44. PRENTART DENO DESK

Two disk sides filled with files that print out great quality pictures on most printers. Namy famous IV and comic characters on this disk. "Beam me up Scotty"

#### #5. ORIGINAL TI SALES DENO DISK NITH TI-TREK GAME

This disk is packed full of assorted files of all types. Graphics, speech etc. Contains complete TI-TREK game for Speech Editor module or TE-IL module.

#5-A. TI NUSIC/GRAPHICS DEHO DISK A great collection of music and matching graphics. Great examples of music & sprite programming.

#6. EXBASIC MUSIC DEMO DISK A two disk side collection of music & graphics that we consider some of the best. This disk prints out a nearphoto quality picture of that lady with the classic smile. We understand it was made by digitizing the original with a super powerful computer and converting the output to run on the TI-99/4Å.

#10. GOTHIC PRINT DEMO DISK This disk lets you type out a phrase on the screen and then print it out in gothic foid english) style. Looks like hand lettered calligraphy. Use for invitations, announcements and business cards.

#II. ANIMATED CHRISTMAS CARD This disk was actually originally sent to TEX-COMP as a greeting from master programmer Ray Kazmer. It was just too good not to share! One of the best examples of computer animation and graphics you will see on any computer!

#12. TI-99 OLOPY DISK This great pliece of programming actually simulates and plays the famous board game. For legal reasons we cannot name the game but "do not pass Go! but go directly to Jail!" grams to put your Star/Epson compatible printer through its paces. Learn what control codes can do! Lots of text and graphics examples. Second side has a great tutorial on printer graphics with examples!

#16. SIDEWAYS PRINTOUT DEMO DISK This program allows you to print out the material from your printer sideways. Great for spreadsheets, banners and large graphics. Second side contains some new enhancements for Multiplan not available on the T1 upgrade.

#17. TI FORTH DEMO DISK
This demo disk was released by
TI to show the power of Forth.
Fantastic music and graphics.
Ed/Assem & 32K required!

#18. TI DIAGNOSTIC DISK This program loads into the Mini-Memory module and checks out your entire system. Much better than disk based diagnostics that cannot be used if a problem in the disk system is at fault. Complete documentation on second side. #21. DATA BASE DENO DISK A professional data base program that was originally written to store magazine articles from computer magazines and then find them by name, subject, key word, or publication. Fast, easy to use and easy to adopt for other applications. Comes complete with sample data to make learning date base processing easy. Completely menu driven and unprotected.

#22. ASTROLOGY DENO DISK This one is as good as anything you will see in an arcade. Great color graphics and displays. Enter your birthdate and Tearn about your sign, your Tucky days and famous events in history on your birthday. Even prints out a report. Can be used as a great moneymaker at a charity event.

#23. WILL WRITER DENO DISK Enter your answers to a group of computer asked questions and this program then writes you a last will and testament. Now you can leave your TI-99/4A to your favorite nephew. Works with any printer. Appears legal in all states but better check that out!

Send order and make checks payable to:





### TEX+COMP

#### P.O. BOX 33064-GRANADA HILLS, CA 91344

AUTHORIZED DEALER

#### TERMS: All prices F.O B. Los Angeles. For fastest service use cashiers check or money order Add 3% shipping and handling (\$3.00 Minimum). East of Mississippi 4½%. Add 3% for Credit Card orders. Prices and availability subject to change without notice.





write: Payment in full must accompany all orders. Credit card, Company check or Money order for immediate shipment. Personal Checks require up to 4 weeks to clear. California orders add 8½% sales tax.

## **REGENA**

(Continued from Page 12) 182 FOR II=1 TO LEN(STR\$(SH) 198 PRINT : "NORTH OF SAN FRA 162 GOTO 164 !243 )!172 NCISCO. ": : "TAKE A TOUR AND 163 CALL HCHAR(X,Y,96)!141 183 CALL HCHAR (23, 11+27, ASC ( MARK AS": : "MANY TREES ON YO 164 CL=CL+1 !151 SEG\$(STR\$(SH), II, 1)))!187 UR MAP AS" ! 129 165 IF CL<8 THEN 131 !207 184 NEXT II 1040 199 PRINT : "YOU CAN. MOVE B 166 CALL, HCHAR(R19, R28, 104)! 185 IF SH<24 THEN 131 1010 Y PRESSING": : "THE ARROW KEY 123 186 PRINT : : "TIME TO CHANGE S; MARK TREES": : "BY PRESSIN 167 CALL HCHAR(R19, R28, 32, 28 FILM": : "YOU GOT"; P; "GOOD P G < KNTER>, ": : : : !237 ) !Ø49 HOTOS": : !Ø57 200 GOSUB 36 !116 168 CALL HCHAR (R19, R28, 32, 28 187 GOGOB 36 !116 201 CALL SCREEN(12)!197 ) !Ø49 188 CALL COLOR(9,2,1)!179 202 PRINT "TIME": : "TREES" ! 169 CALL HCHAR (R19, R28, 112, A 189 RETURN ! 136 Ø79 **BS(R))!183** 190 PRINT TAB(6); \*\*\* MUIR WO 203 FOR I=1 TO 70 !111 17Ø CL=Ø !Ø7Ø ODS \*\*" !296 204 CALL HCHAR(R19, R28, 104)! 171 GOTO 131 1210 191 CALL CHAR (96, "1C10287F28 123 172 CALL SOUND(80, -1, 0)!173 142222")!@25 2005 NEXT I !223 173 CALL HCHAR(X,Y,113)!180 192 CALL CHAR (97, "10107C101" 206 SH=0 1082 174 CALL HCHAR(X,Y,96)!141 )!127 207 P=0 1007 175 IF GI< 104 THEN 178 1070 193 CALL COLOR(9,7,1)! 184 208 X=2 1017 176 P=P+1 1925 194 CALL CHAR (104, "1038107C1 209 Y=2 1018 177 G1=32 !1Ø1 ØFE1Ø1")!ØØ2 21Ø G=32 !Ø52 178 SH=SH+1 !175 195 CALL CHAR (125, "FF81A5999 211 CALL HCHAR(2,2,96) !21Ø 179 FOR II=1 TO LEN(STR\$(P)) 9A581FF")!153 212 CALL SOUND(150, 1397, 4)!1 !Ø97 196 CALL COLOR (10, 13, 1) 1015 96 180 CALL HCHAR (21, 11+27, ASC ( 197 PRINT : : "MUIR WOODS IS 213 CALL KEY(Ø,K,S)!187 SEGS(STRS(P), II, 1)))!110A BEAUTIFUL": : "FOREST OF GI 214 IF K=13 THEN 251 1047 181 NEXT 11 1040 **ANT TREES" ! 177** 215 IF K<>69 THEN 219 !219 216 DX=-1 1022 217 DY=Ø 1084 alififififififififififi 218 GOTO 230 1053 219 JF K<>68 THEN 223 !222 22Ø DX=Ø !ØB3 A Guide To The Use of 221 DY=1 1085 Artist Borders TI-HRITER And It's Clones 222 GOTO 23Ø !Ø53 Volume #1 A PUBLICATION OF THE 223 IF K<>88 THEN 227 !228 HESTERN NEH YORK SSERS 224 DX=1 1084 For the first Harry Thanas Brashear time! Easily put ¥ 225 DY=Ø 1084 borders around TI-WE GOOFED!! 226 GOTO 230 1053 HE DISCOVERED THAT HANY OF OUR GROUP MEMBERS HERE USING Artist pictures. 🖌 227 JF K<>83 THEN 230 !226 Create awards, FUNNELHRITER. BA-HRITER OR 228 DX=Ø 1083 certificates, and U 229 DY=-1 1023 more with these 40 230 IF G>=104 THEN 232 1010 pre-drawn borders. 231 G=97 1063





232 CALL HCHAR(X, Y, G) ! 155

233 X=X+DX !203

234 IF X>1 THEN 236 !251

235 X=1 1016

236 IF X<20 THEN 238 1046

237 X=2Ø !Ø66

238 Y=Y+DY !206

YOU OHN. AND IF YOU ORDER OUICKLY. HE'LL SEND A COFY OF OUR NEWSLETTER TOO. send \$2.50 plus .50 postage to: THE WESTERN NY 99ERS 2753 MAIN ST Newfani Ny, 14188

239 IF Y>2 THEN 241 1002 24Ø Y=2 1018 241 IF Y<31 THEN 243 1054 242 Y=31 1059 243 CALL GCHAR(X,Y,G)!154 (See Page 16)



### **EXCITING NEW WAYS** TO USE YOUR TI-99/4A COMPUTER

#24. ENGINEERING CALCULATIONS A two sided computer handbook of dozens of the most often used engineering and technical formulas. A real time saver. Does conversions. calculations and even designs electrical circuits. A must for anyone whose profession or hobby involves scientific calculations. Even has medical and communications applications.

#25. HEDICAL ALERT DENO DISK This disk contains many menu accessable files covering most everyday medical emergencies. A good "what to do until the doctor or paramedic comes" guide. Well written and organized. Could very easily save a lifel

#### 126. R RATED GAME DENO DISK It was bound to happen. A talented

### SERIES III

#30 HOUSEHOLD BUDGET PRINTOUT With this disk you print out the data you have stored with the Ti HBM Hodyle. HBM is a great module that can be used for many home and small business applications but II forgot to include a printout function. This program comes with full instructions and we are sure that your HBM Nodule will now start being used. Fantastic programming job.

#### #31. MORSE CODE TRAINER DISK

This disk has every thing you need to learn and practice Morse code for the various FCC llcense exams. It also is great for scout groups and school "ham" clubs for group training and merit badge qualification. Professional quality.

#32. EXBASIC XHAS MUSIC DEMO DISK

## **ONLY \$4.95** each

BONUS FREE DELUXE DISK STORAGE CASE WITH EACH ORDER OF FOUR OR MORE DEMO DISKS!!

#35. PROGRANNING AIDS & UTILITIES A collection of some unusual programs of interest to programmers. One program show a group of opening title displays. another is a cross reference program as good as any of the commercial ones. plus several other useful items.

**436. STRICTLY BUSINESS DENO DISK** A collection of various programs for evaluating loans, calculating interest. and other financial items such as return on investment and security performance. Two disk sides filled with financial programs.

#37. LAPD COOKBOOK DENO DISK This unofficial police cookbook was put together by one of our boys in blue who is also a gournet chef. (yes it contains jailhouse chill) Over 50 great receipes from soup to nuts on two disk sides and each separate side can be called up on screen or printer in exbasic from a menu. As good as any of the new PC computer cookbooks we have seen.

#39, GREAT 99/4A GAMES VOL 11. Still more of the great ones from all over the world. The quality, graphics and speed of many of these games will make you wonder why they were never released commercially

#40. ARTIFICIAL INTELLEGENCE DENO This disk contains the famous game Elize where you type in a question or a problem you are having and "Eliza" helps you find the solution Also contains one of the better blorhythm programs so you can analyze all your emotional problems at one sitting

141. VIDEO GRAPHS HODULE BACKUP DISK This disk is a backup of the discontinued Video Graphs Nodule from Ti. for legal reasons, it can only be purchased for backup use by owners of the original module. Do not order if you do not have the original module and intend to use this disk only for backup purposes. Exbasic autoload....

(but demented) programmer in Germany wrote an invaders type game but with most unusal guns and targets. Definitely not what you would find at your neighborhood arcade. Not only a great party game but some great programming. You must be over 18 to order this onell

#27 KIDS LEARNING DENO DISK An educator in Georgia put this two sided disk collection of educational programs together. Contains great material. Wath, geography, reading Improvment, and even IQ testing. All high quality programs for kids of all ages.

**\$28. LOADERS AND CATALOGERS** We put together a collection of the best programs that catalog and load a group of programs on a disk. Just try them, pick the one you like and transfer it to another disk with the title LOAD and you are in business.

#29 LABEL NAKER DENO DISK Two great programs for making custom labels for disks, addresses video tapes or any other application. Even contains a graphic display of the Ti-99/4A console. Now you can create custom labels of any number by just typing in the lines as you want them.

Send order and make checks payable to: TEX+COMP

A disk full of high quality xmas music that can be played throughout the holiday season and then used as a learning tool since it contains wonderful arrangements and graphics. Autoloading and menu driven.

#33. CHECKERS & BACKGAHMON A collection of great checkers and backgammon games for the TI-99/4A. These are professional in quality and will keep you busy for hours.

**134. SOLITAIRE & SCRABBLE** Another collection of classic games for the TI-99/4A. Exbasic & 32K req. #38. GREAT 99/4A GAMES VOL 1. A collection of professional games in assembly and exbasic that all load from a menu in exbasic. Includes a great ski game where you dodge the trees in a fast downhill run. We have included only the best in this series.



#42. FUNNELNEB FARM UTILITY You heard about this one, now direct from Australia is the latest version of this fantastic utility that puts everything at you command. Fom one program you can access word processing. edit/assembler, tele communications. and just about everything else. A freeware program complete with documentation on a second disk side.

**IMPORTANT DEMO DISK NOTICE:** All demo disks sold by Tex-Comp have been reviewed and determined to offer valuable educational and entertainment features. to the user. There is no warranty or guarantee that they are free from bugs and most likely are not although we are not aware of any. Certain of these disks may include a claim of copyright from the author with the right to distribute at no charge expressly or impliedly granted providing the ultimate user pays a suggested amount or in some cases an amount that the user feels is fair. Tex-Comp encourages that payment to the author of a reasonable amount be made when reguested. Tex-Comp will review any program for inclusion in this demo disk program however the final decision is that of Tex-Comp. Be sure that a request for payment is on the screen display and that any documentation is in the program or on the disk such as a "read this" text file preferably menu accessable from exbasic. Send any disks for consideration to Tex-Comp Demo Disk Program. P.O. Box 33084, Granada Hills, CA 91344. Disk cannot be returned and become the property of Tex-Comp. All submittors warrant and represent that the software submitted is their property.





#### P.O. BOX 33064 - GRANADA HILLS, CA 91344

AUTHORIZED DEALER

Ha

#### TENNIE: All prices F.O.B. Los Angeles. For fastest service use cashiers check or money order. Add 3% shipping and handling (\$3.00 Minimum). East of Mississippi 41/2%. Add 3% for Credit Card orders. Prices and availability subject to change without notice. We reserve

HETE: Payment in full must accompany all orders. Credit card, Company check or Money order for immediate shipment. Personal Checks require up to 4 weeks to clear. California orders add 61/2% sales lax.

## Trials of a c99 beginner Inputting and outputting files By CHARLES KIRKWOOD JR.

Did you ever need an article in a magazine but you didn't remember the complete title or the month? How many times have you looked through MICROpendium all the way back to the beginning trying to locate some special article? Have you ever wished you had an index of articles and tips about TI99/4A from different magazines or newsletters and a method of locating an article quickly?

The first example this month is a big help in solving this problem. It is a program designed to search the records of a file for given keywords. The file could be an index of articles in magazines with the name of the article, its location, and perhaps some words to describe the content of the article. This program could also be used to search a directory which might contain names, addresses, phone numbers, nicknames, etc. This could be a valuable help in refreshing one's memory if he needed a name and could only remember a nickname or a phone number? A home inventory, or a hobby inventory such as model railroading or coins, could be searched for particular items. Such a search program should be fast — this one is — not instantaneous but a lot faster than **BASIC!** 

for use with the file I/O functions, name is the file name, and mode is the type of access. Name and mode must be strings or pointers to strings.

Currently, the following modes are supported: display/variable, display/fixed, and display/relative, as:

| dis/var      | dis/fix    | dis/rel        |
|--------------|------------|----------------|
| "r"—read     | "R"—read   | "I"-read       |
| "w"—write    | "W"—write  | "O"-read/write |
| "u" — update | "U"—update | "a"—append     |

The mode character may be followed by a 1- to 3-digit record length. A default of 80 is assigned if this number is omitted. When a record length of zero is specified for an input file, the actual record length of the file is utilized.

A file is closed with:

#### fclose(unit);

Only four files can be opened simultaneously and no more than three may be disk files.

Here are some of the file I/O functions available in c99. Note the similarity to those I/O functions used earlier.

c=getc(unit); /\*reads one character\*/

Only display/variable 80 files will be used, so each record may have up to 80 characters. Spaces and punctuation in each record are optional. Records in the file might look like this:

BASIC PROGRAMMING REMINDER HINTS REGENA HCHAR VCHAR CHR\$() M JAN 88

TRIALS OF A c99 BEGINNER INTEGER ARITHMETIC KIRKWOOD PRINTF CONV;C M JAN 88

WORKING WITH LOGO LET THE TURTLE DO FRACTALS JOHNSON M JAN 88

COMPUTER MAINTENANCE CLEANING MODULE CON-TACTS RUTLEDGE M JAN 88 PART I

PRINTING IN MULTIPLE COLUMNS MULTICOL BROWN **XBASIC PART I M JAN 88** 

Each record is somewhat limited and will contain very little more than the title and location. The best way to build a D/V80 file, in my opinion, is by using the E/A Edit feature. Full-screen edit is used, corrections and additions can be easily made.

Now back to the program, a file is opened by:

unit = fopen(name, mode);

Where unit is a file descriptor or unit number which is returned

## **REGENA**—

(Continued from Page 14) 244 CALL HCHAR(X,Y,96)!141 245 SH=SH+1 !175 246 FOR II=1 TO LEN(STR\$(SH) 254 G=105 !102 ) ! 172 255 P=P+1 1025 247 CALL HCHAR(21, II+9, ASC(S ECSS(STRSS(SH), II, 1)))!136 !Ø97 248 NEXT II 1040 249 IF SH=100 THEN 260 !183 EG\$(STR\$(P), II, 1)) !Ø63 250 0010 213 1036 258 NEXT II 1040

251 CALL SOUND(100,-2,0)!216 252 IF G<>104 THEN 245 1024 253 CALL HCHAR(X,Y, 105) ! 181 256 FOR II=1 TO LEN(STR(P)) 257 CALL HCHAR (23, 11+9, ASC (S

c=putc(c,unit); /\*writes one character\*/

c=fgets(buff,col,unit); /\*reads a string\*/

c=fputs(string,unit); /\*writes a string\*/

c=fread(buff,len,unit); /\*reads a record\*/

c=fwrite(buff,len,unit); /\*writes a record\*/

fprintf(unit,arg1,arg2,...); /\*write\*/

The arguments col and len refer to the file lengths. At most, col-1 characters will be transferred, a NULL character is appended to the end of the line. With fread(), not more than len bytes will be transferred, and a NULL byte is not appended to the end of the line. More details on each of these functions can be found in Clint Pulley's documentation with the c99 compiler. It is suggested that some experimentation be made to see exactly how each of these functions can be used. Several of these functions will be used in the two programs in this article.

Getting back to the first example, up to and including five keywords may be used with the Search Program. Follow the prompts as they are given:

> input disk and file name (See Page 18)

259 GOTO 245 1268 260 PRINT : "TIME IS UP. ": "YO U LOOKED AT"; P; "TREES. " 1080 261 GOSUB 36 !116 262 CALL COLOR(9,2,1)!179 263 CALL (X)LOR(10,2,1)!220 264 RETURN ! 136 265 FRINT "HAVE FUN IN SAN F RANCISCO!": : : : : : : : !Ø47 266 END 1139

### 1988 The Year Of The Upgrade Not The Up Trade CorComp **A COMPLETE EXPANSION SYSTEM** 9900 + FOR THE T199/4A 1111 THE ULTIMATE 99/4A EXPANSION SYSTEM AT A SPECIAL PRICE FROM TEX + COMP' CorComp

TEX-COMP, the undisputed leader in supplying the 99/4A User, has now put together the finest and most complete expansion system. ever offered for the TI99/4A.

## COMPLETE EXPANSION SYSTEM **NOTHING ELSE TO BUY!**

- 9900 Expansion Box & Regulated Power Supply (UL Approved)
- 32K Memory Upgrade Adds 32K bytes of Random Access Memory to your system.
- Double Sided/Double Density Disk Controller (operates up to 4 drives)
- RS232 Interface Lets you add a wide range of other accessories, such as printers. or telephone moderns, one parallel and 2 serial outputs.
- 1 SS/SD Disk Drive Allows you to store and retrieve data on 514-inch single- or double-sided flippy diskettes. ALL FOR
- 1 Disk Drive Case & Regulated Power Supply Handles two 1/2-height drives easily (UL or LAC Approved)
- New Disk Manager with Improved Disk Utilities ۰
- All Cables & Instructions Including a free TI RS232 Y-Cable.

\$399.95 For above system with full size of ½-height DS/DD Drive SPECIFY For above system with a pair of 1/2-height DS/DD Drives 499.95 **NEW LOW PRICE** 

> 79.95 CorComp RS232 Card (for TI P-Box) 99.95 CorComp 32K Card (for TI P-Box) 169.95 CorComp 256K P-Box Card 229.95 CorComp 512K P-Box Card CorComp DS/DD Controller (for TI P-Box) 149.95 299.95 CorComp 9900 System with Free RS232 Y-Cable 99.95 CorComp Stand Alone RS232 with Free Y-Cable CorComp Stand Alone 32K 89.95 Triple Tech P-Box Card (Clock/Buffer) 119.95 9900 Clock Stand Alone 69.95 "Grom Buster" (for 1983 Consoles) 24.95 Load Interupt Switch (with FREE Screen Dump Program) 19.95 PDI Diagnostic Module 24,95 NEW "Writer-Eose" Word Processor & Spell Check 39.95 New Lower Price IBM Connection (39.95 with Controller Card) 49.95 New Lówer Price 89.95 1/3 -Height DS/DD Disk Drive (2 will fit in P-8ox) Full Size SS/SD Disk Drive (exact replacement for TI 1250) 59,95 79.95 Full Size DS/DD Disk Drive 39.95 Drive Enclosure with Regulated Power Supply for 2 %-height or 1 full Drive 29.95 Cable Kit for 2 ½-height Drives (for installation in P-Box).





TERMS: All prices F.O.B. Los Angeles. For fastest service use cashiers check or money order. Add 3% shipping and handling (\$3.00 Minimum). East of Mississippi 4½%. Add 3% for Credit Card orders. Prices and availability subject to change without notice. We reserve the right to limit quantities.

**'9.95** 

Plus S&H

NOTE: Payment in full must accompany all orders---credit card, company check or money order for immediate shipment. Personal checks require up to 4 weeks to clear. California orders add 61/1% sales tax.

## с99----

(Continued from Page 16) input number of keywords input number of matches required input keyword(s), terminate each with <ENTER> The number of matches required can be equal to or less than the number of keywords. If the number of keywords is 3 and the

number of matches required is 2, then all article titles will be printed when any 2 out of the 3 keywords match.

Since this is a string or string segment search, a compete word does not have to be used as a keyword. For example, if a keyword was INT, four records from those given would be printed, the first, second, fourth, and fifth, since HINTS, INTEGER, MAINTENANCE, and PAINTING contain the segment INT. If the one keyword was HINT, however, the first record would be printed. For the keyword BASIC, the first and fifth record would be printed, while XBASIC would cause the fifth record only to be printed. The fewer the number of keywords, the more records which might contain these keywords.

The search is made in the function fndstr(). The first letter of a keyword is compared to successive letters in a record. If the letters match, each successive letter of the keyword is compared to successive letters in the record. If there is no keyword match, the process is repeated for the remaining letters in the record to search for a match. If a segment is matched, the function returns a value of 1, otherwise a value of zero (0) is returned. The search is made for all given keywords. A record is printed when the required number of keywords match. The program continues to the next record and the process is repeated. This is fast since the letters of the keyword are compared to letters in the record only after the first letter of the keyword matches a letter in the record. /\*SEARCE PROGRAM\*/ Finclude DSE1.STDID **#include DSR1.CONV** finclude DSK1.STRING main() char buff[81]; int a,b,col, in, i, out, pr, k, fn, r; int n, nr, blen, j, x, a, keyln; int key[6][20]; /\*keywords\*/ int keylen[6]; /\*length of keywords\*/ int kk[20]; /\*one keyword for argument\*/ puts("SBARCH PROGRAM by Charles Kirkwood\n\n"); puts("input disk and file name "); fn=gets(buff); in=fopen(fn, "r"); col=81; /\*imitialization\*/ b='a'; putchar(10); puts("input number of key words "); x=gets(buff); n=atoi(x); putchar(10); puts{"input number of matches required "); x=gets(buff); mr=atoi(x);

```
putchar(10);
  puts("input key word(s), terminate each with <ENTER>");
  putchar(10);
  for(i=1;i<=a;++i) /*input keywords*/</pre>
    j=0;
    while(b!=10)
      b=getchar();
      key[i][j]=b;
      <del>11</del> j;
    b='a';
    keylen[i]=j-1; /*lengths of keywords*/
  putchar(10);
  while(b)
    x=0;
    b=fgets(buff,col,in); /*input record*/
    blen=strlem(b)-1; /#last subscript of b#/
    for(=1;=<=n;++=)
      keylm=keylen[m];/*only one length as argument*/
      for(j=0; j<keyln;++j)</pre>
        kk[]]=key[m][j]; /*store one keyword*/
      k=fndstr(n,b,blen,keyln,kk);
     r=r+k;
      if(r==nr)
        puts(b);
        putchar(10);
        putchar(10);
 fclose(in);
fndstr(m,b,blen,keyln,kk)
int blen, n, keyln;
char b[];
int kk[];
 int i, j, p,q,s,k;
  for(i=1;i<=n;++i)
    p=blen-keyln+1;
    j=Ø;
    while(j<=p)
      if(kk[Ø]==b[j])
```

s=0; while((s<keylm)&(kk[s]==b[j+s])) s=s+1;

(See Page 20)



### **ORDER TODAY AND SAVE!**

\$1.95/roll in cases of 6 \$11.70 /case +s&h

# SPECIAL

### The Oscar<sup>™</sup> Software Library

**\$12.95** Plus S&H ALL 28 PROGRAMS ON DISK OR CASSETTE WITH PRINTED INST. SPECIFY DISK OR CASSETTE!!

## A complete home and family software library for the TI-99/4A for ONLY \$12.95 (less than 50¢ per program).

In 1983, the DataBar Corporation developed an extensive TI Software library which they planned to distribute in bar code form in a monthly integration which the subscribers could then load into their computer with the "Oscar," a compact bar code reader

Due to changes in market conditions. DataBar has discontinued its home computer division and Tex Comp has bought out their entite library of TI-99-4A Sultware on disk & casselte

Tex Comp now makes this extensive library of over 28 assorted programs with complete printed instructions and documentation available on casselle or disk (PLEASE SPECIFY) at only \$12.95

These professionally prepared programs include education, entertainment, personal enrichment, first aid, finance and law.

#### TITLES INCI UDE:

Match - Find the pairs of numbers hidden behind the computer's doors.

Four-In-A-Row - Be the first to make a row of four

Pachist - A race to the finish line

ROI - Return On Investment

Loan Amortization -- How much principal and interest will you pay on a loan?

**Spetter** – A Spelling and Typing Tutor . and a game of memory

Alphabet House - Build your own house with your alphabet skills

Running Planner - How rapidly should you increase the distances you run?

Word Habits - Keep reading and writing habits up with current demands

Amulet - Search the covernous building to find the precious Amulet

Caterpillar Climb - Solve addition problems to move your caterpillar over the wall.

Financial Quiz-Check the pulse of your pocketbook.

IRR-Internal Rate of Return

Math Challenge 1 – Pit your mathematical skills against the computer or a friend

Star Count - Use logic skills to spring open a box of shining stars

Health Assessment – How are your current health practices affecting your life expectancy?

The Law and You - A look at how laws affect your daily activities.

Speedreading - Train your eyes to take in more words per second

Code Master - Discover the secret code

Room to Move - Unscramble the leiters with wise moves.

NPV - Net Profit Value

Payback Period – Payback Period

Balloon Darts - Build your skills with fractions as you aim and fire your dart.

States 'N Capitals - Can you name more capital cilles than your opponent?

First Aid - Burns - How should you react in an emergency burn situation?

Triangle Solutions - This makes math friendly for your practical applications.

Sentence Tutor - Practice breaking down sentences into their essential elements.

Program in Basic - Eases the chore of learning to program

Attention Hobbyists & Gadget Lovers: Tex-Comp has a limited supply of brand new Oscar DataBar readers in factory sealed carions (complete with cable for the TI-99/4A) & packs of assorted bar code software: Complete package, No Warranties, ONLY \$9.95 when purchased together with the above offer - Cannot be purchased separately.

Send order and make checks payable to:





MasterCord (818) 366-663

### P.O. BOX 33064 - GRANADA HILLS, CA 91344



T

TERMS: All prices F.O.B. Los Angeles. For fastest service use cashiers check or money order Add 3% shipping and handling (\$3.00 Minimum). East of Mississippi 41/2%. Add 3% for Credit Card orders. Prices and availability subject to change without notice

24 Hour Order Line

worte: Payment in full must accompany all orders. Credit card, Company check or Money order for immediate shipment. Personal Checks require up to 4 weeks to clear. California orders add 6½% sales tax

### c99—

| (Continued from Page 18) | ++s;                                             | while(*s++)        |
|--------------------------|--------------------------------------------------|--------------------|
| if(s==keyln)<br>{        | sign=1;<br>if(*s=='-')                           | ++s;<br>return(n); |
| k=1;<br>return(k);<br>}  | {<br>sign=-1;<br>++s;                            | }                  |
| }<br>j=j+1;              | }<br>if(*s=='+')<br>++s;                         |                    |
| }<br>}<br>k=0;           | n=0;<br>while((*s>='0')&(*s<='9')}               |                    |
| return(k);<br>}          | n=10 * n + *(s++) - '0';<br>return(sign*n);<br>l | ÷.                 |

Time and memory can be saved by deleting #include DSK1.CONV;C and #include DSK1.STRING and typing the two functions needed, **atoi()** and **strlen()**, from the function libraries CONV;C and STRING after the function fndstr(). There is no need to compile and assemble all of the functions in these libraries.

The two functions **atoi()** and **strlen()** are copied here for convenience:

| atol(s) | strlen(s) |
|---------|-----------|
| char te | char 14-  |

To form a program module so that E/A 5 can be selected, the following object files must be loaded in the link-edit step: C99PFI, object program, CSUP, CFIO, C99PFF, and SAVE. The object file CFIO contains file I/O functions.

Now comes the hard part — to type up a data file with TI99/4A article titles!

The second program this month is very useful. It is a file I/O utility program which can be used to copy a D/V80 file or append one file to another. It is this second feature — to append — that makes this program so useful. However, it cannot be used to copy or append from one disk to another unless you have more than one disk drive. For one-drive users, it can still be useful as long as both files are on the same disk. This program was a great help in writing this article. The text was written and the programs appended to the article without additional typing. The programs were then moved to their proper places in the article.



#### \*\*\*\*

A convention for all TI 99/4A owners and users.



WHT: To offer opportunities for you to see new, exciting hardware and software, and learn all about what your computer can do for you.

BY: The Forest Lane TI Users Group The Paris TI Users Group The NETSSars TI Users Group The Brasos Valley TI Users Group The Amarillo TI Users Group

#### WHERE

HOLIDAY INN- RICHARDSON 1655 R. CENTRAL EXPRESSWAY RICHARDSON, TEXAS (2 MILES MORTH OF MAIN TEXAS INSTRUMENTS, INC. IN NORTH DALLAS.

#### COST:

\*\$4 per adult at the door,\$3 if purchased before April 10th. Special Dinner Saturday Evening for up to 125 persons-All Invited. \$12 per plate-Fre-registration reguired.

#### APRIL 30TH, 1986

| VINCORA:                  |                       |                                                                                                             | <b>=</b> 1              |
|---------------------------|-----------------------|-------------------------------------------------------------------------------------------------------------|-------------------------|
| Company                   | Franket               | Diales Let San                                                                                              | Speaker                 |
| RYARC, CHT                | He the pa             | · Farmeland Bystan                                                                                          | Marty Micala - 7500     |
| TEXAS INSTRUMENTS, 180    | Repaire               | < Hen Predecto, Mpdatos                                                                                     | Jack Hiley - Mysee      |
| APPARITZO BITTLE          | Here / Hot Lyng 6     | * Wisk Hangmant Systems                                                                                     | Richard Fluctured - PL  |
| TERMENTE                  | Of the p              | · Hardries Projects                                                                                         | James Croswes - Matthe  |
| OR HILLS REPAILS          | New Clair             | * Proge alla Seg. 1n MM SC                                                                                  | Jerry Malaler - Peris   |
| WILFORD PROPERTY ADDRESS  | PC boards             | · Subarammanteut same Parat                                                                                 | Best Desling - Des      |
|                           | lin style Sepheards   | •                                                                                                           | Atches & Flastward-Bolg |
| (n) (inch (sub)) (fr      | Salary Long           | •                                                                                                           | Blatm Cramfalt -The     |
| GREAT LARGE ROTTING       | Suftware .            | · Sundtoha and the Ti                                                                                       | John Costielan - DEINE  |
| CHAIR TOFOTHATION BELVICE | Database System       | 4 POPTE Basic Card                                                                                          | den Mailer - Flad       |
| NILLERS CONTRACTOR        | Restran               | · Bann Barteridge Aracele                                                                                   | James Carses - FLMS     |
| THE PERMIT PRODUCTS       | Ti kardvara/antivapa  | A                                                                                                           | genes, extiteins, and   |
| STARTEST                  | Cuthiese System       | • applications and draphic                                                                                  |                         |
|                           | Wir n fav taklan Juft | * ** GRECIAL DENDER BARGART ** Betweden Brenning at &<br>Reffet Papin disson with Pro-Disson spinitur- \$12 |                         |

FOR FRANK FREGRENATION, OF TO SHACE REPERVICTIONS CALL. FOR WILLIE AT 214-231-2368, OR RECEIPED FEATURED AT 214-236-8287 Of Maites — These to pairs, popert laws to seems showy, p.g. Box target, maller, teams 75347-3628

OR CALL THE FLUG TIME BY 214-210-4000 TOR THE LATERY DECOMPLYICE ( DOL/1200) MAD-16 READED ......

| - | /*FIGE 1/O PROGRAM*/                              |
|---|---------------------------------------------------|
|   | finclude DSK1.STDIO                               |
|   | extern fprintf{};                                 |
|   | main()                                            |
|   | {                                                 |
|   | char buff[81];                                    |
|   | int dk, in, out, col;                             |
|   | int m.df.b.d;                                     |
|   | col=81;                                           |
|   | puts("FILE I/O PROGRAM by Charles Kirkwood\n\n"); |
|   | puts("This utility program will copy a file\n");  |
|   | puts("and also append one file to another\n");    |
|   | puts("The INPUT DISK AND FILE is the file\m");    |
|   | puts("to be copied or appended.\n\n");            |
|   | puts("INPUT DISK AND FILS: ");                    |
|   | df=gets(buff);                                    |
|   | in=fopen(df, r);                                  |
|   | putchar(10);                                      |
|   | putchar(10);                                      |
|   | pute ("ANTENT DISK AND RILE: "):                  |

MITER-MITEL MODIA (#5-55 \$)997) MADOR CARLEY-SHO POR Set, \$25 FOR Soil TENSISTS-98 Banks Boor Broup Tables-510

\*\*- The "TEXAS TI FAIRE" is not affiliated in any way with TERAS INSTRUMENTS, INC. Promoters of this fairs are members of local users groups, and are providing this event to help lengthen the life of the TI 39/4A Home Computer, which is no longer supported by Texas Instruments, Inc.

\*\*- TI 99/4A HOME COMPUTER and TI 99/4A are trademarks of Texas Instruments

#### \*\*\*\*\*

puts("UUTPUT DISK AND FIGN: ); d=gets(buff); putchar(10); putchar(10); puts("Release alpha lock\n\n"); (See Page 21)

### c99

```
(Continued from Page 20)
puts("WODE OF OUTPUT TO FILE: (w/a) ");
a=getchar();.
while((m!='w')&(m!='a'))
  putchar(10);
  putchar(10);
  puts("TRY AGAIN!\n\n");
  puts("MODE OF OUTPUT TO FILE: (w/a) ");
  n=getchar();
if(s=='a')
 out=fopen(d, "a");
else
  out=fopen(d, **);
b=fgets(buff,col,in);
while(b)
  fprintf(out, "%s\n", b);
  b=fgets(buff,col,in);
```

```
putchar(10);
fclose(out);
fclose(in);
```

Even though the function **PRINTF** is not used with this program, it was found that it was necessary to load it along with FPRINTF in order to execute the program. To form a program module so that E/A 5 can be selected, the following object files must be loaded: C99PFI, object program, CSUP, CFIO, PRINTF, FPRINTF, C99PFF, and SAVE.

I wish to thank those who have stuck with me so far with these c99 articles. Hope that you have gotten something from them. You can probably guess that I enjoy puzzles. (Sometimes the language itself is a puzzle!) Some years ago when I taught several industrial men beginning FORTRAN, the best student in the class was an amateur magician. He said that his success was due to the fact that he treated it just like another magic trick. The c99 language is interesting and I have learned a lot from running c99 programs and writing the articles. Please forgive my oversights and mistakes -will do my best to keep them to a minimum.

## Deibni sets comesis ioi

The TI NET on Delphi is holding a software contest open to owners and programmers of TI computers. Entries will consist of graphics, utilities, and telecommunications programs and the winners will be announced in the spring of '88, according to TI NET systems manager Jeff Guide. TI NET is also holding a hardware contest. From simple to complex, all hardware projects are eligible.

The TI NET contains a special section of text files for computer club newsletter editors to download continues to grow each week. Such nationally known authors as Walt Howe of the Boston Computer Society, Richard Fleetwood of the Forest Lane Users Group in Dallas and Art Byers of the New York Area CW 99'ers are represented with new articles each month, Guide says.

A public opinion POLLING area for the exchange of opinions with other TI or 9640 users is a TI NET feature not available on any other communication service, Guide notes.

The TI NET Shopping area is also available, he points out.

cording to Guide.

Another exclusive to this communication service, he says, is the TI NET Surcharge Software area, which makes it possible for shareware or fairware authors to collect money for their programs.

BATCH MAILTHRU allows users to communicate with users on other networks for a small fee, a service also not available on any other communication service, Guide says.

MICROpendium readers can now save \$20 when they join DELPHI, Guide says. As a special offer to users of Texas Instrument's computers, DELPHI has set up an immediate online membership registration, limited to MICROpendium readers, providing a lifetime DELPHI membership for only \$29.95 — a \$49.95 value. The membership package includes a copy of Simon & Schuster's newly released, 500-page Delphi: The Official Guide (retail \$19.95), a command card, and a credit for one hour of use at Delphi's standard connect rates.

With Delphi's no risk policy, the mem-

hour credit.

Standard Delphi usage rates include all communication charges and there are no premium charges for access at 1200 or 2400 bps. Home time is weekday evenings and weekends with a basic rate of 12 cents per minute or \$7.20 per hour. Office time is 7 a.m. to 6 p.m. weekdays, and the rate is 29 cents per minute or \$17.40 per hour.

Delphi Advantage Rates are as low as 9 cents per minute, or \$5.40 per hour, for domestic U.S. access via Tymnet, Telenet, or direct dial.

Through MICROpendium, readers can sign up for this offer immediately online.

When readers sign up online, the lifetime membership can be charged to Visa, Mastercard, or the American Express card. Delphi Member Services will verify the information provided and activate the account, usually within one business day. The membership fee and ongoing usage can be billed directly by calling Delphi Member Services to request a credit application.

To sign up online to Delphi — Dial (800)

The national user group Mid-Atlantic 99ers is available for users to join online. No other communication service provides a home for a TI/Geneve user group, ac-

bership can be cancelled and the handbook

returned within 30 days of the date the account was established, and Delphi will

return the membership fee. Billing is only for the time used in excess of the initial one

365-4636 or (617) 576-2981. Once connected, press Return twice. At PASS-WORD prompt, type TINET and press Return.

(See Page 22)

# Enthusiasm marks Boston Fayuh

#### **By WALT HOWE**

The Third Annual Boston Fayuh April 9 was attended by about 350 enthusiastic TIers. All the vendor tables were full and several of the late registering dealers had to settle for less space than they had requested. Sales were brisk all day long at the tables, and no one would get the impression that enthusiasm is waning in the TI community.

Myarc, represented by Lou Phillips, attracted a great deal of attention, as usual, with its new Hard and Floppy Disk Controller, but the new products on display were not all from Myarc by any means.

Databiotics was there with the Grand RAM, Bud Mills brought the new, large Horizon cards, and RAVE did brisk sales with its keyboards and speech synthesizer cards and showed off its new RAMcard. Mark Van Coppenolle took orders for his new Gramulator, too, which is nearing release. In addition to having all the capability of the no longer manufactured GRAM Kracker, the Gramulator will also emulate the MBX system. from as far away as Australia, Canada and across the United States, the Fayuh attracted many of the hard core supporters who have kept the 99/4A world alive and exciting.

Charles Earl was there from Canada with his new terminal emulator, TELCO. Warren Agee was there from Detroit with his soon to be released database program, First Base. Terrie Masters and Tom Freeman, of the Los Angeles User Group, trekked all the way across the country to set up a table and share the fun and enthusiasm. Scott Darling crossed the country to show the flag for the GENIE network and he set up alongside Jim Horn and Jonathan Zittrain of CompuServe and shared the phone line with them. The Ottawa User Group, as usual, showed the rest of the long distance visitors staying at the Days Inn motel how to have a good time.

In the formal presentations in the

announced and explained and the Hard and Floppy Disk Controller was given a thorough showing.

Barry Traver averred that we should not be called orphans at all, because there has been more exciting development without Texas Instruments than there was with it, and he traced the efforts and organization that have kept it all very much alive.

Johnathan Zittrain put together a panel of experts, who addressed the future of the TI world and the directions we can expect to see in the months and years to come.

# Australian user wants to visit other users

G.A. Shipton of Australia, visiting the United States in April, says he plans another trip later in the year and would like to attend TI user group meetings and other events, as well as individual users. Shipton visited the MICROpendium office April 6. He said he had recently been in Salt Lake City, Utah; Tuscon, Arizona; Seattle, Washington; and Oklahoma. He was planning to visit Bill Knecht of the Houston Users Group and to visit the New England TI Fayuh. He says he would like a voice contact number and major cities and direction along which highway for his destination (e.g., Round Rock is 15 miles north of Austin, Texas, along IH 35).

While the products for sale and on display attract many visitors, the people themselves are the real attraction. Coming auditorium, Jim Horn reminisced about the earliest days of telecommunications and the part TI played in its growth along the way. Lou Phillips followed, others who have helped Myarc along the way, particularly Boston host Peter Hoddie. A new business software package to come from Myarc was

## Texaments releases new products

Texaments has added to its continuing series of TI-Artist and CSGD enhancement software, according to Steve Lamberti, Texaments president.

Three new two-disk sets in the Artist's Companion series, Artist's Companion 4, 5 and 6 have been completed. Each set contains original fonts and graphics. As is the case with the other disks in the series, each font and instance can be altered and made part of any picture or design of the user's choice using the TI-Artist drawing system, Lamberti says. The price is \$9.95 per set plus \$2.50 shipping and handling. Until June 1, a special offer is in effect whereby the three sets can be ordered for \$26 total plus shipping and handling.

The company has also signed an agree-

(see Newsbytes Oct. 1987) includes two complete sets of monogrammed instances designed to be used for creating personalized return address labels, Lamberti says. It is part of the TI-Artist Productivity Series. Price is \$9.95 plus \$2.50 shipping.

Users of Designer Labels originally purchased from Nameloc may update their programs by sending the original disk and a \$4.50 update fee plus shipping to Texaments, Lamberti says.

TI-Artist Graphics Support and CSGD Graphics Support have been renamed Artist's Companion No. 7 and CSGD User Disk No. 7, respectively. Both packages consist of two-disk sets consisting of a variety of original fonts and small and large graphics. Price for Artist's Companion No. 7 is \$9.95, and for CSGD User Disk No. 7 is \$10.95, plus \$2.50 shipping for each. For further information, or to order, write Texaments, 53 Center St., Patchogue, NY 11772, or call (516) 475-6463. Any TI user from any country may write Shipton at 8 Teesdale Crescent, Plympton Park 5038, South Australia.

## DELPHI—

#### (Continued from Page 21)

A brief tour of Delphi and prompts for the information needed to establish a Delphi billing account will appear. Delphi is also accessible worldwide via Tymnet, Telenet, and Datapac. For more information dial DELPHI Member Services at (800) 544-4005, or at (617) 491-3393 from within Massachusetts or from outside the U.S. DELPHI is a service of General Videotex Corporation (GVC), Three Blackstone Street, Cambridge, Massachusetts 02139.

ment with Paul Coleman of Nameloc Software to obtain manufacturing and distributing rights for his Designer Labels, TI-Artist Graphics Support and CSGD Graphics support. The Designer Labels package

1 MEG RAM

BATTERY-BACKED





#45\* PC BOARD with Manual and Software

#38\* PC BOARD only

HORIZON COMPUTER LIMITED has been purchased by BUD MILLS SERVICES. The bare Horizon Card may still he purchased as before, but your orders should be sent to: BUD MILLS SERVICES 166 Dartmouth Drive Toledo Ohio 43614

ANNOUNCING THE HRD+ RAMDISK

| To BUD MILLS SERVICES<br>166 Dartmouth Dr.<br>Toledo Ohio 43614 | DATE                                                  |
|-----------------------------------------------------------------|-------------------------------------------------------|
| From name                                                       |                                                       |
| address                                                         | · File, 1+· 1-· . · . · · · · · · · · · · · · · · · · |
| city                                                            | state                                                 |
| zipphone (                                                      |                                                       |
| Please "RUSH" mu HRD                                            | +RAM kit(s)                                           |

This Ramdisk is constructed on the HORIZON Ramdisk Board using the Hitachi 62256LP12 (32K) CMOS Memory chips ( or the equivalent NEC 43256LP12).

The Card is available NOW in several memory sizes- ONE+MEG, 800K (GENEVE), 512K, 384K (DSDD), 192K (DSSD), and 96K (SSSD). See attached Order Form for Prices.

The Operating System (Thanks to John Johnson and Mike Ballman of the Miami Users Group) allows the Ramdisk to be divided into TEN logical drives or less. Only two DSK (numbers) are used, the remaining drives will respond to DSK(name). The Menu program (Ver. 7.3) allows for 9 calls plus Fifteen menu selections that you can edit on screen to customize the way you want it to appear - no more sector editing. XB programs can now be loaded from a call.

The HRD+ Kits include: The HORIZONS RAMDISK BOARD Assembly instructions Op System and MENU Software User Documentation and ALL required parts.

Note: This Menu Ver. 7.3 works on ANY Horizon Ramdisk and allows BOOTING the Geneve.



Call TI-COMM BBS on 419 385 7484 for current prices or information 300 Baud,7bit,even / 1200,8bit,no



# Bulletin boards open new vistas

#### By JERRY MACDONELL

What would you say if I told you that you have a world of TI software waiting for you and all you have to do to get it is to make a phone call? I am, of course, speaking about those marvelous pieces of electronic artwork, BBSes.

What is a BBS? A BBS (short for Bulletin Board System) is an access port to the latest software and to current events. I tend to look at them as a cork-board with clusters of notes on it. Now organize these notes, put headings on them and computerize them. The major difference is that you have full control of those messages and you get to use the software "swap shop" known as the file section.

To use a BBS, you need a few simple items:

 A modem. My first modem was a 300 baud (bits per second) unit. If you are planning to buy a modem, I recommend 1200 baud or higher. It is faster and more efficient.

choice, but *remember it!* Without your password, you can't get back onto the BBS. I suggest that you use a different password on every BBS that you call and keep that word next to the phone number or BBS name on your list. (Trust me. If you start calling BBSs you will have a list!)

When all of the entry questions have been filled out, you will come to a prompt that asks you for a command. There is, most of the time, a list of commands before this prompt. If there isn't, type a question mark. Most commands are self explanatory. You may even find (H)elp if you need it.

The two major functions of the BBS are message bases and file transfers. When you select the letter command for a message base and press ENTER, you will come to a sub-menu that will allow you to manipulate the messages or enter your own. Messages come in two forms; public and private. They have headings that give the message number, the subject, who it is from and who it is to. Messages range from "For Sale" to arguments over the presidential elections. You will find informatio here that's invaluable to you. New BBS numbers are often posted here. The File section contains a list of file names and descriptions. If you see a file you want, you can use a file transfer to download it from the board to a disk on your end. Downloading uses a transfer protocol. You will find explanations of how to make a file transfer in your terminal emulator's documentation. Select Download, enter the filename to download, the file transfer protocol desired (XMODEM is best, because you get fewer errors. A transer protocol is nothing more than a system of error checking.), enable your TE's file transfer section and set it to receive.

board numbers in your area, write or call Jerry Macdonell, 2464 Hillside Drive, Kirkwood, NY 13795, (607) 775-1566.

BBS NAME: Champaign FIDO PLACE: Champaign, Illinois SYSOP: General — Jim Lewis (bubble) TI Forum — Marc Levine BAUD: +1200 PHONE NUMBER: (217) 359-3431 EASE OF USE: A FILE SECTION: A++

Champaign FIDO is run on an IBM compatible computer, but is dedicated to the TI99/4A and the Commodore Amiga. The file section gains an A++ because it is the largest list for any system I have seen this side of a network such as CompuServe.

NEXT MONTH: Fast Term 1.16 and The 39 Steps BBS reviewed.

## **DIJIT releases**

2) An RS232 interface and a modem (null) cable.

3) A terminal emulator. I will review some of the emulators in future articles. Of the half-dozen emulators that I have tried, the best three I have found are Telco, 4A/TALK and Paul Charlton's Fast Term.

Last but not least, you need the phone number of a BBS. Local computer stores usually know phone numbers for local BBSes. Boot up your term program and dial the BBS following the modem's instructions on calling a remote computer. For most "smart" moderns, the command is accomplished by typing ATDP, then typing in the phone number. ATDP stands for ATtention Dial Pulse, ATDT for touch tone dialing. It may take a few tries to get on a board; one finds that they are usually busy. Once you connect with the BBS, press ENTER. Most boards require this to sense what baud you are calling at. You will see a short title screen and finally receive a prompt:

USER NAME, ID# OR NEW >\_\_\_\_

This prompt varies with the BBS. Usually you enter NEW if you are a first-time It is only fair to trade, so BBSes have uploads. It is the same as downloading, except that you are sending your program up to the remote computer.

Not all boards have TI software; many are specifically IBM, Atari or Commodore, while others are strictly TI. For a grand finale, I will review a BBS. I will review one a month, stating its good or bad points, and what it offers to the user. If you wish to have your BBS reviewed or would like to know of TI bulletin

## video processor card

DIJIT Systems has released a new Advanced Video Processor Card for the TI99/4A Peripheral Expansion Box.

According to Tom Spillane of DIJIT Systems, text and high resolution graphics are presented in RGB in up to 512 colors. Word processing and spreadsheets are in 80-column format. The card also supports a mouse and light pen.

The ABPC was designed with 192K video RAM for use with a GENLOCK for graphics overlays and titling on video, Spillane says. He says that it will be capable of real-time video digitizing in conjunction with DIJIT's forthcoming DIJIT-EYE-ZER. GENLOCK and DIJIT-EYE-ZER are tentatively scheduled for the third quarter of 1988.

"We'll be able to capture pictures from other computers, such as the Atari ST," Spillane notes.

The AVPC sells for \$220 plus \$5 shipping and handling in the continental United States (California residents add 6½ percent sales tax).

For further information or to order, contact DUIT Systems, 4345 Hortensia St., San Diego, CA 92103 or (613) 278-3301, or call the Southern California Computer Group's SSCG-TIBBS at 300/1200 baud, (619) 278-8155.

user. Sometimes only your User Name is required. As a first time user you will be asked a few short questions, the most important of which prompts you to enter a password. It can be any word of your

# Organizing your hard disk

#### **By WALT HOWE**

A single 20 megabyte hard disk can hold the equivalent of over 200 SSSD floppy disks. It puts an entire library of software in one place that can be accessed much faster than floppy disks and nearly as fast as from a RAMdisk.

The advantages of putting thousands of files in one instantly accessible place are obvious, but it takes some new techniques to manage such a large number of files. With the release of Myarc's Hard and Floppy Disk Controller, many 99/4A and 9640 owners will soon be transferring floppy disk files to hard disk. This article is intended to help you understand and organize your hard disks to make them as useful as possible.

Although your hard disk can hold thousands of files, it can hold a maximum of 127 files at its top level. Saving and using more files than that requires you to set up subdirectories, each of which can hold up to 127 files. Using subdirectories is something like using separate floppy disks,

except that the disks are always loaded, ready to use, and access is very fast.

The top level, also known as the "root directory," can hold up to 114 subdirectories in addition to its maximum of 127 files. Each subdirectory can in turn hold another 127 files and 114 subdirectories of its own.

You can set up as many levels of subdirectories within subdirectories as you wish, subject only to some practical limits as to how many characters it takes to address them. You could, for example set up a directory at the root (top) level titled WP (for Word Processing), put your word processing and related programs in that directory, and add subdirectories for text files. These could be titled, for example, BUSINESS, PERSONAL, and DOCS, and the subdirectory names would help you organize the text files you include in each. The directory structures you actually set up will depend on your own needs and interests.

directory is usually accomplished by stringing together WDS1, each directory or subdirectory name in between, and finishing with the filename itself. Each element is separated by a period, for example: WDS1.WP.BUSINESS.MYARCLTR.

The string of names up to but not including the filename itself is called the pathname of the file. If you want to call a file within a program, you address the file with its complete pathname. The total name can be up to 40 characters long.

Another way of using a pathname is to include the volume name of the hard drive instead of its number, just as you can do with floppy drives. WDS.HD1.WP. BUSINESS.MYARCLTR is an acceptable alternate way of addressing the file first named above, if the hard disk is name HD1.

Some programs that were not written with hard disks in mind will only allow 10 characters after the WDS1. You can usually continue to use those programs as long (See Page 26)

Addressing a program or file in a sub-

### ADVANCED VIDEO PROCESSOR CARD

DIJIT Systems has just made TI-99/4A history. Now the Advanced Video Processor Card that works in the Peripheral Expansion Box brings all the video excitement of today's Personal Computers to the TI-99/4A.

Text and graphics are presented in bright, crisp, easy-on-the-eyes RGB - No more fuzzy composite video with "rainbow color distortion".

The AVPC brings you word processing and spread sheets in 80 columns, gets rid of annoying windowing. "What You See is What You Get".

High resolution graphics in up to 512 colors rivals the Atari ST and the new IBM PS/2. And that's not all, the AVPC supports advanced input devices such as a Mouse and Light Pen.

But best of all, the AVPC was designed with 192K of fast video RAM for use with a GENLOCK for graphics overlays and titling on video. And in conjunction with our forthcoming DIJIT-EYE-ZER, it will be capable of real time video digitizing.

Because the AVPC economically upgrades your TI-99/4A you'll see why DIJIT Systems is making TI-99/4A history. The advantages prove it's the best solution to prolonging the life of your TI-99/4A.

Take the first step, call or write for more information. Also, look for our new Bulletin Board for text files, tutorials, questions and answers, programs and much more.

The DIJIT Systems AVPC - \$220 + \$5 S&H in continental USA (CA residents please add 6-1/2% tax)

> DIJIT Systems 4345 Hortensia St. San Diego, CA 92103 Phone: (619) 295-3301

BBS SCCG-TIBBS 300/1200 Baud (619) 278-8155

## HARD DISK-

(Continued from Page 25) as you keep within the 10-characters. For this reason, it is a good idea to keep your directory and subdirectory names were written without hard disks in mind. Programs that look for data or program routines on disk while they are running will often only accept a DSK1 or other DSK# address. Others will only look for a disk with a particular volume name such as MULTIPLAN, which looks for additional routines on a disk with the name DSK.TIMP. MYARC has anticipated the problems that this can cause for hard disk users and has provided solutions to most applications. These take the form of DSK1 and DSK emulation in hard drive directories and a special type of file that is accessed as DSK1.

#### **DSK1 DIRECTORY EMULATION**

The HFDC includes built-in software that causes programs that seek DSK1 to look to the hard drive for a directory with the name DSK1 before it will look to the physical DSK1 drive. To take advantage of this, all you have to do is to create a directory with the name DSK1 at root directory level. You can then put all the files you want (within the 127 file limit) in this directory, and they will automatically be accessed whenever a program looks for DSK1. Just be careful you do not try to put several files with the same name within the directory such as LOAD or UTIL1. If the program you are using reads and writes to DSK1, it will read and write to the simulated DSK1, instead. If there is no DSK1 directory or the particular filename cannot be found in the DSK1 directory, the physical drive will be accessed next as usual.



#### **DSK EMULATION**

To handle files such as MULTIPLAN, which look for files on a disk with a particular volume name, create a directory at root level named DSK. Then create a subdirectory of DSK with the same name as the necessary volume name. Add all the necessary files to that subdirectory. For example, the MULTIPLAN program files should be in the subdirectory with the

### Example of hard disk directory management hierarchy

next go to the physical floppy drive, as usual.

#### **DSK1 FILE EMULATION**

A third method of emulation has been included, which is a special kind of archived file that software will recognize as a physical floppy DSK1. You can have as many files of this type on the hard drive that you want, but only one can be active at a time. The files do not have to be at root directory level, but can be anywhere on the disk. The special file can have a number of files archived and usable within it, such as all the program files from a particular floppy disk. Once the file has been created, it will appear in a disk catalog as an EMULATE file. More than one EMU-LATE file can be included in a catalog, but only one can be active at a time in the whole system.

The program and data files in an Active EMULATE file can be accessed just as if they were on physical floppy DSK1.

# Make a stabilizer for your Widget

#### By JON HODGES Dallas TI Home Computer Group

Two and a half years ago I bought a Navarone Widget cartridge expander for my TI so I could lessen wear and tear on the GROM port. A few months later I was so frustrated I almost put it away because of the lockups that occurred when the Widget was bumped. Instead, I designed a simple Widget stabilizer that all but eliminated lockups due to bumps. It worked so well I made several to sell to others in the user group. Now, four production runs later, I decided to ask MICROpendium to publish the plans and instructions so I can retire from the manufacturing business.

pathname DSK.TIMP. The HFDC will automatically direct all file accesses that look for DSK.TIMP.filename to the hard drive. If there is no directory name DSK or the filename cannot be found, the access will

In order to understand how it works, one needs to understand why the Widget failed. The sole mechanical support for the cartridge is the GROM port connector (See Page 27)

## WIDGET STABILIZER-

#### (Continued from Page 26)

itself. Moving the cartridge can cause the poor or broken connections that lead to lockups, but it is small (3x4 inches) and is well protected by the complementary well it sits in. The Widget is another story.

Being six inches deep, it is provided only one half the resistance to side-to-side movement the connector gives a cartridge. That might be bearable if the Widget weren't under foot, er, under hand all the time. Its extended profile puts it in the way, and with cartridges installed (that is why you bought it, isn't it?) it becomes hard not to hit.

Now, a little bump goes a long way. The solution is to hold the Widget at the bottom so it does not move. I have seen several approaches to this, from gluing it in place to using Vel-Cro fasteners. The problems with most home-brew fixes is that they look like home-brew fixes. Other problems included difficulty or inability to remove the Widget, and inviting more bumps by making it sit higher.

I chose to restrict its movement by adding four small, self-adhesive rubber bumpers around the Widget's foot. That way the Widget is removable, sits no higher than before, and the fix is not visible. For the bumpers I cut in half self-stick rubber feet from Radio Shack (Cat. #64-2342), although anybody's will do as long as they are less than 1/2 inch wide and not too high. Next I made a template to accurately place the feet, reproduced here as Fig. 1. I used periods, slashes and back slashes to define lines and surfaces. If you don't want to abuse your copy of MICROpendium by cutting out the template and don't have access to a photocopier, you can make your own. However, you must print it out at 10 characters per inch or it will be useless. When it is printed, cut out the template using Fig. 2 as a guide. Cut the top first. Cut the sides next, just inside the outer dots on top. Cut the bottom next, and then cut the corner cut-outs last. You will most likely cut into the arrows, but that is not a problem. With your rubber feet prepared, follow the directions on the template for proper alignment.

2 Use this format (Char, Line, Col) 3 to place the following characters 4 in the following positions: 5 (.,1,1)(.,1,7)(.,1,38)(.,1,44)6  $(/, 20, 7)(/, 20, 8)(\backslash, 20, 37)(\backslash, 20, 38)$ 7 (,21,7)(,21,8)(/,21,37)(/,21,38)8 (,22,11)(/,22,12)(,22,33)(/,22,34)9  $(., 23, 7)(\backslash, 23, 11)(/.23, 12)$ 10  $(\.23,33)(/.23,34)(.23,38)$ 11 12 This visual aid uses "o" as a 13 spacer, with "0" in every tenth 14 The resulting file must be 15 space. printed in 10 C.P.I. 16 17 18 19 200000//000000000000000000000000000/\

## GEnie reaches 100,000

GEnie telecommunications services now has more

#### Fig. 1

THIS IS A TEMPLATE FOR PLACING RUBBER FEET ON THE TI-99/4A CONSOLE SO THEY WILL HOLD A PLACE WIDGIT FIRMLY IN PLACE. THIS TEMPLATE ON YOUR CARTRIDGE TOUCHES PORT ENTRANCE SO IT JUST THEN THE SPRING-LOADED DOOR. REMOVE THE BACKING PAPER AND STICK THE RUBBER FEET IN THE PLACES INDICATED WITH THE FLAT SIDE JUST REMOVE TOUCHING THE TEMPLATE. THE TEMPLATE, INSTALL YOUR WIDGET, AND STOP WORRYING ABOUT LOSING YOUR PROGRAMS! PLACE RUBBER FEET SO THE FLAT SIDES ALMOST TOUCH THE ARROWS SHOWN HERE.

than 100,000 subscribers, the company announced. The 100,000th subscriber signed up on March 16. GEnie has become the fastest growing national telecommunications service since starting in 1985. The service includes an active Special Interest Group dedicated to the TI. For more information, call 1-800-638-9636.



## Geneve

# More questions and answers

#### \*\* By MIKE DODD

Here are some more questions and answers I've received about the Geneve.

One frequent question is "why does the Disk Manager III program supplied with the Geneve lock up on my system?" The DMIII program was written to run only on the Myarc Floppy Disk Controller Card. Attempting to run the program on a TI or CorComp disk controller will cause a lock up of the system. Myarc explained this in the addendum that was sent out with the Geneve disks, but many people evidently failed to notice it.

Another question is "why won't the XOPs documented in Paul Charlton's XOP manual work from GPL mode?" The XOPs were only meant to work from MDOS — it was never intended for them to work from GPL mode. The difference between MDOS mode and GPL mode is significant, and the XOPs could not have been implemented in GPL without causing some additional imcompatibility with other 99/4A programs.

As almost everyone has noticed by now (and as Walt Howe pointed out last month), MDOS does not set the day of week correctly for dates after Feb. 29, 1988. To reset the day of week, use a CALL LOAD(-32738, x) where x is the day of week from 1 to 7 (1 = Sunday, 2 = Monday, on so on). However, it is not really necessary to make the change - MDOS does not store the day of week on disk with the time and date stamp. The only reason for changing it is so that MDOS displays the correct day on powerup. Note also that the bug with setting the day of week has been fixed in the next version of MDOS, which is undergoing testing right now. A couple of months ago, I covered the memory management XOP calls of MDOS. Two other important calls are WriteTTY (in the Video library) and Parse Filename (in the Utility library). WriteTTY is very useful for outputting text to the screen. Parse Filename is used to convert a filename from the MDOS description to its physical description. For example, if the default drive was B and B was ASSIGNed to DSK4, Parse Filename would change the filename "HELLO" to DSK4.HELLO. WriteTTY is in the video library (library number 6) under opcode >27. One important thing to remember is that this and all other calls in the video library require any parameters to be passed to it in execution page 7 (>E000->FFFF). Remember also that >F080 - >F13F and >FFFA->FFFF are reserved for MDOS and can not be changed. Thus, when we need to use WriteTTY, we need to move the string we wish displayed into execution page 7. Because of that, we need to first map a memory page into execution page 7.

| SIX  | DATA 6               | number for vid. lib.  |
|------|----------------------|-----------------------|
| NSG  | TEIT Hello Wor       | ld´ text              |
|      | BYTE >ØD,>ØA         | CR/LF                 |
|      | BYTE > <del>OO</del> | null terminator       |
| •    |                      |                       |
| •    | LI RØ, MSG           | start of text         |
|      | LI R1,> <b>K000</b>  | place to put text     |
| HOVK | NOVB *R0+,*R1+       | move byte             |
|      | JNE NOVE             | if not null, continue |
|      | LI RØ,>27            | WriteTTY              |
|      | LI 81,> <b>8999</b>  | start of text         |
|      | CLR R2               | null terminated       |
|      | NOP ESIN, Ø          | write to screen       |

Notice the BYTE >0D,>0A. MDOS interprets the control codes in the ADM3A terminal protocol. >0D is a carriage return and returns the cursor to the beginning of the line. >0A is a line feed and advances the cursor one line. One other very useful con-

You need to pass three registers to WriteTTY. R0 needs to be set to >27, the opcode for WriteTTY. R1 needs to be set to the starting address of the text we wish displayed. R2 can be either the length of the string or a 0. If R2 is set to 0, then MDOS will display all bytes in the text string until it reaches a null (hex >00). For example, assuming we have already loaded a memory page into execution page 7, the following code will type "Hello World" on the screen: trol code is >1A, which will clear the screen. In a future article, I'll explain the rest of the control codes.

The Parse Filename operation is opcode 8 in the utility library (library number 9). You need to pass it four registers as follows: R0 = >0008—the opcode for Parse Filename

R1 = pointer to the first character (not the length byte) of the filename to be parsed. It is assumed that the filename will be terminated with a null character.

R2 = pointer to the length byte of the buffer to store the physical filename. The length byte should be set to the maximum allowed value on entry to this call.

R3 = >0000 or >FFFF. If >0000, will parse as normal. If >FFFF, will eliminate the device name (e.g. DSK1.) from the output string.

Thus far, we have covered four XOP calls: allocate memory pages, load memory pages, write to screen, and parse filename. The following program uses all four of those as an example program. The program will accept an input and show you the parsed filename. For example, if the filename of the program is PARSE and your default drive is A, which has been ASSIGNed to DSK1., the command PARSE HELLO will display "DSK1.HELLO" on the screen. PARSE C:TEST/HI would display DSK3.TEST \_\_\_\_ but not the HI. Remember that MDOS interprets slashes as command prefixes, not as part of the filename. The command PARSE C:TEST"/"HI or PARSE C:"TEST/Hi" would display DSK3.TEST/HI.

To use the program, you will need a copy of Paul Charlton's fairware linker program. The program is available on CompuServe, GEnie, and many other networks and public bulletin board systems. Type in the program and assemble it with the C and R options. Go into MDOS, and load the linker program. Type the filename of the object file to load that (e.g. PARSEO). (See Page 29)

## GENEVE-

| _ <u> </u>     |                    | $\mathbf{D}_{\mathbf{r}} = \mathbf{A} \mathbf{O}$ |    |              | 11          | D4 3              | nen nega anade                    |
|----------------|--------------------|---------------------------------------------------|----|--------------|-------------|-------------------|-----------------------------------|
|                | •                  | ued from Page 28)                                 |    |              | LI .        | RØ, 3             | map page opcode                   |
| Туре           | @ and the filena   | me of your desired output file (e.g.              |    |              |             | R1,1              | local page 1                      |
| @PARS          | SE). 🛶             |                                                   |    |              | LI          | R2,7              | execution page 7                  |
| Type           | ! to return to MD  | OS.                                               |    |              | SYS         | enen              | execute rop                       |
|                |                    | ping the output filename and a string.            |    |              | NOT         | 80, 80            | error code                        |
|                |                    | combinations to see how MDOS parses               |    |              | JNE         | EPROP             | if any error, go to error routine |
|                |                    | ll string (e.g. just type PARSE without           | \$ | get          | areu        | ments passed to ( | us on the command line            |
|                |                    | ill parse it to the default device name.          |    | <b>Q</b> - + | 11          | R1, INBUT         | address of imput duffer           |
|                | n also try parsing |                                                   |    |              |             | eD8Ø, *R1+        | maximum length is 79 characters   |
|                |                    | parse program. Change the text and in-            |    |              | BL          | echoste           | get command arguments             |
|                | -                  |                                                   |    |              | JNE         | ERROR             | if error, go to error routine     |
|                | •                  | on is the best way to learn!                      | •  | ent          | 405<br>it - | it will be and]   | terminated in INBOF               |
|                | name parse example |                                                   | Ŧ  | 244          | 61          | RØ.8              | parse filename opcode             |
|                | pyright 1988 by Hi |                                                   |    |              |             | R1, INBUR+1       | start of text (not length byte)   |
| <b>≭ ₽</b> 0   | r publication in l | ICBOpendium magazine.                             |    |              | <b>11</b>   |                   | •                                 |
| *              |                    |                                                   |    |              | LI          | R2,OUTBUE         | output buffer                     |
|                | DIOP STS,0         |                                                   |    |              |             | €D8Ø,≭R2          | maximum length is 80              |
|                | JHP START          |                                                   |    |              | CLR         | <b>R</b> 3        |                                   |
| *              |                    |                                                   |    |              | STS         | eutil             | call rop routine                  |
| VID            | DATA >0006         | video library                                     |    |              | HOY         | R1,R1             | error code                        |
| NEN            | DATA >0007         | memory library                                    |    |              | JNE         | KRROR             | if any error, go to error routine |
| UTIL           |                    | utility library                                   |    |              | BL          | <b>eshotit</b>    | display text                      |
| U116<br>▲      | DATA >0009         | delley livealy                                    |    |              | -           | PNUSG             | · ·                               |
| . <b>4</b><br> | RAA 64 -           | 0 <i>0</i>                                        |    |              | 8L          | esbotit           | display the filename              |
| INBOT          | BSS 82             | 80 chars + 1 length + 1 mull                      |    |              |             | 019012            |                                   |

```
DATA OUTBUP
                           80 chars + 1 length + 1 mull
OUTBUT BSS 82
                                                                                       display a blank line
                                                                  BL esiotit
1
                                                                  DATA CRLF
                            main workspace
NTHS
     RQU >FOOD
                                                                                       return to mdos
                                                                  BLWP () 0000
t :
                                                           # error routine
TITBUE RQU >R009
                           buffer to place text
                                                                                       display error message
                                                           BEROR BL OSECTAT
$
                                                                  DATA BERNSG
PNNSG
      BYTE 31
                                                                  BLNP (*) 9099
                                                                                       return to mdos
      TEXT 'The parsed file mame is:'
                                                           * display text on the screen
      BYTE >0D,>0A
                                                           * call with: BL @SECTIT
      TEIT
                                                                        DATA address of length byte
                                                           $
ŧ
                                                           * moves text out to TITBUF, as all video routimes require data passed
ERRNSG BYTE 14
                                                           * to be in execution page 7.
      TEIT 'Fatal error.'
                                                                                       get address of length byte
                                                           SHOTIT NOV #R11+, R#
      BTTE >0D,>0A
                                                                                        get length byte
                                                                  NOVB *R9+,92
ŧ
                                                                                        null length - don't display anything
                                                                  JEC STORET
CRLF
      BYTE 2
                                                                                        to 1sby
                                                                  SBL 82,8
      BTTE >ØD,>ØA
                                                                  NOV R2, R3
                                                                                        Save.
ŧ.
                                                                                        text buffer
                                                                       R1, TITBOP
                                                                  LI
      BTTE 19
D8Ø
                                                            SHOTIL NOVE *R0+,*R1+
                                                                                        307€
$
                                                                                        any more to move?
                                                                  DEC
                                                                      RĴ
      EVEN
                                                                       SHOTXI
                                                                  JKE
                                                                                        yes.
$
                                                                                        text buffer
                                                                       R1,TXTBUP
                                                                  61
START LUPI BINS
                                                                                        write TTT opcode
                                                                       RØ,>27
                                                                  11
  load a page into >KGGG area of RAM
ŧ.
                                                                                        show on screen
                                                                       evid
                                                                  STS
   first, allocate a page into local page 1
$
                                                                                        retura
                                                            SHORET RT
      LT RØ,1
                            get page opcode
                            get one page
       LI
           R1,1
```

LI R2,1 local page 1 1 CLR R3 slow ram is fine SYS CNEN execute rop NOV RO, RO error code if any error, go to error routine \* JNK KRROP now map local page 1 into execution page 7 \$

convert command args into string by j. paul charlton

(See Page 30)

## GENEVE—

|            |               | (Continued        | from Page 29                       | NODL1  | NOVR | *R3+,*R5+               | ······································ |
|------------|---------------|-------------------|------------------------------------|--------|------|-------------------------|----------------------------------------|
| ŧ.         | <b>IN</b> :   | R1 points to stri | ng buffer (byte after length byte) |        | DEC  | Ŧ                       |                                        |
| ļ.         |               | lenght byte must  | have max length of buffer          |        | JEQ  | NODJ1                   | · ·                                    |
| \$         |               | ÷₩ <sup>™</sup>   |                                    |        | C    | R3, R4                  |                                        |
| ŧ          | 00 <b>1</b> : | ok RØ=Ø equ       | al flag SBT                        |        | JL   | NODE 1                  |                                        |
| ¢ .        |               | -                 | al flag RESET                      |        | NOT  | *R2,R2                  | this link never zero if valid          |
| <b>k</b> - |               |                   | · –                                | string |      |                         |                                        |
| CNDSTR     | HOV           | €>Ø128,82         | get pointer to command string      | -      |      | NITROD                  |                                        |
|            | JEQ           | ROASTR            | zero length string                 | *      |      | -                       |                                        |
|            | CB            | €Z(82),€-1(81)    | compare lengths of strings         | NODJ1  | CLR  | RØ                      |                                        |
|            | JHE           | BADLEN            | string too long for the buffer     |        | JNP  | NODRET                  |                                        |
|            | HOV           | R1,R5             | cursor to caller's string buffer   | *      |      |                         |                                        |
|            | DEC           | R5                |                                    | NOISTR | CLR  | RØ                      |                                        |
|            | NOVB          | 02 (R2) , R6      | count of chars to move             |        | NOVB | RØ, <del>0</del> -1(R1) |                                        |
|            |               | 86,8              |                                    |        | NOVB | RØ, *R1                 |                                        |
|            | INCT          | <b>R</b> 6        |                                    |        | JNP  | HODREY                  |                                        |
| )<br>      |               |                   |                                    | *      |      | :                       |                                        |
| ITHOD      |               | R2,R3             | cursor within node                 | BADLEN | SETO | RØ                      |                                        |
|            | INCT          |                   |                                    | NODRET | NOV  | RØ , RØ                 |                                        |
|            |               | R2, R4            |                                    |        | RT   |                         |                                        |
|            | AI            | 84,8              | pointer to end of node             | *      |      |                         |                                        |
| ŧ.         |               |                   |                                    |        | BND  |                         |                                        |

## Protecting the 9640 card

### By THOMAS J. ARNOLD

From the first time I saw a photo of the Geneve card I was concerned that the card extended out from the back of the PEB. Although one does not often move the PEB, it does get exposed to potential knocks. Now that I have a Geneve this concern has become reality. As I take my system to every meeting of the Channel 99 Users Group (Hamilton, Ontario), I was initially removing the Geneve card from the PEB to avoid damage. This is unacceptable as I could damage the card or connectors by doing this on a frequent basis. I was more worried about static electricity more than physical damage.

My first idea to protect this card was to build a protective box from sheet metal. However, I was unable to find any sheet metal in my work shop on the day that I decided to commence this project.

Scouting around the piles of junk one collects in a basement workshop I came across an old electrical box that I had discarded. I tried to use this but It was too small to fit around the card. It was, however, just the right depth. This was important because I wanted to support the connectors on the back of the card. I was about to look for something more suitable when I noticed that this type of



Two electrical boxes are used to provide protection to the back of the Geneve card. The author finds great utility in the modification to the PEB box insofar as he frequently takes his computer to user group meetings.

deep electrical box had it's sides screwed ted around the Geneve card perfectly. on. The reason for this is to allow more than one box to be joined together. Now I had the solution at hand. I located another box and removed one side from each box. When they were joined together they fit-

I carefully drilled and cut holes to match the connections on the card. This is more difficult than it sounds due to cutouts, formed sections and pre-punched sections. (See Page 31)

## ENCLOSURE—

(Continued from Page 30) The more equipped your workshop the easier this job will be \*

Although my holes were not cut perfectly, they are placed so that they support the connectors, which is one the benefits of making this modification. The two boxes are connected to the PEB by three selftapping screws placed through the small tabs which are used for connecting the electrical outlet or switch to the electrical box. Be careful to vaccuum up the filings created when you drill the holes in the PEB.

Locate the joined electrical boxes so that they clear the Geneve card by about  $\frac{1}{8}$ inch, you don't want to short out the card. I connected all the cables through the holes in the electrical boxes before I placed the boxes on the back of the PEB in order to mark the hole locations that needed drilling. This ensures that you get the location right. This location should allow you to place three cards in the space covered by the extension. The RS232 card won't fit if you use the serial port (modem), but will if you just use the PIO port for a printer. You will have to cut a slot for the cable to pass through the electrical box.

Now when I haul the Geneve (it's no longer a TI is it?) to the monthly meetings I don't have to worry about hitting the card extension. In addition I don't have to worry about the kids pulling on the joysticks and breaking the Geneve card.

Reader to Reader is a column designed to put readers in touch with each other. Anyone with a specific problem or question that may be answered by other readers is encouraged to submit an item. Be sure to address it to Reader to Reader, c/o MICROpendium, P.O. Box 1343,

### **Reader to Reader**

drive, cassette, printer, modem, etc. He also asks whether it is possible to change the keyboard configuration to Dvorak or some other using the Triton Super Extended BASIC, the Editor/Assembler or both.

Claire Roberts, 2119 Pile, Clovis, NM 88101-3597, asks whether anyone in Lubbock, Texas, works on TI computer systems. lows someone with just a bare console to use this sytem. However, I am dissappointed that their module has no provision for cassette or disk program event storage. X-10 includes information from which a BASIC program may be written using the RS-232 port. It is very involved and requires a good understanding of BASIC. I have succeeded in downloading commands but would like to communicate with others who are working on the same." Write him c/o the Northcoast 99ers, 6440 Painesville-Warren Rd., Concord Township, OH 44077.

Round Rock, TX 78680.

Richard Bressler, P.O. Box 3706, Merced, CA 95344-3706, wants to know if it is possible to conrol the cassette pause with CALL LOADs or VPOKE? He asks, "Can a peripheral device's presence be detected by CALL PEEK(V)?" e.g. disk

Ken Gladyszewski says, "I have always looked with envy at the interface Radio Shack had for just their computer. Now at last we have one. CorComp's module al-

## The beginning of a MICROpendium index

Elton Schooling, of Sacramento, California, has created an index for MICROpendium. His index runs from the first issue through the end of 1987. He uses an Extended BASIC program and DATA statements to contain the index information.

His program outputs each year's index to a printer or to the screen. It is sorted alphabetically by subject.

Since the heart of the index is in the DATA statements, it is possible to use virtually any database program to do the same thing as his program by inputting the contents of the DATA statements into the database. An advantage of this is that a dedicated database program may be able to handle the index for more than one year of MICROpendium. The index is lengthy and we will not be able to publish the contents of more than one year per issue. As a beginning, we'll start with the abbreviations, which were entered originally as DATA statements. Next month we'll publish the index for 1984, with the indices for 1985 through 1987 to be published monthly thereafter.

## Micropendium index — abbreviations

ADDR = ADDRESS ADVDIAG=ADVANCED DIAGNOSTICS ALIGN=ALIGNMENT ART = ARTICLE BAS=BASIC BATT = BATTERYBAWR=BA-WRITER **BBS=BULLETIN BOARD SYSTEM BEGIN = BEGINNING** BIN=BINARY BNCHM = BENCHMARK BUFF=BUFFER BUS=BUSINESS CAD=COMPUTER ASSISTED DESIGN CALC = CALCULATORCASS=CASSETTE CAT=CATALOG CC=CORCOMP CHAR=CHARACTER CHI=CHICAGO CIRC=CIRCULAR CLN=CLEAN CLOAD=CALL LOAD

COL=COLUMN COMM=COMMAND COMP=COMPUTER COMPAT = COMPATIBLE CONN=CONNECTOR CONS=CONSOLE CONSWR = CONSOLE WRITE 2.1 CONV=CONVERT COOL=COOLING COPYR=COPYRIGHT **CORR = CORRECTION** CR=CARRIAGE RETURN **CRYPT=CRYPTOGRAPHER** CTRL=CONTROL DABASE=DATA BASE DEC=DECIMAL DIAG=DIAGNOSIS DIG = DIGITALDIM = DIMENSION DIR=DIRECTORY DR = DRIVE(See Page 32)

## INDEX-ABBREVIATIONS-

| (Continued from Page 31)             | LDR=LOADER                   | REP=REPORT                       |
|--------------------------------------|------------------------------|----------------------------------|
| DSIGN = DESIGNER                     | LI=LITHIUM                   | REV=REVIEW                       |
| DSK = DISK                           | LIT=LITERATURE               | <b>ROUT = ROUTINE</b>            |
| DSKDR = DISK DRIVE                   | LOC=LOCATION                 | RTRV=RETRIEVE                    |
| DUP=DUPLICATE                        | MAGN=MAGNIFY                 | SBUG=SUPER BUGGER                |
| DWN=DOWN                             | MAN=MANAGER                  | SCHEM = SCHEMATIC                |
| ED=EDITOR                            | MAX=MAXIMUM                  | SCR=SCREEN                       |
| ELECTR = ELECTRIC                    | MECH=MECHATRONIC             | SND=SOUND                        |
| ENV=ENVIRONMENT                      | MEM=MEMORY                   | SP=SPACE                         |
| ESC=ESCAPE                           | MIN=MINIMUM                  | $STRUCT \approx STRUCTURED$      |
| EXT=EXTERNAL                         | ML=MACHINE LANGUAGE          | SUBR = SUBROUTINE                |
| FEB=FEBRUARY                         | MMM=MINI MEMORY              | SUPP=SUPPLY                      |
| FEEDB=FEEDBACK                       | MOD=MODULATOR                | SYMB=SYMBOLIC                    |
| FNCTN=FUNCTION                       | MON=MONITOR                  | TE=TERMINAL EMULATOR             |
| FNLWR=FUNLWRITER                     | MULT=MULTIPLAN               | TIART = TI-ARTIST                |
| FOUND=FOUNDATION                     | MULTI=MULTIPLE               | TIBBS = TI BULLETIN BOARD SYSTEM |
| FREEW = FREEWARE                     | MUS=MUSIC                    | TKWR = TK-WRITER                 |
| GA=GAME                              | NAV=NAVARONE                 | TRIPT = TRIPTECH                 |
| GAZ=GAZELLE                          | NHANCE=ENHANCEMENT           | TXT=TEXT                         |
| GEM=GEMINI                           | NUM=NUMBER                   | UPD = UPDATE                     |
| GEN=GENERATOR                        | ORD=ORDER                    | USGRP=USERS GROUP                |
|                                      | PAP=PAPER                    | UTIL = UTILITIES                 |
| GPL=GRAPHICS PROGRAMMING<br>LANGUAGE | PATT=PATTERN                 | VAR=VARIABLE                     |
| GRAMCRACK = GRAMCRACKER              | PAY=PAYMENT                  | WD=WORD                          |
| GRAPH=GRAPHICS                       | PERF=PERFORATED              | WDPROC = WORD PROCESSOR          |
| HANDIC=HANDICAPPED                   | PERIPH=PERIPHERAL            | WINCH=WINCHESTER                 |
| HANDIC=HANDICAPPED<br>HD=HEAD        | POW=POWER                    | WIPE = CALL CLEAR                |
|                                      | DDV = DDDCONAL DDCODD VDDDVC |                                  |

HD=HEAD HOR=HORIZON INFO=INFORMATION INIT=INITIALIZE INS=INSURANCE INV=INVERSE JOYST=JOYSTICK KEYB=KEYBOARD KILLERCAT=KILLER CATERPILLAR LANG=LANGUAGE PRK = PERSONAL RECORD KEEPING PRNTR = PRINTER PROGR = PROGRAM PROOF = PROOFREADER PROT = PROTECT PROTEC = PROTECTION QSOL = QS SOLITAIRE REC = RECEIVABLE REG = REGULATOR REP = REPAIR

WIZDOMIN = WIZARD'S DOMINION WYC = WYCOVE XBAS = EXTENDED BASIC XFER = TRANSFER XFORM = TRANSFORMER XL = TRANSLATE XLIT = TRANSLITERATE X M L = E X E C U T I O N - M A C H I N E LANGUAGE XPAN = EXPANSION

## Geneve miscellany RAMdisk and the 9640, Logo II fix

This is from Ken Woodcock of Norfolk, Virginia. He writes:

It was frustrating to me to find that when I installed my 256K Horizon RAMdisk in my Geneve, it would only allow use of 720 sectors (180K). Not satisfied with that, I tinkered around and discovered that by modifying sector zero, all the memory is usable. This is how I did it:

1. Initialize the RAMdisk.

2. Boot up your sector editor. Edit sector 0 starting with byte 10 > A) — remember to start counting with zero. Bytes 10 and 11 indicate the total sectors on the disk. Change it to 03E0 (992 decimal). Change the next byte from 09 to 10. Change bytes 18 and 19 to 0202 (indicates double-side/double-density). Now goto byte 56 (>38). You should find 03 there. If not, put it there. This is the start of the sector bit-map. The 03 indicates that sector 0 and 1 are used. Put zeroes in all the following positions until you get to byte 180 (>64). Put F in all the remaining positions.

This assumes you are using the 8K ROS that was used with John Johnson's Menu program, version 6.3 or later. Otherwise, you will have to modify the bitmap and bytes 10 and 11 for 976 sectors.

The easy way to accomplish this is to copy sector zero of a HRD newly initialized on a TI system onto a disk, then copy that sector zero into the HRD in the Geneve system. is Logo II. The developers of Logo decided to enable interrupts with LIMI > F instruction instead of the usual LIMI 2. This causes a blank screen. The fix is relatively simple but requires a sector editor. The only file affected is LOGO2.

Using a sector editor, locate the starting sector of LOGO2. Change the bytes listed from >0F to 02. Look for the pattern >0300 000F in all cases. The >F is to be changed to 2. Sector and byte numbers are in decimal because I use the Advanced Diagnostics sector editor. For example, if the first sector is 100, then N + 17 is sector 117. Byte counts start with 0. Sector Byte Sector Byte N+17 171 N+18 115 N+19 9 N+20157 N+21 5 N+21 171

Logo II fix Writes Dick Lauhead of St. Paul, Minnesota:

One cartridge that won't run on the 9640

## Super Space II

# Bigger and better than the original

#### By KEN HAMAI

Having owned my Super Space II since early 1987, I guess it's about time I gave you a little review of what this cartridge is about. The cartridge is made by DataBioTics and has a suggested list price of \$89.95 but is heavily discounted by mail order and can be obtained from Tenex or Triton for about \$59.95 plus tax and shipping.

The big question is: What does it do? Well, if you've been following the latest trends in the TI-99 world, you have probably heard of the Super Cart. This was brought to you by the same people who invented the Horizon RAMdisk. Instructions for constructing your own Super Cart was presented in the June 1985 edition of MICROpendium.

Basically the Super Cart is a highly modified TI game cartridge that has an Editor/Assembler chip and an 8K Hitachi HM6264LP CMOS static RAM chip that is battery backed. An assembly language program could be loaded into the 8K RAM chip in the cartridge and once loaded, the battery circuit would keep the program in the RAM memory of the cartridge. In effect, the Super Cart allowed you to make your own cartridge. Since the introduction of the cartridge, various assembly programmers have developed programs, primarily menus with built in loaders, that are used to load programs into the computer from disk or RAMdisk. Since the RAM chip is battery backed, when properly designed, the cartridge remembers what it was programmed to do even with the console turned off. This makes it convenient and quick to load assembly language programs from a utility disk. The cartridge made it easy. The big problem with the Super Cart design is that the battery backup circuit could not be depended upon to keep the computer from wiping the memory on power-ups and power-downs. Additionally, battery life was short due to the low capacity battery used in the original design and the high current drain on the battery when the cartridge was left in the computer with the console power off. The Super Cart also was limited to an

**Report Card** 

| Performance   |
|---------------|
| Documentation |
| Ease of useB  |
| Value         |
| Final GradeA  |

Cost: 32K Super Space II list \$89.95 8K Super Space I list \$49.95 Manufacturer: DataBioTics Inc., 30904 Via Rivera, P.O. Box 1194, Palos Verdes Estates, CA 90274, 213-925-2120 Requirements: console and disk system

8K memory space since no bank switching circuitry is provided. Some owners have installed up to 16K in a Super Cart but used bat switches to manually switch in each 8K bank. Program size was still limited to 8K maximum. Imagine that instead of 8K RAM in a cartridge, you can have 32K! All of the memory is available with software bank switching, allowing a program of 32K to be stored in the cartridge. This is what the DataBioTics Super Space II is all about. It has a 32K chip instead of an 8K chip. Because the TI computer does not have built in routines for bank switching memory in the GROM port, it cannot automatically do the bank switching but would need to be programmed to do so. To use all 32K in the Super Space II cartridge for one program, one would need to know how to write assembly language programs that included the bank switching routines. These routines along with those needed to make your own cartridge header have been provided by DataBioTics in the instruction manual.

ing to be buried with your gecko skin boots on and your TI99/4A by your side. You think the BMW is for punks. You drive your customized cherry candy apple maroon, air-conditioned, sub woofer 350 watt CD stereo equipped, four wheel drive F-250, with tires that look like they came off a 747 and the 5 megawatt fog lights on the freeway because you like to look down on all those clowns in their foreign cars that have names that nobody can pronounce.

You have to have the best and latest TI 99/4A toys, better than any of your C-64 friends at the country club. And you don't even care that there's now a computer called the Geneve because it looks too much like an IBM. You just paid some guy **\$\$BIG\$\$** bucks to put the 32K into your gold anodized console because you needed to make room in your P-Box for your four new Grand RAM 512K RAMdisks. You gave away your three other RAMdisks for raffle prizes at the Bingo games at the church because they didn't have enough memory and, besides, the NICAD batteries were worn out. You have the whole Four State Users Group libraries duplicated at least twice on your four 10 megabyte Myarc Winchester hard disk drives. You got so much hardware, the lights around your neighborhood dim every time you switch on your TL. When you turn it off, the power company calls to see if there's trouble on your line because they hate to lose a good customer.

Now for a little dreaming...

Look here, you have a console with a built in 32K expansion memory, now you have a 32K RAM cartridge. What do you do? Start with thinking about a word processor in the Super Space II cartridge. Then start thinking about using a couple of the 8K banks for a mini-RAMdisk. Hey, hey, hey, now you're thinking what I'm thinking! More dreaming... Only problem, you have one heck of a time trying to figure out which program is where and what you have to do to load it in.

The 32K Super Space II is made for you! Use it to switch in up to 25 different menu screens. Use built in loaders to load up to eight menu selections per screen! Have instant access to over 190 different programs with a touch of a few keys! Getting tired of the old programs? Flip your Widget to the other two Super Space carts and boot in another 380+ programs! Get out the HAMAI'S hardWARE Hamkracker Widget Extender, hook up five Super Space II cartridges, get ready for over 950 (See Page 34)

You're one of those rich guys who's go-

## SUPER SPACE II-

(Continued from Page 33) programs. All selected by menu! Earth to Hamai...Earth to Hamai...

When you buy the Super Space II, it comes with three flippy disks, containing several fairware programs and several utility programs and source code to enable you to use your cartridge as a menu loader. The fully documented source code for the menu loader programs is in the DataBioTics style, very heavily commented. If anything, a good lesson in assembly coding. Also included is a book on how to write TI BASIC programs (nothing to do with the Super Space II cartridge since it only uses assembly language) and a book on beginning assembly language (pretty good if you knew nothing about programming in assembly). You also get a well written manual on how to use Super Space II and what is inside the 32K cartridge.

In the design, DataBioTics uses a PAL (Programmed Analog Logic) chip which contains programming that allows you to bank switch in 8K chunks of memory at a time with an assembly language routine which is provided in the manual. Now for the big question, do you like it, Hamai? Well, let me tell you, ever since I got it figured out, I haven't removed it from the GROM port! It did take me awhile to figure it out. When I got the cartridge, maybe I didn't read the fine print or something because I didn't know about the bank switch requirement. It took me a few frustrating hours over many days to figure out that the instruction manual was wrong about how to bank switch the cartridge and then wrote some bank switch programs which I can access on my RAMdisk and page in the 8K banks with different programs in each bank. After I had done that, I was informed by DataBioTics that there were indeed a couple of omissions in the instruction manual.

has one line missing. This line is: JEQ BANKA and should be inserted between lines SLA R0,1 and SLA R1,0.

The menu loader programs are really handy, I was loving it more and more until one day, four months after I first used the cartridge, the battery died.

Oh wow! I thought, it lost its mind! And I loaded it several times only to find out that every time I turned off the console, Super Space II would promptly forget what it had in memory.

Having built my own cartridges, I opened up Super Space II and found to my surprise and disappointment that the battery had gone dead. No big deal, I thought, must have been sitting on the shelf a long time. The manual says the battery should last one to two years. DataBioTics made the cartridge in 1986. Well, it had been at least a year since 1986 was over. So I changed the battery. The next one died even sooner. I called a couple of friends with the same cartridge. Same problem, dead batteries, more than once. Oops! A quick call to DataBioTics. They know about the problem and are working on it (subsequently, they solved the battery problem with an upgrade). Now that I like! A company that listens to its customers! Regarding the battery, I found the type that is used by DataBioTics was a little difficult to find even in Los Angeles. I therefore substituted the battery with a BR2032 which is claimed to have more capacity. The BR2032 is carried by any number of drug and department stores and Radio Shack. It is also the same battery that runs the CorComp Triple Tech clock. Well, do you want to know if it's on my buy list? I would say definitely yes! With the upgrade to preserve battery life and corrections to the manual, I have to grudgingly admit that this is one of the slickest third party products of recent introduction. I have also seen and heard that there is more to come. John Johnson (Horizon ROS menu fame) has written a loader for the Super Space that looks and feels just like his famous Boot program for the Horizon RAMdisk. It is my understanding that DataBioTics is considering inclusion of the Johnson menu program with its source code in the software disks in the future.

in the Super Space is Megaload by Jim Derk, and Quick Load by another prolific assembly programmer, John Birdwell. Fairware utility programs include Edgar Dohman's Superbug II and John Birdwell's Disk Utilities.

In the commercial software arena, Genial Computerware, Box 183, Grafton, MA 01519, has released "Remind Me!" by John Johnson. This is a calendar program which can be used as an appointment calendar. The program includes a scratch pad and search functions. The daily activities for the month that are stored on the scratch pad can be printed out.

DataBioTics has released Edgar Dohman's "Super Forth." This program stores the Forth kernel in the Super Space cartridge and frees up an additional 8K of memory for Forth programming.

Although I bought the big 32K Super Space, if you don't need the 32K, the 8K Super Space is also a nice thing to have. It costs about \$25 less than the Super Space II but doesn't come with all the books and some of the software. You can use it as a menu loader, and it's fantastic for that! The "new" 8K model can be easily upgraded to 32K by pulling out the socketed 8K RAM chip, installing a 32K chip, and changing a few jumpers on the card. In use, I have found that you have to observe the same precautions against static electricity and quick off/on power cycles as with the TI Mini-Memory. Static electricity and quick cycling of the power will wipe the RAM chip memory. This is well explained in the manual. It is a good idea anyway to always count about 10 seconds anytime you need to cycle the power on the computer. The surge is not good on the computer chips either. On my own console, I have installed a reset switch ala Widget so that I do not have to cycle power on program crashes. I recommend this for all TI users.

On page 8 of the manual, the test for memory retention tells you how to use CALL LOAD and CALL PEEK to store information in the cartridge and then how to check if it's still there. After you turn off the console and then turn it on again to go back to check the cartridge memory, you need to type in both the CALL PEEK and the PRINT statements again. On page 13, the bank switch program

As I said, I leave the cartridge in my computer all the time and got rid of my Widget since most of the programs I currently use can run out of the cartridge. My CorComp RAMdisk is loaded up with utility programs which can all be accessed with the Super Space cartridge. Because of its more reliable battery backup circuitry, it retains memory better than the (See Page 38)

Other fairware menu programs that run

## **PC-Transfer**

# A conversion utility with a future

#### By JOHN KOLOEN

PC-Transfer, written by MICROpendium columnist Mike Dodd, is the second program to come along that allows TI users to transfer text files between the TI and PCs. CorComp came out with TI/IBM Connection last year. TI/IBM Connection is a cartridge-based program that works only with the CorComp disk controller.

Unlike the CorComp cartridge, PC-Transfer works with the CorComp or Myarc disk controllers. A disk-based program, it is not protected, it loads from an E/A 5 type loader, including Funnelweb, or several versions of Extended BASIC, including TI, Mechatronics and Super Extended BASIC. It may be run from a TI with the CorComp or Myarc controller or from the Geneve with a Myarc controller. It won't work with a TI controller because the TI controller doesn't support double density. Performance: Utilities such as this are generally straightforward in operation. Designed to serve a single purpose, they either work or they don't. PC-Transfer works fine. I found no problem in converting text files from TI to MS/PC-DOS format, and vice versa. I tried it using Myarc and CorComp disk controllers on a 4A and a Myarc controller on a Geneve and it performed the same on all three. It uses a 40-column screen in all three variations. Data conversion is rapid. A file consisting of 40 sectors is converted in less than a minute. Operation of the program starts with designating one drive for the TI disk and another for the MS-DOS disk. To convert a file from one to the other, you run a catalog of the source disk. Then, with the cursor, you select the files to be converted and mark them with a "C." Having designated the files, you press "E" to execute.

## Вечіеш

**Report Card** 

| Performance   | ł |
|---------------|---|
| Ease of UseA  | ł |
| Documentation | 3 |
| Value         | ł |
| Final Grade   |   |

#### Cost: \$25

Manufacturer: Genial Computerware, 835 Green Valley Dr., Philadelphia, PA 19128

Requirements: disk system with two floppy disk drives or one floppy drive and a RAMdisk, expansion memory, Extended BASIC or Editor/Assembler DOS but couldn't be loaded into memory because the PC doesn't recognize a slash as part of a valid filename. TI/IBM Connection allows the user to change filenames prior to selecting them for conversion.

PC-Transfer works fine whether converting one or multiple files.

PC-Transfer is designed to work out of two floppies, but may be operated with one floppy and a RAMdisk. Of course, the floppy would be designated as the MS-DOS disk.

As with any conversion process, printer codes are difficult to translate. Carriage returns from a TI document won't be translated into the carriage return/linefeed combination used to mark the end of record for text files in MS-DOS. Embedded commands from PC word processors. for boldface, italics, etc. won't be converted into TI executable format commands. Similarly, TI-Writer formatter commands won't be translated into PCexecutable printer commands either. The manual suggests designating a character to be used in place of carriage returns in a TI document that can be globally replaced by carriage return/linefeed after conver-

However, unlike the TI/IBM Connection, there is another mandatory step before the conversion is completed. The filenames may include a period while TI won't. And TI will accept slashes but MS-DOS won't. For example, if you were to convert a PC file called TEST.TXT to the TI, you wouldn't be able to load it into memory on the TI because the TI doesn't recognize a period as part of a valid filename. Similarly, a TI file named TEST/TXT could be converted to MS-

(See Page 38)



file names selected for conversion now appear on the screen, one by one. You are required to enter a filename by which the file will be written to the target disk. At first, this may seem like an unnecessary procedure. But bear in mind that MS-DOS





## Calendar Maker An artistic, up-to-date program

#### **By HARRY BRASHEAR**

One thing that all computers do, sooner or later, is the calculations necessary for the production of a calendar. The TI has not been left out of this basic ability and, over the years, we have had our share of calendar programs and generators. They've included everything from "teenytiny" wallet size, to  $8\frac{1}{2} \times 11$ s, and in every printout style imaginable. The programmers have done their jobs very well but, to date, not one of them has treated the calendar as an art form. Yes, I said an "art form".

Take a look around your local book store in January if you question that term. There are shelves upon shelves of picture calendars covering every subject from sea slugs to nude studies. It's an "art form," designed to decorate the stark face of your refrigerator, cover the hole in the bathroom wall, or generally, prevent a 2000 year old device from becoming a boring experience. Like the bookstore calendar, the TI community will now have the ability to jazz up the mundane, common calendar. I am speaking to you about Asgard Software's Calendar Maker, a creation, primarily, of Asgard's owner, Chris Bobbitt. An example of this program's potential can be seen here as the month of May. The original was a full-size computer page, that took about 10 minutes to print. Quite fast when you consider everything that goes into the make-up of the example. There are a number of steps in making up such a printout, but it's not difficult. This is one of the most user-friendly programs I have ever seen. (I do not use such terms loosely.) In general, there are four steps in calendar creation:



#### **Report Card**

| PerformanceA    |
|-----------------|
| Ease of UseA    |
| Documentation B |
| ValueA          |
| Final GradeA-   |

Cost: \$19.95 plus 75 cents postage Manufacturer: Asgard Software, P.O. Box 10306, Rockville, MD 20850 Requirements: 32K, TI Extended BA-SIC, Epson or compatible printer and disk system. ing at.

There are a couple of things you should prepare before you get going on the calendar, though, so let's talk about them first.

The top area of the calendar is a Picasso Publisher picture. This program was selected because of the enormous working area allowed, something in the neighborhood of 480 by 360 pixels. This allows for a very quick, non-calculated picture, or, in other words, a ½-page dump. So if you intend to use pictures, you should be prepared with your favorite "Picasso prints."

The little pictures in the date squares are TI-Artist instances that I transferred over from CSGD graphics. This, of course, (See Page 39)



1. Determine whether you want to do a year calendar or a month calendar.

2. Place the text and pictures on the calendar.

3. Set up the type styles, headline, and message.

4. Print out the calendar.

Building one of these calendars is like

constructing a piece of fine architecture. I think that's what Asgard had in mind during the entire programming process because, looking back, it seems like I truly "constructed" the page you are look-


## Archiver II Vn. 2.4 Putting the squeeze on your files

### By BOB CARMANY

It seems like just yesterday that we could just admire the outstanding utility programs that were available for the (ugh!) IBM machines. Just think, a program that would archive several files together and squeeze them to save 40 percent of space on a disk.

Wouldn't it be wonderful if there were something like that for our "lowly" TI? Not only could we cram several of our program backups on a single disk, but imagine the savings (\$\$\$) when downloading programs from a long-distance BBS! Download and upload times would be cut in half and even a 300 baud modem would be practical.

Well, around Christmas, both Al Beard and Barry Boone released versions of a "squeezing" archiver for the TI. This review is about the complete version of Barry's Archiver II — Vn. 2.4! **Performance:** When the program boots (there is an XB loader called ARCHIV-ER), you are presented with a menu of six choices: 1) Pack Files, 2) Unpack Files, 3) Compress, 4) Uncompress, 5) Utility Menu and 6) Reload FW 4.0. The PACK  $\rightarrow$  UNPACK and COM-PRESS → UNCOMPRESS functions now have a decent sized buffer and they no longer "beat your drives to death" when using any of the functions. Both processes are faster than in the Vn 2.3 release. I didn't encounter a single problem while using any of the first four menu choices. Choosing the UTILITY MENU presents a sub-menu of utilites to manage your files and move them from disk to disk without ever leaving the Archiver II environment. In order, they are 1) Catalog Disk, 2) Catalog ARC-File, 3) Delete File, 4) Protect File, 5) Unprotect File, 6) Rename File and 7) Copy File. Using these utilities is easy and straightforward. They give you the flexibility to manipulate the source files and output files in a multitude of ways. A VERY welcome addition to the program. The final menu option is to Reload Funnelweb Vn 4.0. Barry took a different approach with Vn 2.4 than he did in the earlier "rush" release. It now asks for a disk drive number for the UTIL1 file and reloads Funnelweb from disk. Whether it is

## Вечіеш

### **Report Card**

| Peformance       |
|------------------|
| Ease of UseA+    |
| Documentation B+ |
| Value            |
| Final GradeA+    |

### Cost: Fairware contribution Manufacturer: Barry Boone, Box 1233, Sand Springs, OK 74063. Requirements: Console, monitor or TV, disk system, 32K memory expansion and Extended BASIC.

"cause" or "effect" I'm not sure, but the result is that the buffer space in the Archiver II program has been drastically increased and Funnelweb now loads flawlessly! An "A+" is the highest grade that I could give its performance and it is welldeserved! It looks like a "zero bug" report! Ease of Use: The program is a delight to use! Everything is menu-driven and the prompts are clear and easy to follow. Each of the menu options even has an on-screen reminder as to which option you are using. The "Catalog ARC-file" option in the UTILITY MENU will now catalog both packed and packed/squeezed archive files. The type of file is even displayed on the screen for you! All you have to do after choosing any of the menu options (or the sub-menu options) is to "fill in the blanks" and let the program do the rest. It is one of the easiest programs to use for the complexity of function that I have seen recently.

Documentation: Now for the only "non-A+" of the lot! There is a two-page documentation file with the program. The brief documentation is actually quite good despite its brevity. There is a short discussion of how to identify archived files and archived/squeezed files and how to process them. This portion of the documentation was succinct and to the point and quite clear. There is a paragraph or so about how to modify the default in the program. This is the only real shortcoming I could find in the document file — it was a bit too brief for the novice. The instructions for making the changes were clear enough, but the actual byte locations could have been given to make everything just a bit better. Experienced "disk hackers" shouldn't have any trouble making the alterations, though. Expanding the documentation a bit - maybe another page — would take care of everything. Value: The program is "fairware" so you pay whatever you like. Is the program a bargain? You had better believe it! It is worth whatever you care to contribute. One of those rarities (like Funnelweb and John (See Page 39)



## **SUPER SPACE II**

(Continued from Page 34) majority of the homemade Super Cart designs.

I would say that the cartridge is almost a must have item if you want fast and easy program loading. If you have a RAMdisk, the cartridge is an asset. The Super Space menu program by Johnson is easy to change from the keyboard and is on instantly, just like any other cartridge.

For hardware hackers, the circuit card of the Super Space cartridges can handle both RAMs and EPROMs. Instructions are provided in the manual on using RAMs from 8K to 32K and EPROMs from 8K to 64K. Of course, with the EPROMs one



would not need the battery which can be removed easily from its holder. Rumor has it that Edgar Dohman, the developer and programmer of Super Space II, Super Bug II, and Super Forth, has developed a 64K RAM cartridge modification for Super Space II which requires piggy backing another 32K RAM chip and wiring in one other chip to provide the bank switching between the two 32K RAM chips.

For software hackers, a program called CVAC (Cartridge VACuum) is provided which allows you to down load 8K RAM/ROM cartridges to disk and load them back into Super Space RAM. This only works with RAM/ROM only cartridges. Almost all TI cartridges have some GROM and cannot be downloaded with CVAC for use in the Super Space cartridges.

A couple of final notes: the Super Space cartridges cannot be used in the V2.2 TI consoles due to the GROM protection built into the console. Most TI users are aware of this problem. If you only have the V2.2, I suggest you keep it as a spare and get one of the old ones. TI quit making the 2.2 after droves of new purchasers returned them to department stores in 1983. If you intend to fully utilize the cartridge, it helps if you know some assembly language. Let me tell you, for me, learning assembly is like pulling teeth, I only do it because I have to. We're very fortunate to have very capable assembly programmers who write really good stuff for this cartridge. If you happen to use one of their programs and like it, let them know you like it! Overall, I give this product an "A" rating. Those of you who currently have the Super Space or Super Space II, I suggest you contact DataBioTics for the battery upgrade modifications. The Super Space II bank switch program modifications (corrections to the manual) and the source code for a bank loader program that loads all four banks of the 32K cartridge have been released for Super Space owners and can be found on the 99BBS (213)

formatter commands, you'll just have to reconstruct them on the target machine.

Just in case anyone misunderstands what the function of PC-Transfer is, it is to convert ASCII files from TI and MS-DOS machines. It does not do spreadsheet files, nor programs, nor any non-ASCII file. You'll want to make sure that the PC word processor you use will save a file in ASCII format prior to converting it for use on the TI.

In addition to converting text files, PC-Transfer is also capable of formatting PC disks in any of four formats.

Ease of Use: Most users won't even need to skim the manual to use this program. Everything is prompted and the only confusing part to me was deciding why it is necessary to rename the target files.

**Documentation**: The manual is a 5-page booklet that outlines the operation of the program and provides a few suggestions on handling printer codes and the like. I would have liked to have seen more in this regard.

| • CUSTOM CHIP OPERATION                                                                                                        |
|--------------------------------------------------------------------------------------------------------------------------------|
| TMS 9900 H/W DRGANIZATION                                                                                                      |
| - TMS 9900 INSTRUCTION SET                                                                                                     |
| INTERFACING PITFALLS                                                                                                           |
| · CONSOLE SCHEMATICS                                                                                                           |
| • PEB CARD DESCRIPTION                                                                                                         |
| • GROM SIMULATOR DESIGN                                                                                                        |
| EXTENDED BASIC MODULE DESCRIPTION & SCHEMATICS                                                                                 |
|                                                                                                                                |
| WEEKEND HARDWARE SEMINAR<br>(INFORMATION AVAILABLE ON REQUEST)                                                                 |
|                                                                                                                                |
| Send \$19.95 Check or Money Order To:<br>ICANADA & FOREIGN SEND \$23.00 U.S. FUNDSI<br>( VOLUME RATES AVAILABLE: - ON REQUEST) |
| THE BUNYARD GROUP<br>PO BOX 53171, LUBBOCK,TX79453                                                                             |

### Myarc Geneve 9640 IN STOCK!!

| ENHANCED KEYBOARD SALE PRICE | E <b>\$520.9</b> 5 |
|------------------------------|--------------------|
| ★★★★ OTHER MYARC PRODUCTS    | -****              |
| FLOPPY DISK CONTROLLER       | -\$164.95          |
| GENEVE MY-ART AND MOUSE      | \$125.95           |
| 512 MEMORY CARD FOR GENEVE   | \$255.95           |
| MYARC RS232                  | \$120.95           |
| (TAKING ORDERS AVAIL IN AP   | RIL)               |
| HARD DRIVE DISK CONTROLLER   |                    |
| *******                      | ~~~                |

SEND ORDERS TO #305-625-7944 Mosher Computer Services

**Value:** Although PC-Transfer earns its grades on the basis of its performance, there's the promise of more to come. After booting the program, there is an option to load conversion tables. At this point, only one such table exists and it is the default table that does ASCII conversions. But there is the possibility of creating other tables for conversion of other types of files (spreadsheets, databases, etc.) between the TI and PCs. This is an exciting prospect, if the capability is developed. I only wish that additional information about this capability would have been included in the manual so that users could start experimenting.

Even so, or perhaps because of its promise, PC-Transfer is a fine utility for anyone who needs to transfer documents between PCs and the TI or Geneve. For those with Myarc disk controllers, it's the only choice while those with CorComp controllers now have a choice between two fine conversion utilities.

**Coming Soon!** 







### CALENDAR MAKER—

(Continued from Page 36) must be done outside of the CM environment, but there is one other step in this process that CM does take care of. If you will take notice of the second and third Saturdays, you will see that the bottle and glass, (my pictorial selection for party time) is compressed the first time.

This is because the calendar is printed in compressed, or double-density, graphics mode. Hence, the instances are badly distorted if used as is. CM has a converter built into the program that not only changes the suffix from "\_\_I" to ":P" but also doubles the width of the instance so that it appears normal, while in fact, it is really compressed. You are given the option of doing this so I left the first bottle as it was to show you the difference.

Once you have your pictures and instances ready on a work disk, you go into CM and first tell it whether you want a year calendar or a month. The year calendar is not intended to have pictures at the top, or message lines, so instead it will print out two months on each page. It would also be appropriate to tell you that you are allowed to print up to 40 text blocks and pictures on a single month, but only 40 for an entire year calendar. If you have a big family and a lot of birthdays to remember, I would suggest you do a whole year, one month at a time. In the Create Calendar section, you make the aforementioned decisions and let the program know what month and year you want. Since the program allows any year from 1600 to 2400. Asgard suggests that this may be a good program for history teachers. (Nice idea!) When you're finished, you are automatically sent to the next step. I said this program was user friendly and the design area is the first place this becomes truly evident. The month you have selected takes up the better part of the screen, and a giant hollow cursor is used to run around and get the days you want to say something about. You have full use of the arrow keys to do this. When you get to the day you want, press enter and you

file you want. What could be easier!

If you want text instead of a picture, you get another window with full edit ability. Take a look at the 31st and you will see how much info you can put in. I found what I would consider a bug here, though. If you write in the first two spaces of the first and second lines, you will lose it in the printout. Once you find this out you can just avoid the spaces. I would rather you weren't allowed to use them to start with. The month is saved when you're finished and you are sent to the layout section of the program.

In the layout, you select the type of border you want around the dates, the fonts you want to use for the text, and year/month titles. There are a few of each of these on the disk to choose from, but later on, a utility disk is supposed to be available so that you can make up your own. I will be looking forward to that.

Finally, you get to print out all of your hard work. If you are printing out a month

calendar as I was, you have the option of printing a three line message at the bottom. This could easly be a business name and address or anything else you like. If you elect not to print a picture on a month calendar you can make this a 13-line message. I might also point out that without the picture the calendar is centered on the page.

In summation, this is one heck of a program. I haven't seen a calendar program like it for any computer.

There are a couple of things I would like to see changed, primarily the saved files. They are all default names and you lose all of your hard work if you use the same disk for each month. Also, while the program is very well thought out and friendly, the docs were not up to Asgard par. Since Asgard is very reliable in upgrading where and when they should, I suspect these problems will all be ironed out by the time you read this review.

### ARCHIVER II---

(Continued from Page 37) Birdwell's Disk Utilities) that are bargains at virtually any price. Besides, at 1200 baud, you will probably save enough on your first download/upload on a long distance BBS to justify whatever you sent Barry.

Final Grade: What can I say? It will save you money when accessing bulletin boards and disk space for saving those back-up programs. It will even make exchanging programs with someone halfway around the world more economical by reducing the number of disks you need to send. It is "Funnelweb aware," making Archiver II a valuable addition to that system "shell." No final grade other than A+ is justified.

**Postscript:** I have "hacked around" with Archiver II for a little while now and the Lempel-Zev algorithm that Barry used for squeezing files is a real eye-opener! Most of the text files I have used on it are reduced somewhere around 35-40 percent on the average. Of course, there is some variation depending on the structure of the file that you are processing. What does all this mean? Well, in one instance, a single group of files was reduced from 229 disk sectors to 65 sectors! Four "flippies" produced 12 SSSd disks of material when they were unpacked and unsqueezed! Imagine the savings in time when you download a packed and squeezed file from a BBS!

Besides all of this, Archiver II will load quite easily from either the GPL environment in Funnelweb or one of the "standalone" GPL loaders available.

One of the most exciting things is that for the first time, the TI world is bringing together some of its most talented programmers to create an integrated software system. Just as Funnelweb seems to have become the standard for a broad-based overall software shell, Archiver II (and yetto-be-released Archiver III) is destined to become the standard for TI archivers. It is truly great to see Tony McGovern and Barry Boone writing programs that will interface with each other as easily as these two do!

are asked if you want to place a picture, text or delete something there. If you want a picture, a window opens up on the right with all of the picture file names it found on your work disk. You just go down the list with the arrow keys and hit enter at the

Use MICROpendium classifieds to sell unwanted items

# Newsbytes

## Multi User Group Conference set

The Lima Ohio User Group is organizing a Multi User Group Conference and Swap Meet from 8 p.m. to 6 p.m. May 21 at the Lima campus of Ohio State University.

The event will be held in the campus cafeteria dining area and an adjoining conference room.

As the university is not charging any fee to the users group, there will be no admission charge to individuals who attend and no exhibition charge for user groups or dealers who wish to set up displays or give demonstrations.

Events scheduled for the conference include a demonstration of the Geneve; Jim Peterson selling Tigercub software and demonstrating his Nuts & Bolts; Bud Mills Services selling Horizon RAMdisk kits and 32K in the console kits; and Irwin Holt, president of C.O.N.N.I., the Columbus, Ohio, users group, demonstrating how a blind person uses the 99/4A. For further information, registration or requests for update mailings about this event, contact Dave Szippl, president, Lima Area TI99/4A User Group, 4 Poulston Place, Lima OH 45805 or (419) 228-7109.

For further information, or to order, write Asgard Software, P.O. Box 10306, Rockville, MD 20850.

### Texas TI Faire set

The Texas TI Faire, sponsored by the Forest Lane Users Group of Dallas, Texas, in association with the Paris TI Users Group, the Brazos Valley TI Users Group and the North East Tarrant County 99/4A Users group, is scheduled for April 30 at the Holiday Inn in Richardson, Texas.

Presentations scheduled are "Myarc 9640 and Other New Products," by Jack Riley, vice president of Myarc; "Using Funnelweb 4.0 to Its Fullest Potential," by Marty McCain of FLUG; "Disk Management Systems," by Richard Fleetwood of FLUG; "TI RAMdisks and Usage," by John Creviston of the Dallas TI Home Computer Group; "Programming in TI BASIC," by Jerry Keisler of the Paris TI Users Group; "TI Hardware Projects," by James Crossen of the NET 99ers; "The FORTI Music Card," by Sam Weller of FLUG; "TI Telecommunications Seminar," featuring Scott Darling (sysop of the GEnie TI Roundtable), Jeff Guide (system) manager of TI-NET on Delphi) and Jim Horn (sysop of the TI Forum on CompuServe). Vendors scheduled to attend include Texas Instruments, Myarc, Rave 99, T.A.P.E. (Mechatronics), Miller Communications, Texaments, Asgard Software, Disk Only Software, Jim Lesher, Startext, and Armadillo Bytes. For further information, contact FLUG, P.O. Box 743005, Dallas, TX 75347-3005 or call Roy Willis, (214) 231-2168, Richard Fleetwood, (214) 328-9257, or the FLUG TIBBS (214) 328-4880.

The batch processing allows the user to perform search and replace functions or to delete a group of records at once, according to the manufacturer,

The specifications include 720 bytes/fields, 32,767 records/databases, 3,000 bytes/record, 100 megabytes/file and 75 fields/records.

The program allows for search on multiple fields using AND and OR, or on keywords; sort on multiple keys; queries sent to screen, printer, new database or existing database; and records on several screen displays. It features a flexible report generator, according to the manufacturer.

FirstBase requires 32K and disk and either the Extended BASIC, Editor/Assembler or TI-Writer cartridge. It is Myarc Geneve 9640 compatible.

Suggested retail price is \$49.95. Exclusive distributor is Genial Computerware, P.O. Box 183, Grafton, MA 01519.

## **Beyond Video Chess** released by Asgard

Asgard Software has released Beyond Video Chess by Harry Wilhelm.

Beyond Video Chess is described as an enhancement to the Video Chess module. It allows the user to save or load a game to disk, use the joystick to move the pieces, get a screen-dump of the game at any time and list the moves to the printer,

Beyond Video Chess, written in assembly language, requires 32K, a disk drive and one of the following hardware configurations: a Navarone Widget and Editor/Assembler, a Horizon RAMdisk, a Myarc or CorComp disk controller or a Load/Interrupt switch (from CorComp or various others) and the E/A module. An Epson or compatible printer and a joystick are recommended. The program sells for \$9.95 plus 75 cents shipping and handling.

## New database scheduled for release

FirstBase, developed by Olympys Technologies, is scheduled for release in the second quarter of 1988. According to the manufacturer, the program will feature IBM style query commands, batch processing with four-function floating point math, multiple keyword searches, "extremely large" capacity and "handy macros.

## Keyboard strips available from group

The Soutwest Ninety-Niners are distributing vinyl keyboard strips for the TI99/4A which describe the function and control keys in BASIC, TI-Writer, Multiplan, Editor/Assembler and TE-II.

The strips are \$3 each or five for \$10 from the Southwest Ninety-Niners, P.O. Box 17831, Tuscon, AZ 85730.

## Memphis fair set

The Memphis Area Computer Council, a consortium of different brand user groups in the Memphis, Tennesee, area, will be conducting a user group fair from 10 a.m. to 5 p.m. June 4 at State Technical Institute in Memphis.

Groups participating include the Mid-South TI99/4A User Group, IBM and compatibles, Commodore, Amiga, Atari, Color, Osborn, CP/M and Coleco Adam.

Vendors cannot sell items on the campus, but user groups may demonstrate items and pass out information, according

to Gary Cox of the Mid-South 99ers. Admission is free. Any vendors wanting materials distributed may call or write Cox, c/o Mid-South User Group, P.O. Box 38522, Germantown, TN 38183-0522 or (901) 358-0667.

## CALL QUIT from BASIC

This is from Floyd Donaldson, of Buckingham, Quebec. He writes:

It's been frequently reported that CALL LOAD(-31806,16) will deactivate the QUIT function in Extended BASIC. What has not been reported, however, is that this also holds true for TI BASIC, when the Mini-Memory is in place. This means that owners of a TI99/4A with a Mini-Memory Module can also enjoy typing on the TI without having to worry about accidently pressing FCTN QUIT.

## A bit more on Print-A-Tag

Frank Geitzler, of Dartmouth, Nova Scotia, writes:

Ed Machonis wrote an interesting article in your December 1987 issue, with his 'Print-A-Tag' program. The humor was refreshing, and the program itself is useful. One trivial bug crept into line 350 of the program, however — the line should read: 350 N = CHR\$(27)&"W"&CHR\$(1)& RR&CHR\$(27)&"W"&CHR\$(0) The letter "W" should be followed by CHR\$(1) or CHR\$(0) rather than "W1" or "W0" as printed. This is true for my printer, a Riteman II, but I believe this is the proper Epson code. On several occasions I have loaded the program and waited for a dipslay, only to realize after a minute that my printer was not ready. I therefore added to the beginning of line 160 a prompt to cover that situation: 160 DISPLAY AT(1,1)ERASE ALL BEEP: "PRINTER READY? Y" :: AC CEPT AT(1,16)SIZE(-1)VALIDATE(\*\* Y''):K\$ :: OPEN #1:"PIO",OUTPUT



have to print sector numbers or line numbers as in E/A, the results would be ASCII code instead of numbers. This would occur on the screen and in the printout. For example, the results would look like this in a catalog printout from DM1000: 256x192 computer screen. Used in FOR/NEXT loops, you can really make them shape up.

Also possible are ovals, which are needed if you want a true circle on an expanded screen dump where the height needs to be calculated at 85 percent of the width. The CALL LINK("CIRCLE", X, Y, R) command does fine for the normal  $4x^2$ screen dump and the screen display, but not when the screen dump is expanded to its 7x6 size. The following routine gets the user's desired center point X and Y value (dots) on the 256x192 grid). Then it asks for the outer radius of the star. When the inner radius is close to the outer radius you'll get a shape that looks like a gear. If the inner radius is close to 1, you'll get a shape that looks like a fan of 360 degrees. Then the program asks for the number of points desired. Around 6-10 points looks nice, but when you use only 2, or say 80 points, and change the ratio of inner to outer radius, some surprising results occur. Lastly, the routine asks for an "ovalizer factor." This changes the ratio of height to width so the shape will appear squashed or circular or tall and thin.

## CorComp solves standalone problem

This comes from Enrico Gasperini, of Towaco, New Jersey. He writes:

TK-WRITER Free 18n Used 174 GAME Free 1zh Used 1 m Pretty strange, right!

I wrote to CorComp and they came through with the solution. It is quite simple. There is a jumper wire on the board that must be moved to another spot. I simply unsoldered one end of this wire and soldered it to the new position (see example).

### Routine creates geometric shapes

Bill Harms, of Chino, California, writes:

Regena's articles and programs using trigonometry prompt me to describe a short but powerful routine that creates geometric shapes.

The graphics power of TI can be harnessed with the Super Extended BASIC cartridge developed by MG. With its builtin, instant access Draw 'N Plot routines and the 32K memory expansion we can easily do sophisticated line drawings of circles, fans, hexagons and other equalsided figures and stars. Super Extended BASIC adds commands such as CALL LINK("DRAW",X,Y) that will turn on the almost 50,000 pixels in our

To add spice to the routine, you could make the FOR/NEXT loop start at a chosen degree point and end at a chosen point. Why be limited to just a full 360 degree shape? Just convert the degrees to radians like so: RAD=DEG\*P\*/180. There are several other ways to enhance the routine and many don't take much time (See Page 42)

I am using a CorComp standalone Memory Expansion model No. 32K- SAU. What was happening with my system was that every time I used DM1000 or Editor/Assembler, and the program would

(Continued from Page 41)

to do.

I thank Steve Davis Publishing, John Clulow and Bernie Elsner for the basic idea on how to use SIN and COS. By the way, I found that the word degree comes from the Latin word "gradus" meaning a gradation unit of measure, and the word "sine" is from the Latin "sinus" or a bend or curve. That is because it represents the portion of a circle that extends beyond a straight line drawn from two points on a circle's circumference.

40 ! REQUIRES MG SUPER EXIEN DED BASIC ! 105

50 ! STARMAKER. NOV. 1987 !1 81

60 CALL INIT :: CALL DRAWNPL OT 1012

70 CALL LINK("CCLEAR")!127 100 INFUT "X point for Cente r ":CX !102

110 INFUT "Y point for Cente

### 280 NEXT RAD 1109 290 11131 300 CALL LINK("SHOW"):: END 1029

Guess where line 220 puts you on the circumference? How about a Star of Stars?

## Help for Seikosha screen dump

This comes from James Wiegand of Ridgeley, West Virginia. He writes:

Apparently, there are many versions of the Axiom GP-100TI printer on the market. I checked the identification tag on the back of my printer and found that it is really a Seikosha GP- 250X. This printer was purchased with the Axiom Parallax TI interface.

One great concern is the lack of a screen dump program for this printer. Extended Software Co. (11987 Cedarcreek Dr., Cincinnati, OH 45240, 513-825-6645) has an XBASIC program that will, with some modification, make a screen dump. The cassette version is rather slow. Making the following line changes and then following their instructions will provide a good screen dump. Also, REM out or delete line 230. 200 OPEN #2:"PIO.CR",OUTPUT 220 PRINT #2:CHR\$(27);CHR\$(76);CH R\$(2); !SET DISTANCE BETWEEN LINES 250 PRINT #2:CHR\$(13);CHR\$(10);RP T\$(", 24);CHR\$(27);CHR\$(71);CHR\$ (1);CHR\$(256);

sort selected information, even if the information requires more room than is available in computer memory? I have. I also wanted to sort just part of a report that contained tabulated information and leave the rest of the report intact.

Using the tab function of TI-Writer, with Word Wrap off, you can enter such things as lists of titles in a series of magazines using separate columns for language (XBASIC, E/A, etc.), type of program (utility, educational, game, etc.), page number, issue and article title. You can even provide an introduction and define key symbols at the top along with column headings.

By including only the columns required for the sort, 24K bytes in files larger than 24K can be sorted. This is done in the following way:

1. The top unsorted lines are moved from the OLDFILE in drive 1 to disk drive 2 in a relative, fixed 80 format file called TEMPFILE.

r ":CY !104 120 INPUT "Radius units ":R ! try 50 !207 130 INFUL "Inner Radius unit s ":1 1997 140 INFUT "No. Points for St ar ":S 1062 150 INFUT "Ovalizer ":0 !210 160 !!131 200 RAD=0 142 205 SS=2/S\*PI ! to convert p oints to parts of a circle, in radians 1244 207 SS=SS/2 ! cut it in half for the angle needed for in ner radius points 1227 210 ! next we move to a point t on the outer radius. 134 220 CALL LINK ("MOVE", CX+R\*(X) S(RAD), CY-R\*O\*SIN(RAD)) ! 137230 !!131 231 B=Ø !249 240 FOR RAD=0 TO 2\*PI STEP S S !19Ø 241 B=H+1 !253 242 IF B/2=INT (B/2) THEN 243 ELSE 244 1042

243 K=I :: GOTO 250 1029

310 G=7 :: FOR A=15 TO 1 STEP -2 :: B(0,G) = POS(H\$,SEG\$(A\$,A,1),1) : : B(1,G) = POS(H\$,SEG\$(A\$,A+1,1),1):: G=G-1 :: NEXT A

350 NEXT C :: NEXT R :: PRINT #2: CHR\$(10);CHR\$(13);CHR\$(27);"L";" 3" :: CLOSE #2 :: CLOSE #1 :: CALL SOUND(1000,523,0) :: PRINT "FINIS . HED"

### **TI-Writer text sorter**

The following Extended BASIC program is designed to sort text created with TI-Writer. It was authored by Jerry Keisler of the Paris, Texas, TI user group. We found it in the newsletter of the Johnson Space Center User Group (JUG). Have you ever wanted a quick way to 2. Information to be sorted is extracted from OLDFILE and put into an array along with the line (record) number. These lines are also transferred from OLDFILE to TEMPFILE intact.

3. The bottom, unsorted lines are moved to TEMPFILE.

4. The array is sorted.

5. The top unsorted lines are moved from TEMPFILE to your NEWFILE in disk drive 1.

6. The sort array is read from top to bottom. The record number, stored in step 2, is extracted from the first array element. That record is pulled from the TEMPFILE and placed in NEWFILE as the next line. This continues until all sorted files are read from the array.

7. All bottom, unsorted lines are moved from TEMPFILE to NEWFILE.

One limitation of this program is that no more than 8000 bytes or 300 lines can be sorted at one time. This is because of the size of string memory and the speed of an Extended BASIC sort slows down dramatically with over 300 items.

It should be noted that the first column in TI-Writer files is zero and the tab set function can be used to find which columns you want to sort. The program requires XBASIC, two (See Page 43)

244 K=R [Ø91 250 X=CX+K\*COS (RAD) ! 145 260 Y=CY-K\*O\*SIN (RAD) ! 171 270 CALL LINK ("DRAW", X, Y) ! 02 0

(Continued from Page 42) disk drives and a memory expansion. 100 DIM A\$ (300) ! 186 110 DISPLAY AT(1,4) ERASE ALL : "TI-WRITER TEXT SORT": " by Jerry Keisler": : "PRIMARY AND SECONDARY SORT. ": : "IND ICATE FIRST AND LAST LINE":" TO BE SORTED. " 1005 120 DISPLAY AT(10,1): "FIRST  $COLUMN = \emptyset''$ : : "SEC SORT FIRS T COL=99 TO": : "SKIP. ": : "EN D LINE = 999 FOR SORT TO'': : "END." ! 195 130 DISPLAY AT (20, 1): "DISK2 FILE IS TEMPFILE": : "PRESS E NTER" :: ACCEPT AT (22, 13) BEE P:Q\$ 1074 140 DISPLAY AT(1,10)ERASE AL L: "TEXT SORT" !228 150 DISPLAY AT(3,1): "SOURCE NAME: DSK1. ": : "OUTPUT NAME: DSK1. ": : \*\*\* SORT ORDER \*\*" : : "1st FIRST COLUMN: Ø": "SO RT INC COLUMNS: 1": : "START LINE: 1" !184 160 DISPLAY AT(13,9): "END LI NE: 999": : "2nd FIRST COLUMN : Ø": "SORT INC COLUMNS: 1" ! 148 170 ACCEPT AT(3, 19) HEEP SIZE (-10): SN\$ :: IF Q\$<>"N" THEN DISPLAY AT (5, 19) SIZE (-10): S N\$ !244 180 ACCEPT AT (5, 19) HERP SIZE (~1Ø): ON\$ 143 190 ACCEPT AT (9, 19) BEEP SIZE (-2) VALIDATE (DIGIT): FC1 :: F C1=FC1+1 :: IF FC1>80 THEN 1 90 1003 200 ACCEPT AT (10, 19) HEEP SIZ E(-2)VALIDATE(DIGIT): IC1 :: JF IC1<1 THEN 200 ELSE IF FC 1+IC1>81 THEN 190 1000 210 ACCEPT AT(12, 19) BEEP SIZE(-3) VALIDATE (DIGIT): 1.1 ! 159 220 ACCEPT AT(13, 19) BEEP SIZ E(-3)VALIDATE(DIGIT):12 :: I F 12=999 THEN 230 ELSE IF 12 <L1 THEN 210 ELSE IF L2-L1>2

!175 240 ACCEPT AT(16, 19) BEEP SIZK(-2)VALUATE(DIGIT): IC2 :: IF IC2<1 THEN 240 ELSE IF IC 2+FC2>81 THEN 230 1090 250 DISPLAY AT(18, 1): "IS THI S CORRECT? N" :: ACCEPT AT (1) 8, 19) BEEP SIZE (-1) VALIDATE (" YN''): QS :: IF QS="N" THEN 17 Ø 1Ø86 260 !\*\*LOADING FILE !021 270 DISPLAY AT(18, 1): "ARE DI SKS IN DRIVES 1 2 PE" :: AC ( $\mathbb{E}$  AT (18,28) BEEP SIZE (-1): Q\$ 1209 280 F, N=0 :: DISPLAY AT(18,1) ): " LINE #": : : : " 8000 300 MAX": " BITS LINES SORT" !15 290 OPEN #1: "D5K1." & SN\$, DISP LAY , VARIABLE 80, INPUT 1071 300 OPEN #2: "DSK2. TEMPFILE", RELATIVE, FIXED 80, OUTFUT !23 2 310 PRINT #2, REC Ø: ON\$ !148 320 IF EOF(1)=1 THEN 430 !14 9 33Ø LINFUT #1: B\$ !188 340 F = F + 1 :: DISPLAY AT(18, 1)Ø)SIZE(-4):F !169 350 PRINT #2, REC F: B\$ :: IF L1>F OR L2<F THEN 320 1006 360 F\$=STR\$(1000+F):: N=N+1 155 370 IF FC2=99 THEN A\$(N)=SEG \$(B\$,FC1,IC1)&SEC\$(F\$,2,3):: GOTO 390 !107 38Ø A\$(N)=SEG\$(B\$,FC1,IC1)&S EX\$ (B\$, FC2, IC2) & EC\$ (F\$, 2, 3)!108 390 L=LEN(A\$(N))+L :: Q\$=SEG  $(A_{N}), 1, 27):: DISPLAY AT(2)$ 1,1):USING "###### #####":L.N :: DISPLAY AT (24, 1): Q\$ :: IF L<7920 THEN 320 1066 400 FOR DIS=1 TO 4 :: DISPLA Y AT(2,1):: DISPLAY AT(2,1)B EEP: "TERMINATED BY BYTE SIZE " :: NEXT DIS !244 410  $I_{2}=F :: DISPLAY AT(13,24)$ )SIZE(-4):12 !094 420 GOTO 320 1144 430 CLOSE #1 !151 44Ø N=N-1 !Ø22 450 CLOSE #2 152 460 CALL SORT (A\$(), N) !241

470 !\*\* SAVING SORTED FILE !? ØB

48Ø OPEN #1: "D6K1. "&ON\$, DISP LAY, VARIABLE 80, OUTPUT 1168 490 OPEN #2: "LGK2. TEMPFILE", RELATIVE, FIXED 80, INPUT 1131 500 DISPLAY AT (21, 1): : "RECO RD LINE": : "SAVING SORTED FI LE" 1088 510 IF L1=1 THEN 540 1080 520 FOR I=1 TO L1-1 :: LINPU T #2, REC I: B\$ :: PRINT #1: B\$:: JF I=F THEN 610 !240 530 DISPLAY AT (21,7): USING " #####": I :: NEXT I !055 540 FOR I=L1 TO L2 1063 550 J=I-L1+1 :: RE=VAL(SEGS(A\$(J), LEN(A\$(J))-2,3)):: DISPLAY AT (21, 1): USING "###### # ###":RE,I !184 56Ø LINPUT #2, REC RE: B\$ !229 570 PRINT #1:BS :: IF I=F TH EN 61Ø !222 580 NEXT I !223 590 FOR I=L2+1 TO 999 :: LIN PUT #2, REC I: B5 :: PRINT #1:B\$ :: IF I=F THEN 610 !108 600 NEXT I !223 61Ø CLOSE #1 !151 620 CLOSE #2 !152 630 DISPLAY AT(24,1) HEEP: "EN D" :: FND 1945 64Ø SUB SORT (A\$(), N) !N=# OF FILES TO BE SORTED !201 650 DISPLAY AT(24,1): "SORTIN G'' :: P=1 :: L(P)=1 :: R(P)=N 1239 660 JF P<=0 THEN 850 1024 670 LB=L(P):: RB=R(P):: P=P-1 !212 680 IF RBK=LB THEN 660 1050 69Ø I=LB :: J=RB :: T\$=A\$(I) ! 134 700 IF J<1 THEN 730 !220 710 IF T\$>=A\$(J)THEN 730 !23 5 720 J=J-1 :: GOTO 700 !157 730 JF J>I THEN 750 1064 74Ø A\$(1)=T\$ :: GOTO 82Ø 1Ø8 9

99 THEN 12=L1+299 :: DISPLAY AT(13, 18)SIZE(-4): L2 ! 043230 ACCEPT AT(15, 19) BEEP SIZ E(-2) VALIDATE(DIGIT): FC2 :: FC2=FC2+1 :: IF FC2=100 THEN 250 ELSE IF FC2>80 THEN 230

75Ø A\$(I)=A\$(J):: I=I+1 !13Ø 760 IF I>N THEN 790 !109 770 IF A\$(I)>=T\$ THEN 790 !0 39 780 I=I+1 :: GOIO 760 !214 (See Page 44)

Page 44 MICROpendium/April 1988

## User Notes

(Continued from Page 43) 790 IF J<=1 THEN 810 1058  $820 A_{(J)} = A_{(I)} :: J = J - 1 :: G$ 010 710 1030 81Ø A\$(J)=T\$ :: I=J !Ø37 820 P=P+1 :: IF I-LB>=RB-I THEN 840 1153 830 L(P)=I+1 :: R(P)=RB :: RB-I-1 :: GOTO 680 1002 840 L(P)=LB :: R(P)=I-1 :: LB=I+1 :: GOTO 680 !246 850 SUBEND 168

## Version 3.1 of Disk Labeler

Robert Neal, of Romeoville, Illinois, ###" !237 and the author of the original Disk Labeler 150 OPEN #1: "PIO" !253 program that appeared in last month's (X) !236 160 LF\$=CHR\$(27)&CHR\$(65)&CH MICROpendium, writes to tell us of ver-R\$(6) \*\*\* SETS LINE FEED TO sion 3.1. The code for this differs con-A):: IF A=4 AND S=254 THEN P 6/72 INCH !227 siderably from the version that we publish-T\$(X)=TYPE\$(5)!Ø89 170 CONDE=CHR\$(15)!\*\*\* FUTS ed, so we're including the entire listing 390 NEXT X !238 PRINTER INTO CONDENSED PRINT here. Version 3.1 features are the ability 400 CNT=X-1 :: CLOSE 02 !200--17 CHAR/INCH 1053 to include the date that the label was 410 PRINT #1: SUBOFF\$8COND\$8L 180 SUBONS=CHR\$ (27)&CHR\$ (83) printed, which is useful for determining the &CHR\$(1)!\*\*\* TURNS SUBSCRIPT F\$; :: PRINT #1,USING TL18:ST last time the label was updated. Also, the MODE ON 1162 R\$(K), STR\$(J-K), CNT, DATES, CHnumber of files on the disk is also printed. 190 SUBOFF\$=CHR\$ (27) & CHR\$ (84 R\$(14)&A\$ !102 The user may also select which drive to 420 PRINT #1: SUBON\$8RPT\$ ("=" ) \*\*\* TURNS SUBSCRIPT MODE O catalog. ,58):: LC=2 !178 FF 1042 Neal noticed an error in last month's 2009 RESETS=CHR\$ (27)&CHR\$ (64) 430 FOR X=1 TO CNT STEP 3 !2 program in line 230. As published, the line 1010 24 sets the line space at 3/72 of an inch when 210 DISPLAY AT(2,1) ERASE ALL 440 IF LC>9 THEN 450 ELSE 47 DISKLABEL": " it should be 6/72 of an inch. To correct : " 0 1050 \_\_\_\_\*: : " 45Ø PRINT #1: "": "! !139 this, replace &CHR\$(3) with &CHR\$(6). by "I think you'll also find this version is Version 460 LC=2 :: PRINT #1: SUBOFF\$ : Bob Neal":" much easier to modify in that all the printer ;:: PRINT #1,USING TL2\$: CHR\$ 3.1" 1023 220 IF DATES >"" THEN 250 !1 codes are included as variables, therefore (14)&A\$ :: PRINT #1:SUBON\$;: not requiring users to search through the 27 : PRINT #1: RPT\$("=",58)!206 code to find all the printer codes that need 230 DISPLAY AT (10, 1): "ENTER 470 PRINT #1, USING PL\$6PL\$8P TODAYS DATE: /' :: DISPLAY to be changed." Ls: PN\$(X),SZ\$(X),PT\$(X),PN\$( AT(11,20): "---" !195 X+1),SZ\$(X+1),PT\$(X+1),PN\$(X 5 240 ACCEPT AT (10,20)SIZE (2): +2), S7\$(X+2), PT\$(X+2):: LC=L! \*\* DISKLAHEL V3.1 \*\* 103 2 MOS :: ACCEPT AT (10, 23) SIZE ( C+1 !172 Ø 2): YR\$ :: DATES=MOS&"/"&YR\$ 480 NEXT X 1238 3 ! \*\* by ROBERT NEAL \*\* !14 490 FOR X=1 TO 12-LC :: PRIN ! 178 8 T #1:"" :: NEXT X :: GOTO 21 250 DISPLAY AT(15,1) HEEP: "Th ! \*\* TI Users Group \*\* !13 e Disk to be Labeled is in": Ø !111 Ą 5 "Which Drive (1-5)? Ø to QUI Lister revisited 5 ! \*\* of Will County \*\* !18 T" !114 260 CALL KEY(0,K,S):: IF S=0 Ray Kazmer, of Sylmar, California, 6 6 provides the following file-listing program. \*\* OR K<48 OR K>53 THEN 260 EL ţ \*\* !Ø7 5 It is the third to be published by SE IF K=48 THEN PRINT #1: RES 7 MICROpendium (one was published last ET\$ :: CLOSE #1 :: STOP !080 \*\* THIS PROFRAM \*\* !25 9 month), but it is the easiest to use and the 280 K=K-48 :: DISPLAY AT(19, 8 (See Page 45) \*\* 3): "Reading from Drive #";K IS \_FREE\_, ļ \*\* !21

3 9 5 100 DIM PN\$(127),SZ\$(127),PT \$(127)!193 110 TYPE\$(1)="D/F" :: TYPE\$( 2)="D/V" :: TYPE\$(3)="I/F" : : TYPE\$(4) = "I/V" :: TYPE\$(5)="PRO" !186 " !ØØ9 13Ø TL1\$="Avail:#### Used:## \*\* ## ## Files \*\*\* ###" !254 14Ø TL2\$=" \*\*

1042 290 OPEN #2: "DSK"&STR\$(K)&". ", INPUT , RELATIVE, INTERNAL ! 133 300 FOR X=1 TO CNT :: PN\$(X) ,SZ\$(X),PT\$(X)=""::NEXT X185 310 CNT=0 !156 32Ø INFUT #2: A\$, J, J, K ! 156 330 A\$=RPT\$(" ", 10-LEN(A\$))& Ast ! 189 34Ø FOR X=1 TO 127 !178 35Ø INFUT #2: FN\$(X), A, SZ, 5 ! Ø32 360 IF LEN (PN\$(X))=0 THEN 40 Ø !Ø14 37Ø SZ\$(X)=STR\$(SZ):: SZ\$(X) =RPT\$(" ",3-LEN(SZ\$(X)))&SZ\$ 380 A=ABS(A):: PT\$(X)=TYPE\$(

(Continued from Page 44) shortest. It runs in Extended BASIC. He writes:

I hate having to input types and lengths of files, which I'm trying to read. That junk is what my computer cares about, not me! It's all I can do to simply remember the name of the file. Why must we 'dim'bulbs' know that junk before we can pry into files?

File Lister 2 is a file reader I tossed together long ago in an hour. It's so userfriendly you don't even need instructions. I found several similarities in the code and the way this and Universal File Reader (March 1988, MICROpendium) are structured, and yet there are some notable differences.

Though PRESCAN\_\_IT! is a great program, FL2 doesn't need prescanning. FL2 is so short (9 sectors) that it's up and running, waiting at the first prompt before your drive stops. The first prompt is for a drive number, 0-5. Zero is one way you tell FL2 to quit. Select drive 0, press Enter and FL2 blows itself out of memory. Drive 5 is usually used for a RAMdisk. When you input a drive number, FL2 looks for that drive and also checks to see if there's a disk in the drive. If either answer is 'no' you get a plain English error message. Next, you're prompted for a filename, and that's all. If you must know the file type and length, just watch the screen and FL2 will tell you what they are. You then have the standard print option, Y or N, which can be entered in upper or lowercase. FL2 also uses the spacebar to start and stop scrolling. Press once to stop, press again to restart or, if you hold the spacebar down, FL2 does a slow step scroll, one line at a time. This can be helpful if you must stop scrolling at a precise point. For example, to make a waxpaper digitizer 'screen map' of exact characters and their locations of TI-Runner screens.

13,7,[):: QS=RPT\$(CHR\$(128), $3\emptyset$ ):: CALL HCHAR([,[,128,32)] **!258** 110 D = 1" := DISPLAY AT([,8])): " FILELISTER 2 "; :: DISPLA Y AT(],8): "BY: RAY KAZMER":; : "FOR D/V, D/F, I/F, 1/V FL ES'':;: "ENTER: DRIVE # (1-5;)Ø=QUIT)" !139 120 DISPLAY AT (8,8) FEEP: "DSK "&D\$&"." :: ACCEPT AT(8,11)V ALIDATE("Ø12345")SIZE(-[):D\$ :: IF DS="" THEN DS="1" :: GOTO 120 ELSE IF DE="0" THEN 350 1051 13Ø J\$=" DEVICE ERROR " :: ON ERROR 330 :: OPEN #[:"DS K"&D\$&". ", INPUT, RELATIVE, IN TERNAL :: INFUT #[:F\$,T,S,L !134 14Ø DISPLAY AT(6,[)BEEP:" ENTER: FILENAME":;:" DSK"&D&&". "&N\$ :: ACCEPT AT(8, 13)SIZE(-10):N\$ !255150 FOR X=[ TO 127 :: INPUT #[:F\$,T,S,L :: 1F F\$=N\$ THEN 170 FLSE 1F LFN(F\$)=0 THEN 320 1143 160 NEXT X :: IF ES<>NS THEN 320 1009 170 T=AHS(T):: IF T<[ OR T>\ THEN JS="WRONG FILETYPE" :: GOIO 33Ø 1Ø9Ø 180 ON T GOTO 190,200,210,22 Ø !23Ø 190 OFEN #]: "IGK"&D\$&". "&F\$, SEQUENTIAL, DISHLAY, INPUT, F IXED L :: DISPLAY AT(11,[):" FILE = DISPLAY FIXED"; L :: GOTO 230 1013 200 OPEN #]: "IGK"&D\$&". "&F\$, SEQUENTIAL, DISPLAY, INPUT, V ARIABLE L :: DISPLAY AT(11,[ ): " FILE = DISPLAY VARIABLE" ;L :: GOTO 230 !190 210 OPEN #]: "D6K"&D6&". "&F\$, SEQUENTIAL, INTERNAL, INPUT, F IXED L :: DISPLAY AT(11, [):" FILE = INTERNAL FIXED''; L :

ON ERROR 330 :: DISPLAY AT ( 14, [) BEEP: "SPACE = START/STO P SCROLLING":;:" "ENTER" ABORTS LISTING":;:;: ALSO PRINT TO PIO? (Y/N) N" !179 240 ACCEPT AT(19,27) VALIDATE ("NYny")SIZE(-[):P\$ :: IF P\$="Y" OR P\$="y" THEN P=[ :: 0 PEN #\_: "PIO", VARIABLE 80 :: CALL CLEAR ELSE P=0 :: CALL CLEAR !Ø77 250 IF FOF (]) THEN 300 FLSE I F T>] THEN (NPUT #]: R\$ ELSE LINPUT #]:R\$ !171 260 CALL KEY(5,K,S):: 1F K=3 2 THEN 270 ELSE IF K=13 THEN 340 ELSE 290 1253 270 FOR X=[ TO 150 :: NEXT X 127 280 CALL KEY(5, K, S):: 1F K=3 2 THEN 290 ELSE IF K=13 THEN 340 ELSE 280 1007 290 PRINT RS :: IF P=[ THEN PRINT #\_:R\$ :: GOTO 250 ELSE 250 1099 300 PRINT :;: Q\$&" FND O "&G\$&" " :: DIS F FILE. PLAY AT  $(24, \mathbb{V})$ : "LIST ANOTHER? (Y/N) Y" :: AXEPT AT (24, 24) ) VALIDATE ("NYny") SIZE (-[]) BEE P: X\$ ! 184 310 IF X\$="Y" OR X\$="y" THEN 340 ELSE IF X\$="N" OR X\$="n THEN 350 1067 320 JS="FILE NOT FOUND "!0 16 330 DISPLAY AT(10, [): 958" "&G\$ :: CALL SOUN "&J\$&" D(225, 220, e):: CAUL SOUND([,4E4,30):: FOR X=[ TO 1E3 :: NEXT X :: DISPLAY AT (10, 1):" :"" !Ø14 340 ON ERROR 110 :: CLOSE #[. :: CLOSE #] :: IF P=[ THEN ]CLOSE #\_ :: GOTO 100 FISE 10 Ø !1Ø7 350 CALL JNIT :: CALL LOAD(-

You also press Enter to abort a listing with FL2 but, if you make a boo-boo and 31804,0,36) 1054 must redo the same file for another look, : COTO 23Ø !168 22Ø OPEN #]: "D6K"&D\$&". "&F\$, FL2 'remembers' the last filename **PRBASE** options SEQUENTIAL, INTERNAL, INPUT, V entered. ARIABLE L :: DISPLAY AT(11,[ 1999 CALL CLEAR :: @=Ø :: [=1] **PRBASE** users who have the **PRBASE** ): "FILE = INTERNAL VARIABLE" :: ]=2 :: \_=3 :: \=4 :: CAL Utilities program by John Johnson, will L SCREEN(15):: CALL CHAR(128) ;L !129 230 JS="FRINTER OFF-LINE" :: (See Page 46) , RPT\$("F", 16)):: CALL COLOR(

(Continued from Page 45) find the following modifications to the PRBASE LOAD program to be of value. (PRBASE is a popular database manager written by William Warren). The modification was done by Mike Huhman and Doug Gootee of the Jackson County 99ers of Kansas City, Missouri.

It is recommended that you copy the PRBASE LOAD and PRBUTL/BAS programs to a separate disk before attempting these modifications.

1. Load the LOAD program. RESequence it so that it is numbered 100-200.

2. Add the following program lines to change the screen color and display the short menu.

171 CALL CLEAR :: FOR Z=1 TO 8 :: CALL SCREEN(5) :: CALLCOLOR(7, 16, 1):: NEXT Z172 DISPLAY AT(2,9) ERASE ALL : "PRHASE LOADER" :: CALL HCH AR(4,1,45,32) 173 DISPLAY AT(6,1): "PRESS" :: DISPLAY AT(8,3): "1. To Ioad PRBASE" :: DISPLAY AT(10, 3): "2. To Load Copy Utilitie **s**" 174 DISPLAY AT(12,3): "3. To Quit" 3. Line 175 is the one that reads the menu item selected and transfers control to the proper part of the program. The call is set to only accept keys 1, 2 or 3. 175 CALL KEY( $\emptyset$ , K, S):: IF S= $\emptyset$ THEN 175 FLSE IF K<49 OR K> 51 THEN 175 FISE DISPLAY AT ( 14,14): CHR\$(K):: ON K-48 GOT 0 178, 176, 177

OPTION BASE 1 :: ON ERROR 1 280

150 K=1 :: L=2 :: DJSPLAY AT (2,4) ERASE ALL: "PRBASE COPY UTILITIES" :: CALL HCHAR(4,1 ,45,32):: CALL HCHAR(21,1,45 ,32)

Line 100 is changed to clear the one line on which the loading message is displayed. Line 150 inserts "COPY" and adjusts the column numbers accordingly.

Test your modified programs with a scratch disk before copying them to your PRBASE disk.

## Remote joystick

This comes from TopIcs, the newsletter of the Los Angeles 99ers. It was written by Chick De Marti.

If you have an Atari 2600 game system, the remote control joysticks for the Atari and a joystick adapter for the TI, you have all you need to free your joysticks from the units are priced in the \$12-\$15 range.

### No disk name

John Willforth, writing in the Peripheral, the newsletter of the Pittsburgh TI user group, offers the following advice:

Once I accidentally missed typing in the disk name when I began to move files from one disk to another. Everything went fine until I went to print a (catalog) label. The disk couldn't be cataloged, copied or even a name added.

What could I do? Well, if you know the disk is, let's say DSDD, just get one with the same characteristics and insert it as if you were going to rename it. Do everything you are asked by the disk manager up to the point where the new name is about to be written to the disk. Then pull the disk from the drive and insert the disk that can't be cataloged and proceed. The previously unnamed disk will have a name and can then be dealt with in the usual manner.

4. Lines 176 and 177 are used to run the copy utilities or end the program, selections 2 and 3 on the menu.

176 DISPLAY AT(2,4): "FRBASE COPY UTILETIES" :: RUN "DEK1 . PREDTL/BAS"

### 177 END

5. Resequence the program again. It should now be numbered 100-270. Save the program as LOAD.

6. Load the PRBUTL/BAS program. Changes lines 100 and 150 as shown TI console.

The power supply from the Atari 2600 is plugged into the remote receiver and the two nine-pin plugs from the receiver are connected to the dual joystick adapter. Each hand-held unit requires a 9-volt battery. That's all there is to it. The remote

# Classified

## Software

SUPER EXTENDED BASIC OWNERS! Looking for something different? Want to really put some pizzazz in the old 99/4A? How about Master Menu for starters? Master Menu is designed exclusively for disk drive owners who use the Triton/MG SXB module. It is an attractive inverse video menuing system that will display up to 18 items per menu, of up to 28 characters per item. As many as 99 menus may be designed for a DS/SD disk or 50 menus for a SS/SD one. Master Menu comes complete with two separate versions for 16K or 32K owners. The MENU program includes options to delete files, catalog disks, load assembly object files (32K version only), load other menus and more. \$15.00 plus \$2 S/H. PRK DataBasics Box 2642 Grand Junction, Co. 81502 v5n3

User Notes is a column of tips and ideas designed to help readers put their computers to better use. The information provided here comes from many sources, including TI user group newsletters. MIC-ROpendium pays \$10 for any item sent in by readers that appears in this column. Mail User Notes to: MICROpendium, P.O. Box 1343, Round Rock, TX 78680.

### MORE EXCITEMENT AND UTILITY

If you are really serious about putting your computer to good use how about Personal Auditor? It's a complete home accounting system for the 99/4A owner who has any brand of Extended BASIC, 32K memory expansion, a disk drive and printer. Personal Auditor has more usable features than can affordably be listed here, but a few are: support for cash, checking and creditcard ledgers, month-to-month comparisons, Y-T-D comparisons, graphing of data, subfile creation, file merges, sorting, auditing trail creation, budget versus actual analysis for a single month or an entire year, global deletions and replacements and much, much more. Personal Auditor is the analytical tool for the serious personal finance manager. \$39.95 plus \$3 S/H. PRK DataBasics Box 2642 Grand Junction, Co. 81502 v5,n3

below.

100 CALL LINK("CHARDF"):: CA IL SCREEN(5):: DISPLAY AT(6, 1):"":: FOR A=0 TO 14 :: CA LL COLOR(A, 16, 1):: NEXT A ::

# Classified

## Software

### **GENEVE JUMPBOOT**

Boot 9640 MDOS in 4-7 seconds with this specially formatted disk. Free up RAM Disk for other programs. Developers dream — \$15.95 + \$2.00 S/H. Specify SD/DD. DISK ONLY SOFTWARE - See order info, this listing. v5n3

### SPACE STATION PHETA

Explore an abandoned space station, A challenging game of skill — \$12.95 + \$2.00 S/H — DISK ONLY SOFTWARE — See order info, this listing. v5n3

### DISK ONLY SOFTWARE

Request our Free catalog. P.O. Box 244, Lorton, VA 22079 1-800-456-9272. Visa, MC, AMEX accepted. v5n3

#### TI-99/4a SOFTWARE

## Policy

The cost of classified advertising is 25 cents per word. Classified display (i.e., special formatting or graphics) is \$9 per column inch. Classified advertisements must be paid in advance. Classified advertisers may request a category under which they would like their advertisement to appear, but the final placement decision is the responsibility of the publisher.

Classified deadlines will be kept open for as long as practical. For the purpose of classified advertising deadlines, any classified ad received later than the first day of any month cannot be assured of placement in the next edition. We will do our best to include every advertisement that is submitted in the earliest possible edition.

The publisher offers no guarantee that any advertisement will be published in any particular. issue. Any damages that result either from errors in copy or for failure to be included in any particular edition will be limited to the amount of the cost of the advertisement itself. The publisher reserves the right to reject any advertisement.

The advertiser may elect to publish the advertisement in subsequent editions at the same charge, payable prior to publication. The deadline for carryover classifieds is the same as for new advertising.

In submitting an ad, please indicate whether you would like a refund if it is not published in the requested edition or whether you would like us to hold it for the next edition. Cancellations and refunds cannot be made after the second day of the month.

Send classified advertising to: MICROpendium, P.O. Box 1343, Round Rock, TX 78680.

### Hardware

MC/VISA call 1-216-399-5463 Youngtree, P.O. Box 197, Leavittsburg, OH 44430. Price list sent with order or send \$2.00 (Refunded with first order) v5n3

## Systems

CHOLLET DR; TALLAHASSEE, FL; 32303 or 904-562-3539. v5n3

We're your direct source for TI Artist, Artist's Companion, CSGD, plus more!!! All new TI Artist enhancement software now available. Free catalog. Texaments, 53 Center Street, Patchogue, NY 11772. Call (516) 475-3480 or BBS (516) 475-6464. v5n3

#### CHECKBOOK RECONCILE \$29.95

Balance to the penny every month. Rocketman Checkbook Program. See our program review in August 1987 MI-CROpendium. California Programs, 4426 Appian Way, El Sobrante, Ca. 94803. 415-222-1626. v5n3

#### DATAX BLOW-OUT SALE

For a limited time, The BRAIN (see great review in August 1987 MICROpendium) and TI 1-2-3 word processor, spreadsheet, and typewriter integrated package, are available for \$9 each, or both for \$15. Regular price for The BRAIN is \$29.95, and for TI 1-2-3 is \$34.95. Don't miss this sale! Send payment to: DATAX, 470 12th Ave North, St. Petersburg, FL 33701. Tel: 813-894-7472. v5n3

#### **COMPLETE UCSD P-SYSTEM**

P-code card with docs Assembler/Linker disk and docs Editor/Filer/Utilities disk with docs Compiler disk and docs \$130.00 for all. Call Dave at 619-442-0157 or Tim at 619-469-9105 or write to: Southern California Computer Group P.O. Box 21181 El Cajon, CA. 92121 v5n3

### Systems

#### FOR SALE

T199/A. Navarone cart; modem; keyboard (keys); Cassette cables (2); Pwr. supplies (2); Tech manuals (4); Assembler manuals (5); Mini-memory cart.; Software is original and with docs. List on request. All for \$60.00 call Ralph days 516 234-2010 Wk. Ends 201 254-7332 **v5n3** 

## Wanted

**GRAM KRACKER** — TOP PRICES PAID Call 401-253-7469 after 7 p.m. or write Gus Sousa Jr. 19 Pleasant St. Bristol, RI 02809 v5n3

## Miscellaneous

PRINTER CONTROL & MORE "FAST AND EASY TUTOR FOR STAR NX10" (Booklet and interactive disk)-\$14.95; "HOW TO CONTROL ANY PRINTER FROM ANY COMPUTER"; Workbook—\$16.95; Plenty of hardware and software available. Send \$2 for catalog: McWARE, Dept TIM, P.O. Box 2784, Fairfax, VA 22031. v5,n3

| 99/4A P-CODE CARD WITH ALL ORIG | INAL  |
|---------------------------------|-------|
| DISKS AND MANUALS               | \$155 |
| P-CODE CARD ALONE               | \$ 90 |
| PE-BOX/RS232/32K/DRIVE/CONTLR   | \$349 |
| TI-WRITER NEW                   | \$ 29 |
| P-BOX EXTENSION CABLE           | \$ 22 |
| PARALLEL PRINTER CABLE          | \$ 15 |
| TI MULTIPLAN (NEW)              | \$ 19 |
| STAND-ALONE DISK DRIVE (NEW)    | \$ 79 |
| TI ORIGINAL 32K MEMORY CARD     | \$ 79 |
| TI ORIGINAL COLOR MONITOR       | \$149 |

## Hardware FOR SALE 32K card \$69.95, Power Supply \$9.95

FOR SALE TI99/4A with PEB, RS232, 32K, 2-SSdr, Extended BASIC, TI-Writer, accounting & other software. T199/4 included as back-up. Must sell. \$400 o.b.o. Gemini could be added if desired. 2629



### SECOND CLASS

Page 48 MICROpendium/April 1988

#### \*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*

## The LEADING monthly devoted to the TI99/4A

### **Subscription Fees**

\$20 for 12 issues via domestic second class mail \$25.25 (U.S. funds) Canadian or Mexican delivery \$23.50 (U.S. funds) for 12 issues foreign delivery via surface mail

\$37.00 (U.S. funds) for 12 issues foreign delivery via air mail

Outside U.S., pay via postal or international

### Tell us about it

Please let us what columns or features you like the most about MICROpendium. Rank your selections in order of preference using this form. Return it to us when you renew your subscription.

| 1.          |                                                                                                                                                                   |
|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 2.          |                                                                                                                                                                   |
| 3.          |                                                                                                                                                                   |
| 4.          |                                                                                                                                                                   |
| Oth         | ner suggestions:                                                                                                                                                  |
|             |                                                                                                                                                                   |
|             | <u></u>                                                                                                                                                           |
|             | یجد میں بین ہیں جب بین میں ہی میں بین ہی ہی ہی ہی ہیں جب میں میں میں میں نئی تیں تی ہی ہی ہیں جب جب جو بیب ا                                                      |
| •<br>•<br>• | Send me the next 12 issues of MICROpendium. I am<br>enclosing \$<br>a check or money order in U.S. funds. Mail to:<br>MICROpendium, P.O. Box 1343, Round Rock, TX |
|             | 78680                                                                                                                                                             |
|             | Name                                                                                                                                                              |
|             | Address                                                                                                                                                           |
|             | City                                                                                                                                                              |
|             | StateZIP                                                                                                                                                          |
| i           | he set of numbers on the left of your mailing label<br>ndicates the cover date of your last issue.<br>5,n3                                                        |

money order; personal checks from non-U.S. banks will be returned

### **Address Changes**

Subscribers who move may have the delivery of their most recent issue(s) delayed unless MICROpendium is notified six weeks in advance of address changes. Please include your old address as it appears on your mailing label when making an address change.

### **Back Issue Policy**

Back issues of MICROpendium are available to subcribers only. Those wishing back issues may notify us of the issue(s) desired and include \$2.00 per issue desired in a check or money order. No shipping charge in U.S., Canada and Mexico; Texas residents add 7.5% sales tax. For foreign delivery, add 50 cents per issue surface mail, \$2 per issue surface mail. No discounts on orders of sets. All prices U.S. funds. OUT OF STOCK: Vol 1, nos. 1-2

·