Covering the TI99/4A and the Myarc 9640





PHE 3029 BULTIPLICATION I PHIL SOGE EARLY LEARNING FUN PHIL 3003 DEGINNING GRANMAR PHM 3112 PARSEC PHN 3056 ALPINER PHN 3044 PERS. REPORT GENERATOR** PHU 3063 TI INVADERS PHIL 3194 JAWBREAKERS I

SORD SIANS CHILL PHIL 3110 CHISHOLIE TRAIL PHIL 3218 SUPER DEMON ATTACK PHM 3034 HUSTLE PHM 3035 TERMINAL EMULATOR N PHM 3052 TOMBSTONE CITY Plus \$4 ed-ditional PHM 3055 EDITOR ASSEMBLER shipping & handling PHM 3010 PHYSICAL FITNESS PHM 3146 MUNCHMOBILE

ALSO INCLUDED ARE THE FOLLOWING ARARISOFT MODULES: DEFENDER, PROTECTOR II, PICNIC PARANQIA

AN ADDITIONAL SALOO BACH ON THINK THAT THAT THE DUE TO WHAT ITTH PERSONAL ARCORD KARPING. *** DATE DAILY ARCOND BIGGIAL BECORD REPUBLIC AVAILABLE AT \$14.95



HOME ENTERTAINMENT

DISECTTE PROCRAMS

PND 5002	TI-TREE (TE-1) req. for speech)	. 95
PND 5015	Nystery Melody	35
	Oldies But Goodies 11	

DONKEY KONG

featuring Mario

195 (regular 1911)

PUBLISHER'S CLEARANCE ON BOOKS FOR THE 99/4A BUY FIVE OR MORE BOOKS FOR ONLY 99 CENTS EACH + s&h. BUY ANY AMOUNT LESS THAN 5 FOR ONLY \$1.49 EACH + s&h.

GAMES TIS PLAY THE ELEMENTARY TI COMPUTER PLAYGROUND (TI) INTRO TO ASSEMBLY LANGUAGE PROGRAMS FOR THE TI COMPUTER TI-99/4A GAME PROGRAMS STARTER PACK I STARTER PACK II GAME WRITERS PACK I GAME WRITERS PACK II ********************** SPECIAL PACKAGE AND PRICING ON Adventure **IHE ADVENTURE SERIES**

PND 5025 Set. Hight Bingo (Ex-Besic & Speech)....4.95

PHD 3007

PHT 6007

BUY FIFTEEN BISKS GET FIDE FREE CASSETTE PROCEARS DISKETTE PROCRAMS

PND 5031 Speak & Math (TE-11 req.)	Oldies -
PND 5026 Bridge Bidding L	
FRE JEJE BIJER BIERING LISSAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA	
PHD 5041 Bridge Bidding 111. SPECIALII BRIDGE BIDDING 1, 116111	

PHT 6002	TI-TREE (TELL req. for speech)
PHT 6010	Nystery Helody
PHT 4015	Oldies But Goodles 1
	Oldies But Goodise 11
	AL Oldies But Geodies 1 & 11
	Sat. Hight Bingo (Ez-Basic & Speech) 4.95
PHT 6037	Draw Poler (Ez-Beeic)

PROGRAMMING AIDS

PND 3004 Programming Aide L.L.L.L.L.L.L.L.L.

Electrical Engineering Library.....4.95

Structural Engineering Library......4.95

""SPECIAL--ALL 5 OF THE ABOVE ON DISK OR TAPE--- 17.95

CASSETTE PROGRAMS*

#see disk versions for requirements i e TE-11

		FRU 3004	- Programming Alde lassissing second second 4.95
PWT 6009	Music Skills Trainer	PHD 5005	Programming Aids 11
PHT 6010	Hystery Helody	PHD \$077	Programming Alds 1,11,111
PWT 6011	Computer Nusic Boz	PHD 5047	Beginning Basic Tutor
PHT 6018	Nerket Simulation	PHD 5074	Terr to Encode (ProBoole Encode)
PHT 6011	Speak & Math	PHD 1086	Text to Speech (Ex-Basic Speech) 4.95
PHT 6042	Spell Writer		TI Forth & menusi (Ed/Accem req.)
	Brides Biddies 1	PHD 3078	TI Forth Demo Disk (Ed/Assem)
	Bridge Bidding J	PHU 3079	TI Forth Source Code (2 disks)
	Bridge Bidding II	CASSETTE	
FRI QUAL	Bridge Bidding 111	CAJJEILE	readings
SPECIAL	BRIDGE BIDDING 1, 116111		
PNT 6020	Music Maker Demo (use with module) 4.95	PH1 6006	Programming Abds 1

MANAGEMENT AND BUSINESS

DISKETTE PROGRAMS

DIGNETIC	PROGRAMS	MATH AND ENGINEERING
PHD 5001 PHD 5003 PHD 5021		specify disk or tape with order
PHD 5022 PHD 5024	Finance Manager	Math Routine Library
PND 5027 PND 5029 PND 5038	Invoice Monagement	Electrical Engineering Library Graphing Package
	TI/Multiplan upgrade disk	Structural Facineerine Library

CASSETTE PROCRAMS

SPECIAL PACKAGE AND PRICING ON ON DISK OR THE ADVENTURE SERIES... CASSETTE (specify) THE COMPLETE SCOTT ADAMS SERIES I (ADVENTURELAND, PIRATE ISLAND, THE COUNT INPOSSIBLE, VOODOO CASTLE, STRANGE ODYSSEY, MYSTERY FUN HOUSE, PYRAMID OF DOOM, GHOST TOWN, SAVAGE ISLAND I, SAVAGE ISLAND H, AND OCLOCH VOYAGE PLUS KINGHT MOISHEART BONUS ADVENTURE





TEX COMP is proud to announce the 99/4A Adventure Editor - an all new program which allows you to write your own adventure programs -- Scott Adams move over? This disk or cassette based program allows Any existing adventure for the Adventure' command module to be edited, altered, listed, and copied from any storage medium to any other storage medium (i.e. tape to disk ur vice versa)

New adventure games can be created freely using a 'temptate' game as a start up step. These games can be conceived using the full power and capabilities of the TL Adventure, command module

The program is written for 'Mini Memory, or 'Editor Assembler, command modules (cassette or disk) and offers a full screen editor and a special easy to use, mnemonic language called A.P.L. (Adventure Program ming Language) and comes with a complete and detailed 75 page manual

TEX COMP is also organizing a new TI Adventuring Users Group which will allow low cost exchange of user written adventures between members

FOR THE TI ADVENTURE MODULE!

Available VOH From TEX-COMP

NEW LOW PRICE

Specify Mini-Memory (Cassette) or Editor Assembler (Disk) Versions TEX+COMP TERMS: All prices F.O.B. Los Angeles. For fastest service use cashiers check or money order. Personal checks take ten days to P.O. Box 33084, Granada Hills, CA 91344 clear. Add 3x shipping & handling (with a \$3 minimum). Add 4.5x eest of Niesissippi. All prices shown include a 3% cash discount. Add 3% if paying by Visa or Mastercharge. Frides and availability VISA subject to change. Include street address for UPS delivery. VISA and MASTERCARD California orders add 8.25% seles tax. Canada, Hawsif, Alaska and HOLDERS CALL DIRECT. oversees shipping extra. (818) 366-6631 ORDER BY PHONE (818) 366-6631 24 NOURS & DAY 7 Days & Week! Send \$2 for our new 1993 catalog AUTHORIJED DEALER

NIBBLERTM is the most powerful disk



Ø.

NEW LOWER PRICE!!!

95 Everything You Ever Wanted to Know inspect the innermost about Disks secrets of a with

TI-99/4A Disk **REPAIR, FIX AND EDIT!!**

Disk Editor for the TI-99/4A

The EXPLORERTM is a powerful disk editor written in assembly language allowing the user to edit a disk by individual sectors rather than by filenames. Individual bytes within any sector of a disk may be displayed and edited

Editing is handled through a full-screen editor that displays the contents of a sector on the screen and allows editing in both hexailecimal and ASCII character formats

The Explorer"

The Disk Editor may also be used to move data from one sector to another and to attemut to fin damaged disk directories and improperly closed files. Optionally, the contents of all sectors being

duplicator available for the 11-99/4A. Unlike the TI Disk Manager Module which cannot access the 32K memory expansion, this program reads as much as the memory can hold and then writes it to the new back-up disk. This means that disks can be duplicaled in one to three passes. Saves wear and tear on your drives and with a one disk drive system, it saves wear and tear on yout The NIBBLER copies most protected disks and is compatible with both TI and CorComp systems. Make your own back-ups in case of disk disaster. Full menu selection, auto format, and complete instructions on the disk in an easy to access "HELP" file. Exclusive feature allows copying of selected sectors only. Runs on Extended Basic, Editor/Assembler or Mini-

WATCH YOUR



٩

0 |

BONUS: WE ALSO INCLUDE A COPY OF TURBO THE FASTEST 99/4A DISK COPY PROGRAM FORMATS AS IT COPIES AT SUPER SPEED!



Send \$2

for our

new

viewed on the screen may be dumped to a printer, the disk drive, or any other standard peripheral

Supplied on a single dislette, the EXPLORERTM requires 32K memory expansion, one or more disk drives, and either 11 Extended BASIC, Mini-Memory, or the Editor/Assembler cartridge

EXTRA VALUE WITH EACH COPY OF THE EXPLORER®, YOU WILL ALSO RECEIVE A FREE COPY OF "HIDDEN POWERES OF THE DISK FIXER", A MANUAL THAT WILL HELP YOU USE THE FULL POWERS OF THE EXPLORER", ALSO INCLUDED IS A FREE COPY OF DISK MANAGER 1000, A FULL FEATURED DISK MANAGER PROGRAM.

**** Word processing that works 99-WRITER II TI-Writer Without The Cartridge!

Contains a menu driven assembly language program which allows the user to load and execute the TI Writer text editor, rest homaties, and utility programs, without the TI Writer carringle. 99-WRITER U Incluum an all new case-to-follow menual. Also features a custom NetroSult designed irue lowercase character set, to make TB Writter test more readable. The updated, TI Writer test editor (EDITA) and EDITA2) and rest formaties (FORMA1 and FORMA2) files are also included on the disk, making this package a complete word principling system. Requires 32K memory expansion, 1 or more aus drives and either the Estended Basic, Mini Memory-Edwor/Aurmbler carender Disk oniv \$4.95

SPECIAL!! PURCHASE 99 WRITER II & AUTO SPELL-CHECK



ST PAGE

MANUAL

INCLUDED



A complete home and family software library for the 99/4A ONLY 🍑 Plus S&H ALL 28 PROGRAMS ON DISK OR CASSETTE WITH PRINTED INST. SPECIFY DISK OR CASSETTE!!

94/4A AUTO SPELL-CHECK

TI-DO/4A AUTO SPELL-CHECK

Unsubased earling and for 73 Writer ream

Dragonstaver solutioner, shell Check scans cour-

adds words to a user dictionary. Comes with

Drives and TJ Writes or Editor: Assembler

20 YEAR word dictionary (Requires V2k Memory Expansion: Disk Commoner and Elic & Disk

4.95

THE rate for and lists questionable words, buy estir the cisi. Then spetil't here updates the trie or

(Versien 1.1)

In 1983 the DataBar Corporation developed an extensive ELSoftware obtary which they planned to distribute in bar code form in a monthly magazine which the subscribers could then load into their computer with the Oscar - a compart has code reader.

DUSINESS Save big on home office needs MANAGER YU-CAN BUSINESS

AV.CA. A COMPLETE SYSTEM FOR THE HOME OFFICE OR SMALL BUSINESS PERFECT FOR DISTRIBUTORSHIPS (I.E. AMWAY, AVON, SHAKLEE) CHURCH AND FRATERNAL ORGAIZATIONS, AND REAL ESTATE AGENTS! ALL THREE PROGRAMS AT ONE SUPER LOW PRICE ... ONLY \$7.95+s&H.

Mail List

Order Entry & Invoicing

The Point of Sale subprogram will generate a printed invoice for you immediately after entering all order and customer data, or use the Batch Entry option when you require a permanent disk record of your invoices Entry option will work with the inventory Control program to keep your inventory up to date and eutometically print out back ordered sems on your invoices

This program stores up to 1,000 names and addresses Adding, deleting or changing telings is a simple test, and you can design your own formal for printing labers. You can also search hats and generale labels and/or reports from any one of nine different helds The program will work with Order Entry & involcing to update your list when being out to new customers. 32K memory and addtional driver are optional. Required Extended BASIC RS232, printer

Inventory Control This program will engible you to keep trac if up to 1,000 items. Once stored on disk ioms can be located by record numbe mock number or description, and displayed

or primited out for your review NEW LOWER PRICE!!!



This unique collection of programs work ogether to other you tremendous versatility



SHAREWARE DISKS COMPLETE WITH ALL ORIGINAL DOCUMENTATION AND THE BONUS "PRINT PACK" DISK WITH BANNER & SIGN MAKING UTILITIES.

NTMAC is a comprehensive graphics program for the TI-W-4A computer which alkows you to easily place "dots" on the screen in any posrest and in a choice of theorem. You can prior test ANYWHERE, even on top of earling test? You can prior test sideways, upside down, it morror image in 16 colors and a multitude of other ways. But BITMAC text is only a small part of this unique program. Other features of BIT MAC will also you to do things like SIGN your name, make period circles ANYWHERE. Jraw lines from any point of the partern to any wher owner make prefer recisingles in EXACTLY the powersin visu want them and much much

to changes in market conditions. DataBar has discontinued its home computer division and Tax Comp has brught out their entire When of EL 99 4A Sultiware on dich & casseli

Tex Comp now makes this extensive library of over 28 assorted programs with complete printed instructions and documentation available on Converte or disk (PLEASE SPECIFY)

These professionally prepared programs include education entertainment, personal enrichment, first aid. Imance and law

TITLES INCLUDE

Masch - Find the pairs of numbers hidden behind the computers doors	Amulet - Search the cavernous building to find the precious Amulet	Code Master - Discover the server code
Four-In A-Non Be the first to make a row- of Inur	Caterpillar Climb - Solve addition proh- lems to move your caterpillar over the wall	Room to Move - Unscientist the latiest with
Pachial - A race to the bosh line	Financial Quis-Check the pulse of your	wise moves NPV – Net Profit Value
ROI - Return On Investment	IRR - Internal Rate of Return	Reveal Restart Carta and
Leen Amortization - How much principal and interest will you pay on a loan?	Moth Challenge 1 - Pit your mathematical skills against the computer or a fixend	Peyboch Period - Payhack Period Belleon Dorte - Build your skills with har
Spetter – A Spelling and Typing Tutor and a game of memory	Star Count - Use look skills to spring open a box of shining stats	tions as you aim and fee your dart. States 'N' Capitale - Can you name more
Alphabet House - Build your own house with your alphabet skills	Health Assessment - How are what current	Cepital cities than your opponent? Firel Aid - Butne - How should you rearran
Running Planner - How republy should you increase the distances you run?	health practices affecting your ble expectancy? The Law and You - A look at how laws affect your daily activities	Friengte Selettens - This makes math
Word Habits-Keep reading and writing habits up with current demands	Spendreading - Train your eyes to take in more words per second	Mendly for your grants at applications. Semicance: Twote - Practice: breaking, down
•	an in Manie - Farm the choice of the	TENTER TO THE AND THE ASSENTIAL EXAMPLES

Attention Hobbylats & Godget Lovers: Tex Comp has a limited supply of brand new Oscar DataBar readers in factory sealed cartons (complete with cable for the TI 99/4A) & packs of assorted bar code software Complete package. No Warranties \$2.95 when purchased logether with the above offer - Cannot be



MAILING



ONLY

This program enables your TI-99/4A Home Computer to maintain a name and address data base of as many as 32767 names (dependent on your disk system), with full control of each name including adding, changing, and deleting names. Other capabilties include:

* Category and Group Assignment

* Printing of a master mailing list, labels and envelopes for all names or selected names

* Comprehensive name selection and sub-selection by all types of information stored on each name

* Built in TI-WRITER interface

* Complete File management capabilities including the ability to merge two mailing list files into one * Assembly Language speed Whatever your mailing list needs or desires may be, the AMA Meiling List program will provide you with the computerized tool to accomplish the task quickly and efficiently.

BITMAC has promisions for trackballs, preservice and even a woond computer input 'if you have a second computer such as en IBM PL, an Ap or Macintosh own an IBM 570 main frame there are provisions for your second computer to create graphics with BETMAC

BITMAC can make "slide presentations" for group meetings (and print the graphics"), give foours of "just decidling" pleasant, create charts for report, prior camera ready art for business acts, maan still cartinin sequences land print them in one of two sizes), create

NTMAC, with a vectered computer, can plot substitle data, statistical data computer generated an plots, analog sampled data and sum about anothing your second computer can three at BITMAL

BITMAC oters BOOLEAN dise input your rise NASA enhances photon I and a wealth of computer enhancement techniques that lend caw mover to mail absiry to manipulate hitmapped graphs (

Fully comparible with both TI and CurComp Date Controller Cards NOTE: Compatible only with Epion. Star or other fully Epion.

BITMAC offers som input that allows you to point at the functions was water. Not notice was spared in making BITMAG was and simple to use

We're about to change the way ANTHROUGH you look at your computer

WITH THE NEW NMG COLOR TELEVISION VIDEO INTERFACE FOR YOUR TI 99/4A

NOW YOU CAN ENJOY THE VIVID & CLEAR COLOR SCREEN DISPLAYS ON YOUR COLOR TELEVISION THAT HAVE ONLY BEEN OBTAINABLE ON A COLOR MONITOR. NOW YOU CAN GET THAT MONITOR SHARP PICTURE ON YOUR TELEVISION SET WITH THE NON VIDEO INTERFACE SYSTEM.

UNLIKE THE ORIGINAL TI RE MODULATOR SUPPLIED WITH YOUR COM-PUTER, THIS NEW ELECTRONIC UNIT NOT ONLY CONVERTS YOUR CON-PUTER DISPLAY TO CHANNEL 5 OR 4, BUT ALSO PROCESSES, AMPLI-FIES AND ENHANCES IT TO GIVE YOUR COMPUTER VIDEO TRUE MON-ITOR QUALITY, THE SYSTEM COMES COMPLETE WITH ALL CABLES AND A BUILT-IN AC POWER SUPPLY. WORKS WITH ANY COLOR TV SET. THIS IS AN UPGRADE WHICH PRODUCES RESULTS THAT YOU CAN SEE!

THE NEW VIDEO INTERFACE ALSO WORKS GREAT WITH OTHER HOME COMPUTERS, VIDEO_GAMES, CAM-CORDERS, AND VCR UNITS. COMES COMPLETE WITH A 99/4A NONITOR CABLE, A SHIELDED CABLE AND EASY TO FOLLOW HOOK-UP INSTRUCTIONS.

> <u>× × × × × × × × × × × × × × ×</u> ********

NEW LOW PRICE

\$**34**⁹⁵

By special arrangement with Texas Instruments, TEX-COMP is now





TI-FORTH publishing the complete TI-Forth with documentation. This YERSIDE programming language is very tast in execution, and is much ensier to pro-ONLY \$12.95 MUL SAH REQUIRES EDITORIASSEMBLER

gram than assembly language. TI-Forth can be used for councless applicarions, including business, arcade-cype games, and music. Forch is becoming a favorite language of programmers of many home and personal computers, and a national interest group is in operation"

FORTH DEMO DISK: THIS DISK CONTAINS & VAST ASSORTMENT OF FORTH TUTOR: A GREAT FREEWAGE DISK THAT TEACHES YOU FORTMANN. \$4.95

TERMS All privas F.O.B. Les Angalas for fastest service una cashiers shock or monoy order. Pursonal shocks take tan days to elenr. Add 3% shipping & bandling (with a \$3 simious) Add 4 \$5 east of Hississippi. All prises shows include a 3% each discount Add 35 if paying by Vies or Masterohargs. Prices and availability subject to obenge. Include street address for UPS delivery California orders add 0.265 seles tax Canada, Nevali, Alaska and eversess shipping extre

(818) 366-6631 ORDER BY PHONE 24 NOURS A DAY 7 Days a Weak!





TEX+COMP

Page 4 MICROpendium/February 1993

Contents

MICROpendium

MICROpendium (ISSN 10432299) is published monthly for \$25 per year by Burns-Koloen Communications Inc., 16606 Terrace Dr., Austin, TX 78728-1156. Second-class postage paid at Austin, Texas, and additional mailing offices. POSTMASTER: Send address changes to MICROpendium, P.O. Box 1343, Round Rock, TX 78680-1343. No information published in the pages of MICROpendium may be used without permission of the publisher, Burns-Koloen Communications Inc. Only computer user groups that have exchange agreements with MICROpendium may excerpt articles appearing in MICROpendium without prior approval. While all efforts are directed at providing factual and true information in published articles, the publisher cannot accept responsibility for errors that appear in advertising or text appearing in MICROpendium. The inclusion of brand names in text does not constitute an endorsement of any product by the publisher. Statements published by MI-CROpendium which reflect erroneously on individuals, products or companies will be corrected upon contacting the publisher. Unless the author specifies, letters will be treated as unconditionally assigned for publication, copyright purposes and use in any other publication or brochure and are subject to MICROpendium's unrestricted right to edit and comment. Display advertising deadlines and rates are available upon request. All correspondence should be mailed to MICROpendium at P.O. Box 1343, Round Rock, TX 78680. We cannot take responsibility for unsolicited manuscripts but will give consideration to anything sent to the above address. Manuscripts will be returned only if a self-addressed stamped envelope is included. Foreign subscriptions are \$30.25 (Mexico); \$32.50 (Canada); \$30.00, surface mail to other countries; \$42 airmail to other countries. All editions of MICROpendium are mailed from the Round Rock (Texas) Post Office. Mailing address: P.O. Box 1343, Round Rock TX 78680 Telephone: (512) 255-1512 CompuServe: 75156,3270 Delphi TI NET: MICROPENDIUM GEnie: J.Koloen John Koloen.....Publisher Laura Burns.....Editor

Regena on BASIC Page 8 Word problems in algebra Page 8 The Art of Assembly Page 11 The sounds of the TI Page 11 TI Sweeper A game from Lucie Dorais of Ottawa Page 14

SCSI card

End of February new date for hardware item Page 16

1992 MICROpendium index

Extended BASIC (plus)

Reviews

Newsbytes

Fourth Orphan Reunion moves north, Font Dumper by Harrison,

and an 80-column editor for Funnelweb Page 25

Trials of a c99 beginner

Quick sort with random access files Page 26

User Notes

Classified Page 31

Depa	rtments
Bugs and Bytes	Feedback Page 6
Comments Page 5	Reader to Reader Page 29
Fairs	System of the monthPage 16

*READ THIS Here are some tips to help you when entering programs from MICROpendium: 1. All BASIC and Extended BASIC programs are run through Checksum, the numbers that follow exclamation points at the end of each program line. Do not enter these numbers or exclamation points. Checksum was published in the October 1987 edition. 2. Long XBASIC lines are entered by inputting until the screen stops accepting characters, pressing Enter, pressing FCTN REDO, cursoring to the end of the line and continuing input.

Lomments

When a virus isn't a virus

Last month's virus scare is this month's sigh of relief. A number of TI users called and wrote to explain the problem that was described in last month's issue as a virus was really a problem with the Horizon RAMdisk. Here's the explanation from Allen Rogers, of Clearwater, Florida:

"The problem Bill Gaskill encountered is in the hardware of his Horizon RAMdisk and, in my letter to him, I advised that he contact Bud Mills, of Horizon Computer, who would probably fix it for him gratis.

that I had this problem. Finally, one of them suggested that I call Bud Mills. I did that and he knew right away what the problem was. He told me to send the HRD card to him and he would fix it and return it.

"It seems that what makes it appear to be a virus is the unfortunate choice of the "!I GOTCHA!" in one of the messages in the ROS (RAMdisk Operating System) software. However, the problem is generated by the HRD hardware and must be fixed before it is safe to keep it in the system. Using the system without repairing the HRD could destroy more disks."

"You see, about two years ago I alarmed several members of the Cin-Day user group (to which I also belong) by telling them

BUGS & BYTES

Talking of Michelangelo ...

Apropos of the recent discussion of the TI "virus," Jerry Price of Tex-Comp recalls that company getting a lot of inquiries about last year's Michelangelo scare. He says they finally sent out a lot of postcards explaining that TI software was safe from Michelangelo.

There's not much danger of a TI virus, he says, noting that disks Tex-Comp sends out are tested and "virus-free."

Hands across the sea?

I've also been told that the !I GOTCHA! message was programmed into the Horizon ROS by Gary Bowser of OPA. Bowser has said that "I thought I had gotten rid of that thing."

So, in any case, TI users can breath a little more easily. I'm sorry if I may have alarmed anyone by printing the virus article last month, but at the time I thought it was better to get the information out just in case it proved to be as infectious as computer viruses in the PC/Mac worlds. The fact that it turned out not to be a virus is, in my opinion, very good news indeed.

CHARLES KIRKWOOD RETIRES COLUMN

Charles Kirkwood Jr. has written his last c99 column for MI-CROpendium. Charles has written his column for several years, which he modestly titled Trials of a c99 Beginner. Many readers were introduced to c99 by Charles and he has corresponded with a

Several individuals have written to us about a Rumanian TI user who wants software. We have seen his request in a number of users group letters, and it was printed in the Orange County Register where it was seen by TI personnel, who sent him some cartridges. Also, we have received a form letter from him a couple of times ourselves.

We have received similar requests from users in the United States, however, and have sent them back as inappropriate. We want to have consistent policies.

number of them, from as far away as Germany. Thanks, Charles. **STARTING OUT TENTH YEAR**

It's hard to believe, but MICROpendium is starting its tenth year with this edition. I had no idea back in 1984 that we would be around this long. I am flabbergasted just to think about it. Of course, it's all your fault. If it hadn't been for the incredible loyalty of our readers, we would have gone south long ago. Thanks to all of you as we start our tenth year. I hope we continue to deserve your support in the years to come.

-JK



APRIL Northeast TI Fair, April 17, Waltham High School, Waltham, Massachusetts. Contact Ron Williams, 14 East St., Avon, MA 72322. Canadian TI Fest, April 24, Merivale High School, Nepean, Ontario, Canada. Contact Bill Gard, 3489 Paul Anka Dr., Ottawa, Ontario, Canada KIV 9K6 or (613) 523-9396 or Fax (819) 997-2194 Attn: DMES 2.

Fourth Annual TI Orphans Reunion, May 15, Zurich Insurance Claims Centre, 9715 Ottewell Rd., Edmonton, Alberta, Canada. Contact Ron Hohman, (403) 456-0862.

This T1 event listing is a permanent feature of MICROpendium. User groups and others planning events for TI/Geneve users may send information for inclusion in this standing column. Send information to MI-CROpendium Fairs, P.O. Box 1343, Round Rock, TX 78680.

Page 6 MICROpendium/February 1993

Feedback

Two-computer family

I do not understand a lot of the computer terms in the MICROpendium — but I want to continue support of your continued information on the antique TI99/4A.

My husband wanted me to give my TI99/4A to our son when he brought home his IBM, but I have too much invested to just give it away — even to a son — so it's His and Her computers.

knowledge level or need level I don't much more than scan them. The same goes for "File Conversions" (December 1992). I understand the people who write these articles are good people and work hard to do these articles, but more pages to get that information will be of no value to users like me. I have purchased several software programs and updated versions over the last six years (three last year), but I assume

new hardware and software is coming out. Our local group, I'm sorry to say, has dwindled down to four members; three of us have Geneves, the fourth mostly uses a PC, but his children use the 99/4A and, darn it, we have been friends since 1983, and we still meet twice a month.

I realize that members of large groups and those with modems can easily keep up with what's going on, but how about those who don't but still are users of the Good Old Girl and many the newer kid on the block. I have no interest in a modem, but I still want to know what's going on. I have been helping a young man in North Carolina who has just a bare bones 99/4A system who is eager to learn what it's all about and obtain programs etc. He has joined the Lima Group, so I have been hearing less from him after I suggested that he contact them.

Wanda Clark Austin, Texas

Exercise in nostalgia

I am finally getting around to responding to your request for comments on raising the price of MICROpendium

I have found the journal extremely interesting and valuable over the past decade, but as I have stabilized my usage of the TI99/4A the amount of new information which I find useful has decreased and I find myself continuing my subscription as an exercise in nostalgia. I might drop my subscription anyway when it comes time for renewal or, if the price is not increased, I might continue for another year.

there will be a parting of the ways when the magazine is increased in size and price. Thank you for allowing me to voice my opinion.

Harold Armstrong Elizabethtown, Kentucky

TI still cares

Recently, I sent a letter to Texas Instruments asking about the availability of some schematics for the P-Box cards and cartridge GROMs. Imagine my surprise when 10 days later a packet arrived instead of a letter. Inside were the materials that I had asked about --- including an Editor/Assembler GROM chip (which I put to immediate use!). This would indicate that perhaps many other cartridge GROMs are still to be had from TI. They are a trusting lot and send along an invoice with your order. The shipping charges are nominal - \$1 for shipping and handling and Texas state tax. I would encourage anyone who wants to place an order with TI to do so and pay the account as soon as possible. It is difficult to find a company that still supports a product 10 years after it has ceased production. Don't ruin a good thing! Here is the address for those of you who are interested in parts and schematics for your TI: Texas Instruments Inc., P.O. Box 53, Lubbock, TX 79408-0053. Incidentally, the toll-free phone number, 1-800-TI-CARES, is still listed on the letterhead.

Ed Hintermeier Macon, Georgia

Accuracy counts

I enjoy MICROpendium a great deal, even though I have been a nitpicker at times! I would gladly pay more for a beefed up publication if you decide to do this. As support for the TI withers, however, I wonder where you would get the material. I have one little tidbit that might help. That is the accuracy program you published in the July 1984 issue. I entered it in "qBASIC" on my cousin's 386DX computer. As a result, I still have not yet purchased a PC. I use BASIC and XB a great deal, and I like science problems. This accuracy becomes quite important if you do astronomy problems. I'm wondering if these PC BASICs have not been rewritten since the days of the XT.

Kenneth J. Arnold Chatham, Massachusetts

Doesn't want more

I just wanted to reply to your Comments column of October 1992 on 32 pages vs. 40 pages. I am quite pleased with the magazine (MICROpendium) I am receiving now. To receive additional pages and have a subscription increase are of no interest to me or to other subscribers in a similar situation.

Let me describe my setup and situation briefly — I have two complete TI99/4A set-ups: consoles, expansion boxes nearly filled, most game modules, printers, Cor-Comp managers and enhancements. But when I receive the magazine I normally read through the Feedback column and Comments column, then look for new hardware or software to purchase (when I am looking for software), then lay it aside. Columns such as "The Art of Assembly Language — Part 18" are so far above my

Owen L. Mayer Hoffman Estates, Illinois

Bob Carmany Greensboro, North Carolina

Still loyal

I would be happy to pay an increased subscription rate, if for no other reason than to know what is going on and what OS99's power lies in extendability

We would like to add to the review of

OS99 that appeared in May 1992. As men-

tioned, it is an Editor/Assembler simula



Feedbach

(Continued from Page 6) tor. It provides all the E/A functions as two-letter commands: ED-Edit, LO=Load, SA=Save, etc. What was alluded to, but not made clear, was its extendibility. Since this is one of the main features of OS99 we would like to expand on the point.

Having the E/A functions available as two-letter commands requires that these commands be recognized by OS99 and appropriate action taken. These commands are internal to OS99. Extendibility occurs because of what happens if a command (of any length) is not recognized as an internal command. In such cases it is assumed to be the name of a program-image file on the default device. This file is looked for and, if found, loaded and run. Effectively, E/A option 5 programs are OS99 commands with the command being the name of the file. Since such programs are outside of OS99 their functionality is completely up Their author; they are external commands.

see Newsbytes this issue - Ed.

Drives 1 and 2

In response to your printing my remarks about 3.5-inch drives in your January issue being used only as Drives 1 and 2, this is correct, but let me explain further. All 5.25-inch drives that I have seen have had jumpers on the back side of the drive for four positions. All disk controllers I have seen have been able to control four drives in positions 1, 2, 3 and 4. When the industry came out with the 3.5inch drive, most of IBM and their clones had gone to two drives, one 5.25-inch high density and one 3.5-inch high density drive. This meant a need for only two drives and the industry went to two jumpers on the 3.5-inch drives. Therefore, you can use the 3.5-inch drives only in positions 1 and 2. The only exception, to my knowledge, is as follows: those that have a Myarc HFDC (hard and floppy disk controller) can use four 3.5-inch drives if another controller is used along with the HFDC. I am using a Cor-Comp controller to control drives 1 through 4 (TEAC 5.25inch DS/DD) and with the HFDC I am using two 3.5-inch drives in positions 1 and 2 on this controller and two 5.25-inch 720K drives in positions 3 and 4. I could use four 3.5-inch drives if I place two drives in positions 1 and 2 of the Cor-Comp controller (formatted as 360K) and two in positions 1 and 2 of the HFDC controller (formatted at 720K). As the 3.5-inch drives have only two jumpers, you cannot jumper them to positions 3 and 4 (no jumpers for these positions). I hope that this will clear up the misunderstanding about the difference in the 3.5-inch and 5.25-inch drives besides the size of the drives and the amount of sectors that they will format at.

page 28 in January I read where you can use only two 3.5-inch drives.

Let me throw some light on the subject. The drive manufacturers produce different ways for interfacing their particular hardware to the systems.

The majority of computers today have only two disk drives. Therefore, some manufacturers have a switch with 1,2,3,4 on the side of the drive. Some have a select strap to place across the pins (D0,D1,D2,D3) of the drive you wish. There are other methods, but we will take a simple route.

This feature has been taken a step further. Some OS99 parameters and the command line itself are made available. Access to these parameters allows userwritten programs to determine their activity from the same line that invoked them. An example of this is the external command LD (List Directory) which is part of the OS99 package. This command is no more than an image program on the default device with the name of LD. The first thing LD does is look at the command line that invoked it to determine which disk to list the directory of; it expects a number. Operating in CPU RAM instead of GROM, external commands execute faster than internal commands. They also have complete access to the system's resources. V.3 required the user to obtain



3.5 DRIVE ADAPTER CONVERTED TO DRIVE 3



Richard C. Arthur Jr. the desired parameters from GROM toload feature of XBASIC without having Tallahassee, Florida and/or VDP memory. V.4 places them in to copy the disk to a different sized disk. PADD for the user to access directly this DSK2 can be a 3.5-inch drive without More on drives ⁽⁷) uplifies the program interface considermodification by setting the jumper to D1 ably. I wrote an article about 3.5-inch drives or setting switch to 2. **Guy Neubert** for our Brea Users Group newsletter and Kirkland, Washington it was printed in your December issue. For more on the release of OS99 V.4, Thanks for publishing the article Now on

Now comes the big problem!

Some of the newer floppy drives are set up with only two positions (DSK1 or DSK2). THis seems to confine the use of 3.5-inch drives to allow only two per setup. Wrong!

The normal setup would be for DSK1 to be a 5.25-inch floppy, as this will allow you to purchase disks and run them as received. It also allows you to use the au-

If you use the above configuration, then you will have to modify the cable or (See Page 28)

Page 8 MICROpendium/February 1993

BASIC

Word problems in algebra

By REGENA

I have been substitute teaching mathematics in secondary schools, tutoring and teaching a university class in intermediate algebra. Many students see a word problem (story problem, application problem, verbal problem) and gasp, "Oh, no! Word problems!" and won't even try to solve it.

are. The fifth problem uses two boxes of different weights. If the total weight is given, the student tells how many of each type of box is on the truck. The sixth problem is a salary and commission problem with two different commissions.

The seventh and eighth problems are distance problems (distance = rate x time). The ninth problem is another rate problem with working at two different rates. The tenth problem is selling tickets at two different prices.

The practical application of algebra, however, comes in the form of word problems, and they do not have to be difficult. In fact, most people have been solving similar arithmetic problems since they were five years old. Real life situations present algebra problems; we just don't always write equations and solve for "x."

This program for the TI writes typical algebra word problems for the student to solve and get practice. These problems use only first degree equations (no x-squared) with one variable. The student should have paper and pencil handy to solve the problem, then enter the answer. The computer will either give a "correct" response or will print the correct answer.

How do you solve a word problem? First read through the entire problem to see what is asked. Next read the problem again and start setting up the unknowns. Draw a picture if applicable. When the unknowns are identified and defined, set up the basic equation. Start at the beginning and read the problem again to see if the equation really does match the problem. Solve the equation. Using the solution, answer the question asked in the problem. (Sometimes you can solve for "x" but the answer may not be the "x" solution.) Make sure you have the correct units. If the equation had any minus signs, recheck your arithmetic to make sure all the signs are correct. Read the problem once more to see if the answer makes sense. Finally, check the answer. This computer program uses random names and numbers in 10 basic algebra problems. The first problem is that one number is more than or less than a multiple of the second number. Their sum is given, and the student needs to find the two numbers. The second problem involves the perimeter of a rectangle with the length a multiple of the width.

Lines 140 and 150 define functions for the random numbers. R(N) is a random number from 1 to N. R5 is a random number from 1 to 5. Lines 220-260 use DATA statements to define five possible situations for the problems. G\$ and B\$ are the girl and boy names, N\$ is the written number, NN\$ is the written ordinal number and U\$ is units.

Lines 310-350 go through the 10 problems using subroutines. After the 10 problems, Lines 360-410 offer the option to do 10 more problems or end the program. Lines 420-460 are a subroutine to press Enter to continue. Lines 470-510 are a subroutine to convert a number to money notation in a string variable. The re \widehat{M} of the program contains the subroutine for each type of problem. You can adapt this program to print review pages or quizzes (a different one for each student if you wish). After each PRINT

The third problem is the sum of three or four consecutive, consecutive even or consecutive odd integers (whole numbers). The fourth problem gives a total amount of money and the student needs to tell how many nickels, dimes and quarters there

statement in the program that prints the problem, put in a PRINT statement for the printer (adjusting for margins). Change the names of all the answers so after all the questions are printed you can print all the answers on a separate sheet for an answer key.

You may change these problems by changing a particular subroutine, or you may add more problems. Of course you may also put different names in the DATA statements for the boys and the girls. If you use longer names, be sure to check the printing to see how it comes out on our 28-character screen.

You may also wish to print the equation on the screen when you print the correct answers. Convert numbers to strings so the equation can be printed without extra spaces.

If you wish to save typing effort, you may have a copy of this program by sending \$4 to REGENA, 918 Cedar Knolls West, Cedar City, UT 84720. Be sure to specify that you need "Word Problems" for the TI and whether you need cassette or diskette.

WORD PROBLEMS

100 REM WORD PROBLEMS !186 110 REM FIRST-DEGREE EQUATIO NS !052 120 REM BY REGENA !071 130 DIM G\$(5),B\$(5),N\$(5),U\$ (5),NN\$(5),ANS(4)!232

150 DEF R5=R(5)!139 160 CALL CLEAR !209 170 PRINT TAB(7); *** ALGEBRA **" !099 180 ML\$(1)="MORE" !224 190 ML\$(2)="LESS" !229 140 DEF R(N)=INT(N*RND+1)!05 200 PRINT : : FIRST-DEGREE EQUATIONS" !095

210 PRINT : :TAB(7); "WORD PR OBLEMS": : : :!139 220 FOR J=1 TO 5 !061 230 READ G\$(J), B\$(J), N\$(J), MN\$(J), U\$(J)!114240 NEXT J !224 250 DATA CHERY, RICK, ONE, FIRS (See Page 9)



(Continued from Page 8) T, INCHES, CINDY, BOB, TWO, SECON D, FEET, ANGIE, RANDY, THREE, THI RD, METERS !236 260 DATA KATHY, BRETT, FOUR, FO URTH, KM, JODIE, KELBY, FIVE, FIF TH, MILES !129 270 PRINT "THERE WILL BE TEN PROBLEMS." !174 280 PRINT : : "PRESS <ENTER> TO START." !040 290 CALL KEY(3,K,S)!190 300 IF K<>13 THEN 290 !024 310 FOR J=1 TO 10 !106 320 RANDOMIZE !149 330 CALL CLEAR !209 340 ON J GOSUB 530,760,950,1 290,1550,1740,1960,2120,2280 ,2490 !255 350 NEXT J !224 360 PRINT "CHOOSE:" !101 370 PRINT "1 TEN MORE PROBL EMS" !166 380 PRINT "2 END PROGRAM" ! 12 **390** CALL KEY(3,K,S)!190 **4**00 IF K=50 THEN 2710 !213 410 IF K=49 THEN 310 ELSE 39

ML\$(ML); " THAN ";N\$(T); " TIM $1000 \text{ SUM}=\text{SUM}+\text{A}+\text{ST}^*(JJ-1)!146$ ES ANOTHER. ";!183 1010 NEXT JJ !042 630 PRINT "IF THEIR SUM IS"; 1020 W\$="" !000 SUM; "WHAT ARE THE NUMBERS?": 1030 IF ST<2 THEN 1070 !144 :!185 1040 W\$="EVEN " !083 640 INPUT "ONE NUMBER IS ":A 1050 IF A/2=INT(A/2)THEN 107 NS1 !214 0 !041 650 INPUT "THE OTHER NUMBER 1060 W\$="ODD " !251 IS ":ANS2 !126 1070 PRINT "THE SUM OF ";N\$(660 IF ANS1=X THEN 690 !218 NU); " CONSECUTIVE" !094 670 IF ANS1<>X2 THEN 700 !21 1080 PRINT W\$; "INTEGERS IS"; 5 SUM !099 680 IF ANS2=X THEN 720 ELSE 1090 PRINT "WHAT ARE THE NUM 700 !001 BERS?": :!138 690 IF ANS2=X2 THEN 720 !043 1100 FOR JJ=1 TO NU !044 700 PRINT : : "THE CORRECT NU 1110 PRINT NN\$(JJ);" NUMBER" MBERS ARE":X; "AND";X2 !199 ;!124 710 GOTO 730 !043 1120 INPUT ANS(JJ)!117 720 PRINT : : "CORRECT." !021 1130 NEXT JJ !042 730 GOSUB 420 !245 1140 IF ANS(1) <> A THEN 1200 740 RETURN !136 !186 750 REM RECTANGLE !111 1150 FOR JJ=2 TO NU !045 760 W=R5+5 !091 1160 IF ANS(JJ) <>A+ST*(JJ-1)770 T=R(4)+1 137 THEN 1200 !060 780 L=W*T !120 790 P=W+L+W+L !151 1170 NEXT JJ !042 800 U=R5 !154 1180 PRINT : "CORRECT." !096 810 PRINT "THE LENGTH OF A R 1190 GOTO 1260 !063 ECTANGLE IS";N\$(T);" TIMES T 1200 PRINT : "THE CORRECT NUM BERS ARE" !118 HE WIDTH." !173 1210 AA=A !129 820 PRINT "THE PERIMETER IS" 1220 FOR JJ=1 TO NU !044 ; P; U\$(U); ".": "WHAT ARE THE D 1230 PRINT AA !030 IMENSIONS OF THE RECTANGLE? 1240 AA=AA+ST !042 " !048 1250 NEXT JJ !042 830 PRINT : "WIDTH IN ";U\$(U) 1260 GOSUB 420 !245 ; ! 027 1270 RETURN !136 840 INPUT ANS1 !165 480 RT\$=SEG\$(M\$,LEN(M\$)-1,2) 850 PRINT :"LENGTH IN ";U\$(U 1280 REM COINS !086 1290 NIC=R(9)+1 !020);!094 1300 T=R(4)+1 !137860 INPUT ANS2 !166 870 IF ANS1<>W THEN 910 !119 1310 A=R(4)+1 !118 1320 DI=T*NIC !060 880 IF ANS2<>L THEN 910 !109 1330 QU=NIC+A !064 890 PRINT : "CORRECT." !096 1340 SUM=5*NIC+10*DI+25*QU ! 900 GOTO 920 !234 229 910 PRINT : "THE CORRECT DIME NSIONS ARE":W;U\$(U);" BY";L; 1350 MONEY = SUM !059U\$(U)!121 1360 GOSUB 470 1039 920 GOSUB 420 !245 // 1370 PRINT G\$(R5);" HAS ";N\$ 930 RETURN !136 (T);" TIMES MORE" !249 940 REM CONSECUTIVE !034 1380 PRINT "DIMES THAN SHE H AS NICKELS." !142 1390 PRINT "SHE HAS"; A; "MORE 960 ST=R(2)!031 970 A=R(20)+10 !214 QUARTERS" !141 1400 PRINT "THAN NICKELS. I 980 SUM=A !244 (See Page 10) 990 FOR JJ=2 TO NU !045

```
0 1069
420 PRINT : : "PRESS <ENTER>
TO CONTINUE." !002
430 CALL KEY(3,K,S)!190
440 IF K<>13 THEN 430 !164
450 CALL CLEAR !209
460 RETURN !136
470 M$=STR$(MONEY)!255
!014
490 LT$=SEG$(M$,1,LEN(M$)-2)
1008
500 MONEY$="$"&LT$&"."&RT$ !
002
510 RETURN !136
520 REM TWO NUMBERS !016
530 A=R5 !134
540 X=R5 !157
```

i

;

550 T=R(4)+1 !137560 ML=R(2)!017 570 X2=A+T*X !185 780 IF ML<2 THEN 600 !170 950 NU=R(2)+2 !215</pre> 590 X2=T*X-A !186 600 IF X=X2 THEN 530 !177 610 SUM=X+X2 !086 620 PRINT "ONE NUMBER IS";A;

REGENA ON BASIC—

(Continued from Page 9) F SHE HAS" !201 1410 PRINT MONEYS;", HOW MAN Y OF EACH": "TYPE OF COIN DOE S SHE HAVE?": :!089 1420 INPUT "NICKELS ":ANS1 1115 1430 INPUT "DIMES ":ANS2 1029 INPUT "QUARTERS ":ANS3 1440 195 1450 IF ANS1<>NIC THEN 1500 1074 1460 IF ANS2<>DI THEN 1500 ! 254 1470 IF ANS3<>QU THEN 1500 ! 024 1480 PRINT : "CORRECT. " 1096 1490 GOTO 1520 !068 1500 PRINT : "THE CORRECT NUM BER OF COINS:" !187 1510 PRINT NIC; "NICKELS":DI; "DIMES":QU; "QUARTERS" !138 1520 GOSUB 420 !245 1530 RETURN !136 1540 REM BOXES !091 1550 BB = (R(4) + 1) * 10 ! 0201560 B1=R(BB/2)+4 !2411570 B2=BB-B1 !235 1580 SUM=20*B1+25*B2 !062 A LOAD OF" !229 1600 PRINT STR\$(BB); BOXES; SOME ARE 20-LB." !141 1610 PRINT "BOXES AND THE RE ST ARE 25-LBBOXES. IF THE T OTAL WEIGHT OF ALL BOXES IS" ;SUM; "POUNDS, " !253 1620 PRINT "HOW MANY OF EACH TYPE ARE ONTHE TRUCK?": :!2 52 1630 INPUT "20-LB BOXES: ":A NS1 !070 1640 INPUT "25-LB BOXES: ":A 1990 T=3+R5 !086 NS2 !076

1710 GOSUB 420 !245 1720 RETURN !136 1730 REM SALES !082 1740 B = R5 ! 135 $1750 \text{ SAL}=10 \times R(4) + 50 ! 056$ 1760 C1=R5 !185 1770 C2=R5 !186 1780 IF C2=C1 THEN 1770 !148 1790 CC = 10 * R(3) + 10 ! 2171800 CC1=R(CC-3)+1 !0511810 CC2 = CC - CC1 ! 1171820 SUM=SAL+C1*CC1+C2*CC2 ! 243 1830 PRINT B\$(B); " WORKS PAR T-TIME AT": "A STORE. HE EAR NS A SALARY OF \$"; SAL; "PER W EEK, PLUS" !161 1840 PRINT "A COMMISSION OF \$";C1;"ON":"EACH SHIRT AND \$ ";C2;"ON" !210 1850 PRINT "EACH PAIR OF PAN TS HE SELLS." !181 1860 PRINT "ONE WEEK HE MADE ";CC; "SALES": "AND EARNED A T OTAL OF \$";SUM !147 1870 PRINT "HOW MANY SHIRTS DID ";B\$(B);"SELL?": :!234 1880 INPUT "NUMBER OF SHIRTS : ":ANS1 !008 1590 PRINT "A TRUCK CARRIES 1890 IF ANS1=CC1 THEN 1920 ! 012 1900 PRINT : "HE SOLD"; CC1; "S HIRTS." !246 1910 GOTO 1930 !224 1920 PRINT : "CORRECT." !096 1930 GOSUB 420 !245 1940 RETURN !136 1950 REM DISTANCE 1037 1960 MPH1=5*(5+R(8))!129 1970 MPH2=5*(5+R(8))!130 1980 IF MPH2=MPH1 THEN 1970 !161 2000 SUM=T*MPH1+T*MPH2 !207 1650 IF (ANS1=B1)+(ANS2=B2) = 2010 PRINT "TWO CARS LEAVE T -2 THEN 1700 !071 HE SAME SPOTAT THE SAME TIME AND TRAVEL IN OPPOSITE DIRE CTIONS." !199 2020 PRINT "IF ONE CAR IS TR AVELLING AT"; STR\$(MPH1); " MI LES PER HOUR AND THE" !037 2030 PRINT "OTHER AT"; MPH2; " MPH, HOW": "LONG WILL IT TAKE FOR THEM TO BE"; SUM; "MILES

APART?": :!000 2040 INPUT "HOURS: ":ANS1 !0 19 2050 IF ANS1=T THEN 2080 !07 4 2060 PRINT : "THE CORRECT ANS WER IS";T; "HOURS." !052 2070 GOTO 2090 !129 2080 PRINT : "CORRECT. " !096 2090 GOSUB 420 !245 2100 RETURN !136 2110 REM DISTANCE 2 !119 2120 MPH1=5*(5+R(8))!1292130 MPH2=5*(5+R(8))!1302140 IF MPH2=MPH1 THEN 2130 1066 2150 T=3+R(5)!1402160 D1=T*(MPH1+MPH2)!165 2170 PRINT "TWO CARS ARE";D1 ; "MILES": "APART. THEY DRIVE TOWARD" !013 2180 PRINT "EACH OTHER, ONE AT"; MPH1; "MPH": "AND THE OTHE R AT"; MPH2; "MPH." !076 2190 PRINT "HOW LONG UNTIL HEY MEET?": :!180 2200 INPUT "HOURS: ":ANS1 !0 19 2210 IF ABS(T-ANS1) <= .01 THE N 2240 !253 2220 PRINT : "THE CORRECT TIM E IS":T; "HOURS." !146 2230 GOTO 2250 !033 2240 PRINT : "CORRECT." !096 2250 GOSUB 420 !245 2260 RETURN !136 2270 REM WORK RATE !105 2280 B=R5 !135 2290 G=R5 !140 2300 RB=10*R5+10 !179 2310 RG=10*R5+10 !184 2320 IF RG=RB THEN 2310 !247 2330 TA=R(3)+1 !201 2340 TT=R(8)+5 !2292350 SUM=RB*TA+RB*TT+RG*TT !036 2360 PRINT B\$(B);" CAN PROCE SS"; RB: "ITEMS PER HOUR, AND ";G\$(G)!058 2370 PRINT "CAN PROCESS"; RG: "ITEMS":"PER HOUR." !198 2380 PRINT "THEY NEED TO PRO CESS"; SUM; "ITEMS." !201 2390 PRINT "IF "; B\$(B); " WOR (See Page 11)

1660 PRINT : "THE CORRECT ANS WERS ARE: " !184 1670 PRINT B1; "20-LB BOXES" 1083 1680 PRINT B2; "25-LB BOXES" 1089 1690 GOTO 1710 !003 1700 PRINT : "CORRECT." !096

THE ART OF ASSEMBLY --- PART 20

The sounds of the TI

By BRUCE HARRISON ©1993 Harrison Software

One of the precious "free" gifts included in our beloved TI is the sound chip. This little jewel, with its three main voices and its "noise" generator, makes a wide variety of sound effects possible without any additional hardware required. Only two PC manufacturers have seen fit to include such capability: IBM in the now orphaned PCjr, and Tandy in their 1000 series of PCs. Both of those chose to use the exact same TI chip that's in the 99/4A. On the TI, one can make some very good sounds, and of course even music, from BASIC or Extended BASIC. Even though the sound is made in durations of one-sixtieth of a second, some really good music has been produced that way. (On the above-mentioned PCs, sounds in BASIC are timed in increments of 1/18.2 second, making decent music virtually impossible.) In the Assembly realm, we have considerably more flexibility available than in the BASIC and XB realms. ere, we can choose not only what sounds we want, but can choose to time their durations in many ways, and even produce simulated "instrument" effects, like harpsichord, flute, snare drum, and so on. The techniques

Sidebar

- * TWO METHODS FOR USING SOUND LIST DATA TO PRODUCE SOUND EFFECTS
- * FIRST CAN ALLOW SOUNDS TO PROCESS IN BACKGROUND WHILE THE PROGRAM
- * PERFORMS OTHER ACTIONS
- * CODE BY B. HARRISON
- * PUBLIC DOMAIN

* THE FOLLOWING HAPPENS AT THE BEGINNING OF THE PROGRAM, TO PRELOAD THE

* SOUND LISTS INTO THE VDP RAM AREAS

LI R0,>2050 POINT AT FIRST LIST AREA	1
LI R1, SNDDAT BEGINNING OF FIRST SOUND LIST	1
LI R2, ENDSND-SNDDAT LENGTH OF FIRST SOUND LIST	
BLWP GVMBW WRITE THAT TO VDP RAM	Í
A R2,R1 ADD LENGTH OF FIRST LIST	
LI R0,>2100 POINT TO VDP RAM AREA FOR SECOND LIST	
LI R2, LSOUND-ENDSND LOAD R2 WITH LENGTH OF SECOND LIST	
BLWP @VMBW WRITE THAT	
A R2,R1 ADD LENGTH OF SECOND LIST	
LI R0,>2200 POINT AT ADDRESS FOR THIRD LIST	
LI R2, BLANK-LSOUND LENGTH OF THIRD LIST	
BLWP QVMBW WRITE THAT TO VDP RAM	
* PROGRAM CONTINUES	
*	
* FOLLOWING CODE SECTION STARTS THE "IN FLIGHT" SOUND EFFECT FOR THI	ε
PATRIOT	
* WHEN THE PATRIOT MISSILE IS LAUNCHED	
* WHEN THE FAIRIOT MISSILE IS HADNCIED	
INFLT LI R10,>2200 POINT AT "IN FLIGHT" SOUND LIST	
MOV R10,@>83CC MOVE THAT ADDRESS TO >83CC	
SOCB @ONE, @>83FD TURN ON	
MOVB @ONE,@>83CE VDP SOUND PROCESSING	
COINC LIMI 2 ALLOW INTERRUPTS	
LIMI 0 THEN SHUT THEM OFF	ł
* A LOOP HERE LOOKS FOR SPRITE COINCIDENCE	
A TOAL URIT TOAL OF METER COTHERDER	

we've used to produce instrument effects could fill more than one installment of this series by themselves, and we'll get to that one day, but for today we'll concentrate (See Page 12)

* AND FOR THE SCUD TO REACH BOTTOM OF SCREEN * DEPENDING WHICH HAPPENS, PROGRAM JUMPS TO EITHER CRASH OR CRASH2 * CRASH

REGENAON BASIC—

(Continued from Page 10) KS ALONE": "FOR"; TA; "HOURS, T HEN THEY" !074 2400 PRINT "WORK TOGETHER, H OW LONG MUSTTHEY WORK TOGETH ER TO": "FINISH THE JOB?": :! 031 INPUT "HOURS: ":ANS1 !0 2410 19 2420 IF ANS1=TT THEN 2450 !0 17 2430 PRINT : "THE CORRECT ANS WER IS";TT:"HOURS." !137 **1**440 GOTO 2460 !244 2450 PRINT : "CORRECT." !096 2460 GOSUB 420 !245 2470 RETURN !136 2480 REM TICKETS !241

2540 SUM=F*TF+B*TB !178 2550 MONEY=SUM*100 !090 2560 GOSUB 470 !039 2570 PRINT "RESERVED TICKETS FOR A SHOW COST \$";F; "AND G ENERAL" !243 2580 PRINT "ADMISSION TICKET S COST \$";B !236 2590 PRINT "IF"; TT; "TICKETS WERE SOLD": "FOR "; MONEY\$; ", HOW MANY OF" 1075 2600 PRINT "EACH KIND OF TIC KET WAS":"SOLD?": :!209 2610 INPUT "RESERVED ":ANS1 1203 2620 INPUT "GEN. ADM. ":ANS2 !116 2630 IF (ANS1=TF) + (ANS2=TB) = 2720 END 139

2490 F=15+R(10)!2232500 B=8+R5 !073 2510 TT=100+R(100)!158 2520 TF=50+R(50)!0542530 TB=TT-TF !088 -2 THEN 2680 !104 2640 PRINT : "THE CORRECT ANS WER IS" !236 2650 PRINT TF; "RESERVED" !02 5

2660 PRINT TB; "GENERAL ADMIS SION" !131 2670 GOTO 2690 !219 2680 PRINT : "CORRECT. " !096 2690 GOSUB 420 !245 2700 RETURN !136 2710 CALL CLEAR !209

THE ART OF ASSEMBLY—

(Continued from Page 11) on simpler uses for the "sound chip." THE SOUND LIST METHOD

Let's start with a rather simple application, in which we want a noise or a series of musical notes to occur while something else is happening. TI provided an automatic sound processing capability in the VDP so that one could "have his cake and eat it too". The VDP can be given a list of sounds to produce, and told to start making those, then the computer can go on with other business, looking for keystrokes from the keyboard, or looking for joystick inputs, sprite coincidences, and so on, while the sound list executes "on background". That's certainly a handy feature. It does require the instructions LIMI 2 and LIMI 0 to let the VDP continue its sound processing on an interrupt basis, but that's a small price to pay for the capabilities that it gives us. Sound lists may be placed in VDP Ram at the beginning of a program, and then activated when needed, without needing to be re-loaded. The first part of today's sidebar shows one such application, in which the sound lists for three different effects are pre-loaded early in a program and then activated when the program needs them. These particular lists are from the game Scud Busters. In that case, the "in flight" sound can be interrupted at any time by one of the "explosions" depending on what happens to the sprites that are in motion on the screen. The interruption process is very simple. Note that we need not stop the "in flight" effect, but just put the right addresses in place to start the explosion, and processing of the "in flight" effect stops. This will not always be the case, depending which generators were being used by the first sound being processed. There are a couple of "safe" ways of dealing with that possibility. Perhaps the easiest is to put a "shut up" sound at the beginning of each sound list, with a duration of 1. That will shut down all four of the generators for one-sixtieth of a second before the new sound starts. You can also put "silence" bytes in your first "note" for the new sound to shut off any generators not used by that sound effect, and that will make an "instant" interruption of the previous sound effect. That's the method used in our sidebar source code. The explosion sound effects are allowed to run for their full duration in all cases, and serve thereby as

* CODE	E THA	T PLACES A G	ROUND BURST EXPLOSION EFFECT ON SCREEN GOES HERE
*			THE FILL FREE FOR DESTRICT ON SCREEN GUES HERE
	LI	R10,>2100	POINT AT VDP ADDRESS FOR "GROUND BURST" EFFECT
	JMP	CRASH1	THEN JUMP
CRASH2		· · · · · · · · · · · · · · ·	
*	4		
* CODE	а тна	T MAKEC AN A	IR BURST ON SCREEN GOES HERE
*		I MAILES AN A	IN BURST ON SCREEN GUES HERE
	LI	R10,>2050	
CRASH1			The second of the second bit Det Det
CIGDIII	MOV		STOP INTERRUPTS FOR NOW
			PLACE SOUND LIST ADDRESS AT >83CC
		8 @ONE, @>83FI	
			E VDP SOUND PROCESSING
CNIDI OT			PERMIT INTERRUPTS
			TIMING LOOP FOR THE SOUND
			CONTINUES LOOPING UNTIL SOUND LIST HAS FINISHED
+ 5500	LIMI	_	DISCONTINUE INTERRUPTS
* PROG	KAM	CONTINUES WH	EN EXPLOSION SOUND ENDS
* SECO	ND ME	STHOD, USES "	SOUND LIST" IN MAIN MEMORY, DOES NOT REQUIRE USE OF
	RAM	FOR THE SOUN	D LIST
*			
SOUND	EQU	>8400	DEFINE THE SOUND CHIP ADDRESS
*			
METH2	_ _		
		R9, SNDDAT	POINT AT "SOUND LIST" IN RAM
NXTNOT	-		
			GET THE "COUNT" BYTE INTO R4
			RIGHT JUSTIFY IN R4
	JEQ	SNDEX	IF ZERO, GET OUT OF PROCESS
MOVSND			
	MOVB	*R9+,@SOUND	MOVE A SOUND DEFINING BYTE TO THE CHIP
		R4	DECREMENT COUNT OF BYTES IN THIS NOTE
	JNE	MOVSND	IF NOT ZERO, REPEAT PROCESS
	MOVB	*R9+,R4	ELSE GET THE "DURATION" BYTE INTO R4
	SRL	R4,8	RIGHT JUSTIFY IN R4
		SNDEX	•
	-	@>8378	ELSE CLEAR THE VDP INTERRUPT COUNTER
SNDLOP			
	LIMI	2	ALLOW INTERRUPTS BRIEFLY
	LIMI		THEN SHUT THEM OFF
	_	R4,@>8378	COMPARE R4 TO VDP INTERRUPT COUNT
	-		CONTRUE VA TO ADE INTEKKORT COOML

JGT SNDLOP IF R4 IS GREATER, WE'RE NOT FINISHED WITH THIS NOTE JMP ELSE WE ARE FINISHED, GO BACK FOR NEXT NOTE NXTNOT SNDEX * PROGRAM CONTINUES HERE * IN DATA SECTION, THREE SOUND LISTS * FIRST MAKES "AIR BURST", SECOND "GROUND BURST", THIRD IS "IN FLIGHT" SNDDAT BYTE 5,>9F,>BF,>DF,>E5,>F2,3 BYTE 2,>E5,>F0,9 BYTE 2,>E5,>F2,8 BYTE 2,>E5,>F4,6 BYTE 2,>E5,>F6,4 BYTE 2,>E5,>F8,2 BYTE 2,>E5,>FA,1 BYTE 1,>FF,0 ENDSND BYTE 7,>9F,>BF,>C2,>0E,>DF,>E3,>F0,3 BYTE 2,>E5,>F0,15 BYTE 2,>E3,>F2,3 BYTE 2,>E5,>F2,12 BYTE 2,>E3,>F4,2 BYTE 2,>E5,>F4,10 BYTE 2,>E3,>F6,2

display. We mentioned back in number 18 the potential use of sound lists as timers, and here is a practical example of that use.

timers to allow the user time to see the explosion screen

Each sound list should end with a "zero duration" sound so that it will end without leaving a generator "hanging" when the intended sound ends. You'll notice that each of the sound lists shown ends that way. The content part of a sound list is outlined well enough in the (See Page 13) BYTE 2,>E5,>F6,8 BYTE 2,>E3,>F8,1 BYTE 2,>E5,>FA,6 BYTE 4,>FF,>DF,>BF,>9F,0 LSOUND BYTE 5,>E4,>F0,>9F,>BF,>DF,12 BYTE 1,>F1,10 BYTE 1,>F3,8 BYTE 1,>F5,7 BYTE 1,>F5,7 BYTE 1,>F8,6 BYTE 1,>FC,5 BYTE 1,>FF,0 BLANK DATA 0 DATA SECTION CONTINUES HERE

THE ART OF ASSEMBLY—

(Continued from Page 12)

E/A book itself, but you will see some tricks used in our implementation that are not covered in the book. The list beginning at ENDSND, for example, includes a note for generator 3 in the bytes >C2 and >OE, but then sets that generator's volume at silence by > DF. It then sets the noise generator to produce a noise subharmonic of the generator 3 note at maximum volume by sending > E3 and > F0 bytes. During the rest of the list, it alternates the noise generator's response by sending bytes of >F5 and >F3 in successive "notes". Also, the volume of the noise is decayed by changing the noise generator's volume from >F0 down to >FAbefore the final line in the list, at which all generators are set to silence. This alternation of the "note" and decaying of volume creates a kind of "pulsing" explosion sound with two distinct noises heard while the volume decays. Of course this particular list was the result of a good deal of experimenting to get just the effect we wanted. The byte >E3 is equivalent to BASIC's -4 sound, while the > E5 is equivalent to the BASIC -6 sound. Knowing that can let you use BASIC or XB to experiment with sounds before you try them in a sound list. Of course if you're going to do that, you must also bear in mind the relationship between durations in BASIC and Assembly sound lists. In this case, the BASIC and Extended BASIC books have lied to you. Those books indicate that you can specify sound dumetions in milliseconds. This is just not true. Any number of milseconds you indicate up to and including 16 will produce exactly the same duration of sound, namely one-sixtieth of a second. Indicating 17 will get you two sixtieths, as will 18, 19, 25, or 30 millseconds. The crossover point from one actual duration to the next is every 16.666... (sixes all the way across the page if you like) milliseconds. We'll leave the math to you, but you can successfully experiment with your sounds in BASIC or XB as long as you remember that the real durations are in one-sixtieths of a second, and translate into "milliseconds" for BASIC. We never said this would be easy! As it happens, the examples we've shown all involve use of the noise generator, not the musical voices of generators 1 through 3, but that shouldn't hinder your efforts if you understand the principles involved. All of the above presupposes that you have an area of the VDP Ram memory that can remain available for the duration of your program. In this case, we simply assigned small blocks of VDP RAM at addresses > 2050, > 2100, and > 2200 for our sound lists, then left those areas untouched during execution of the program. If our program had disturbed those areas, we would have had to reload our sound lists each time we wanted to use them. In most cases you'll find any address above >1000 will do, so long as you don't go beyond > 37D7. There will be cases where the sound list method won't do the iob, and for that reason we'll now show at least one more method Tr "doing sound". Let's start with the assumption that you are using VDP Ram for some purpose that will preclude setting any of it aside for sound lists. You can still use them, but in a different manner. Unfortunately, these methods will not permit a true "background" process for sound, but will require timing loops of

some kind in your own code.

DIRECT TO THE GENERATOR

You can send sound defining bytes directly to the sound chip at address > 8400, then use your own method to time the durations. For openers, we'll consider a method that uses the exact same sound list as shown in the previous example, but will not load the sound list into VDP Ram. This method will still time the sounds in one-sixtieth of a second increments using the VDP Interrupt timer, but will do that timing in the "foreground" program. As shown in the sidebar starting at label METH2, you'll need a pointer set to the beginning of the sound list. We've used R9 here, but any register that's handy will do. The first byte in the sound list is the number of bytes that constitute the "note" being sent. We take that first byte into R4 and then use R4 as a counter. Each of "count" bytes is then sent to the sound chip at address > 8400. The byte immediately after the last "generator" byte is the duration, and here we've put that byte in R4, then right justified this number in that register. If that number is zero, we are at the end of the sound list, so we simply jump out of the sound section of code. Otherwise, we clear the VDP Interrupt counter, then simply start looping with a LIMI 2 and LIMI 0, and a comparison between R4 and the VDP Interrupt counter. As long as R4 is greater than the value in the counter, we keep repeating the loop. Once the counter gets equal to or more than R4, the sound "note" is finished, so we jump back to process the next "note" in the list. We have used the expression "note" here to mean a set of instructions passed to the sound chip, which includes both note values for the generators and volume values for those generators. As we've mentioned before in this series, the duration here for any

one note may not exceed 255, or >FF, which makes a note last 4.25 seconds.

There is one trick required to use the direct method. We'll pass that along without knowing why it's so: At the very beginning of the program, before loading your own workspace, you must execute a MOV Rll,@ANYWRD instruction. ANYWRD here means just that. You can move Rll to >8300, for example, or to some word location in your own data section. You won't need it again, but if you don't execute that MOV instruction before loading your own workspace, the direct method will not work properly. Please don't ask why this is so. It just is!

Since this method uses the VDP Interrupt counter to time the durations of the notes, the same duration values that were used when we placed the sound list in VDP Ram will work. As before, the last "note" must have a duration of zero to signal that we're at the end of a sound list. We recommend a "note" like this be the last in the list:

BYTE 4, >9F, >BF, >DF, >FF, 0

That will "shut down" all four generators in the chip by setting each to a silent volume level. The code shown for this method can also be set up as a subroutine starting at label NXTNOT, with an RT instruction at label SNDEX. Then one could play different sound lists by: LI R9,SNDLST BL @NXTNOT (See Page 14)

Test your battle skills with TI-Sweeper Three levels challenge any players

Lucie Dorais, of the Ottawa TI99/4A User Group, writes a column called Fast Extended BASIC for the group's newsletter. This article appeared in the group's September 1992 issue.

This month's program is the Microsoft Windows game Minesweeper, by John Donner and Curt Johnson. It has proved so popular that it is included in V3.1 of Windows. The gameboard is a field of empty white squares. You must correctly flag the mines as you uncover each square; if you uncover a mine, the game is over. When you uncover a safe spot, the square will turn to pale blue and Tex will indicate the number of mines surrounding it in a 3x3 area, from 0 to 8. That 3x3 area includes the borders if you are adjacent to them. (Hint: always think "3x3" when playing.) If the surrounding number of mines is zero, Tex will safely uncover all uncovered squares in the 3x3 area around it, unless you put a wrong flag there. (The Windows version instantly cleans all the way to the squares which contain a number higher than zero, but I don't like that features. Sweeping a minefield must be done cautiously. And it would have been too

complicated to program, and too slow to run!)

When you think you have safely located a square hiding a mine, flat it with the "F" key. A yellow flag appears in place of the white square. If you are not sure, flag it again. The flag will change to a question mark in a white square. From now on, that question mark will act like a white square, ie. you may uncover it or re-flag it. (press "F" twice to reflag — once to get an empty white square, once more to get a flag. The number of flags you may use is equal to the number of mines still hidden. The game ends when you have uncovered all the squares (at that point they will be all pale blue or flagged in yellow), unless a mine has exploded in your face long before! In both instances, all mines will then be revealed and your wrong flags marked. There are three levels of play: Beginner (the field has 64 squares on an 8x8 grid with 10 mines); Intermediate (144 squares on a 12x12 grid with 25 mines); and Professional (256 squares on a 16x16 grid with 40 mines).

ber should be 40.—Ed.

TI-SWEEPER

***** TI-SWEEPER **** 100 ! A MS/Windows game adapted by Lucie Dorais / Ottawa UG / July-Aug. 1992 !212 110 !!131 120 CM=113 :: CE=112 :: FM=1 22 :: FE=123 :: QM=114 :: QE =115 :: RANDOMIZE :: CALL CL EAR :: ON WARNING NEXT :: CA LL SCREEN(10)!179 130 CP\$="FF01010101010101": : MP\$="FF0155397D7D3901" :: FP\$="FF01393D39212101" :: WF \$="FF433D3D39256381" :: QP\$= "FF19250911011101" !151 140 GOTO 160 :: A,A\$,BC,BL,B R,C,CTR,FLAGS,F,FND,K,LV,NM, NS, P, PK, R, S, UNC :: CALL KEY :: CALL SOUND !242 150 CALL CHAR :: CALL VCHAR' :: CALL COLOR :: CALL SPRITE :: CALL DELSPRITE :: CALL L

There is a small error in line 280 follow-

ing 16X16=256. Instead of zero, the num-

OCATE :: CALL PATTERN :: !P-!229

(See Page 15)

THE ART OF ASSEMBLY____

(Continued from Page 13)

The subroutine will modify the values in R9 and R4, but will leave all others alone.

MORE EXOTIC METHODS

There are other ways to do the sounds, and once you've crossed the bridge into sending bytes directly to the sound chip, you can do things that were impossible in the "sound list" method. We'll just touch on those today.

First, let's suppose that one-sixtieth second is too long a duration for you. You want a succession of very swift notes to play, like the strumming of a guitar or lute, or you want some noise like automatic weapons firing in rapid succession. These cases are where the real power of the "direct" method comes into play. Instead of timing durations with the VDP Interrupt timer, you can construct a simple delay loop of your own, and use a word value instead of a byte to do the timing. This way, you can make incredibly short sounds and incredibly long ones without strain, since the "duration" can run from 1 through 65,535, and the amount of time each loop takes can be tailored to your own needs by inserting "time wasters" into the loop. One of our favorites is to do a DIV operation within the timing loop. That wastes time very nicely, and can be used for other purposes related to the sound you're creating. The SRC instruction can also be used for this purpose, and it will serve well.

We of course have used this third method for our "Assembly Music" products, and have been able to fine tune the response of the generators to simulate musical instruments of various kinds. We made changes to the volumes and notes on the generators while a "note" was playing. Thus an instrument like a piano or harpsichord could be simulated by using an exponential decay in volume during each note played. Barry Boone has carried that concept even farther with his SOUND F/X product, to produce spectacular effects and even spoken words in a recognizable voice without a speech synthesizer. Next month we'll go on with this subject, revealing some of our "trade secrets" used in the Assembly Music that we are known for. That will include at least one of our most advanced "instrument" subroutines.

TI-SWEEPER

(Continued from Page 14)
160 CALL CHAR(64, "0000183C3C
18",CE,CP\$,CM,CP\$,114,QP\$,11
5,QP\$,120,MP\$)! caches, mine
s !142
170 CALL CHAR(FM,FP\$,FE,FP\$,
128, "0000383C382020")! flags
!192

180 A\$=RPT\$("F",14):: CALL C HAR(107,A\$&"FF",129,"FF81818 1818181FF",130,A\$,135,"FF010 320 CALL HCHAR(BR-1, BC-1, 107 ,NS+2):: CALL VCHAR(BR, BC-1, 107,NS):: CALL VCHAR(BR, BC+N S,107,NS):: CALL HCHAR(BR+NS ,BC-1,107,NS+2)!154 330 FOR R=BR TO BR+NS-1 :: C ALL HCHAR(R, BC, 112, NS):: NEX T R !172 340 CTR, FND, UNC, BL=0 :: FLAG S=NM :: DISPLAY AT(20, 1): ":HIDING THE ;NM; "MINES... ":"":": CALL CHAR(CM, CP\$, QM, QP\$, FM, FP\$, FE, FP\$) !039 350 R=INT(RND*NS)+BR :: C=INT(RND*NS)+BC :: CALL GCHAR(R),C,PK):: IF PK=CM THEN 350 ! 055 360 CALL SOUND(-30, -2, 0):: C ALL HCHAR(R,C,CM):: CTR=CTR+ C=C-1 !157 460 CALL SOUND(-5,1000,0):: CALL LOCATE(#1,8*(R-1)+1,8*(C-1)+1):: GOTO 400 !194 470 CALL GCHAR(R,C,PK):: IF (PK>134 AND PK<144)THEN CALL SOUND(50,110,0):: GOTO 400 ! don't flag/uncover blue sq uares !047 480 IF K=32 THEN 550 ELSE IF K<>70 THEN 400 !103

10101010101")! border, curso r, zero !166 190 CALL CHAR(136, "FF0109190 9091D01FF01192509113D01FF013 90519053901FF010919293D0901")! digits 1-4 !123 200 CALL CHAR(140, "FF0139213 9053901FF01192139251901FF013 D0509112101FF011925192519251 901")! digits 5-8 !040 - 210 CALL COLOR(9,2,16,10,13, 1, 11, 2, 16, 12, 2, 11, 13, 2, 8, 14, 2,8)!187 20 ! === instructions / cho ose level === !174230 DISPLAY AT(1,9): "TI-SWEE PER": : "YOUR TASK IS TO SWEE P kkkkkk": "A MINEFIELD AND F LAG k211k":"ALL SPOTS THAT MIGHT k121k" !230 240 DISPLAY AT(6,1): "HIDE A MINE."; TAB(23); "k 122k"; TAB(23); "k 11k": "<SPACE> ACTIVAT ES THE kkkkkk" !134 250 DISPLAY AT(9,1): "SWEEPER ; IF A MINE IS": "HIDDEN UNDE R THAT SPOT, ":"IT EXPLODES (GAME OVER)." !052 260 DISPLAY AT(12, 1): "IF THE SPOT IS SAFE, IT WILL": "SHO W THE NUMBER OF MINES": "SURR OUNDING IT (3X3 AREA).":"FLA G IS A 3-TOGGLE FUNCTION." ! 193 270 DISPLAY AT(17,1):"":"LEV

490 IF PK=FM OR PK=FE THEN 5 20 :: IF FLAGS=0 THEN CALL S OUND(50, -2, 0) :: GOTO 400 !120 500 IF PK=QM OR PK=QE THEN A , F=0 :: IF PK=QM THEN K=CM : : GOTO 530 ELSE K=CE :: GOTO 530 ! question mark back to white square !115 510 A=1 :: IF PK=CM THEN K=F M :: F=1 :: GOTO 530 ELSE K= FE :: F=0 :: GOTO 530 ! put flag !200 520 A=-1 :: IF PK=FM THEN K= QM :: F=-1 ELSE K=QE :: F=0! remove flag with ? !011 530 CALL HCHAR(R,C,K):: UNC= UNC+A :: FLAGS=FLAGS-A :: FN D=FND+F :: CALL FL(FLAGS):: GOTO 400 !092 540 ! == uncover with <space > == !091550 IF PK=FE OR PK=FM THEN C ALL SOUND(50,110,0):: GOTO 4 00 ! cannot uncover a flat ! 251 560 IF PK=CM OR PK=QM THEN 6 10 ! uncover a hidden mine ! 118 570 CTR=0 :: CALL SWP(R,C,CT R,UNC):: IF CTR>0 THEN 400 ! 032 580 CALL PATTERN(#1,83):: FO R K=R-1 TO R+1 :: FOR S=C-1TO C+1 :: CALL SWP(K,S,0,UNC)

370 R=BR :: C=BC :: CALL SPR ITE(#1,129,5,8*(R-1)+1,8*(C-1)+1, #2, 130, 7, 195, 1) ! 036380 DISPLAY AT(20,1):" EXSD SWEEP": "<SPACE> UNCOVER": " F FLAG MINE":" G GIVE UP" :: CALL FL(FLAGS)!0 89 at position !128 400 IF UNC=NS*NS THEN 640 10 40 410 CALL KEY(0,K,S):: IF S=0THEN 400 ELSE P=POS("EXSDG" , CHR\$(K), 1):: ON P+1 GOTO 470,420,430,440,450,640 ! chec k moves !214 420 R=R-1 :: IF R=BR-1 THEN R=BR :: GOTO 460 ELSE 460 !1

1 :: IF CTR<NM THEN 350 !163

)!109 41 EL FIELD MINES";" 590 NEXT S :: NEXT K :: CALL 430 R=R+1 :: IF R=BR+NS THEN PATTERN(#1,129):: GOTO 400 R=R-1 :: GOTO 460 ELSE 460 :" 1 BEGINNER 8X 8 = 64 1[" !071 1056 172 440 C=C-1 :: IF C=BC-1 THEN 280 DISPLAY AT(21,1):" 2 INT C=BC :: GOTO 460 ELSE 460 !0 ===== !25112X12=144 25":" 3 P ERM. 610 BL=1 :: CALL LOCATE(#2, 851 16X16=256 0": :" RO 450 C=C+1 :: IF C=BC+NS THEN CHOOSE LEVEL:" !119 (See Page 16)

Horizon SCSI card expected this month,

Although the initial deadline for the Horizon SCSI card has been missed, Bud Mills says that a working SCSI card will be available by the end of February.

The card controls up to eight SCSI (scuzzy) devices. SCSI devices include floppy and hard drives, scanners, CD ROMs and other output devices. However, to use the SCSI interface card with a SCSI device, software drivers are required. So not all SCSI devices will work with the4 SCSI card until drivers are available. At this stage, Mills said, the SCSI card will control floppy and hard disk drives with the present EPROM and DSRs (Device Service Routines). A new, upgraded EPROM with additional hardware support is expected to be available by July, Mills said. All low-level routines reside in the EPROM. And hardware drivers can be loaded into part of a 32K static RAM chip, a part of which is used as a buffer. Previous purchasers of the SCSI card as well as future buyers will receive a list of compatible hardware to help them make buying decisions. Among hard drives that are not currently compatible, for example, Mills mentions Quantum.

and MFM hard disk drives currently used with the TI will be incompatible. He notes that prices for a used, 20 megabyte SCSI hard drive start at about \$100.

The Horizon SCSI controller card is compatible with the newer SCSI-2 standard. This makes it downwardly compatible with SCSI-1 devices, Mills said.

The SCSI controller is priced at \$170 from Bud Mills Services, 166 Dartmouth Dr., Toledo, OH 43614; 419-395-5946 voice, 419-385-7484 BBS. Payment may be made with check, money order or Visa/Mastercard.

SYSTEM OF THE MONTH

Bryant Krause, of Mira Loma, California, has expanded his TI system to include numerous upgrades that optimize it for word processing and record keeping. The system includes a TI console with TIM 80-column card, with the firehose interface cable eliminated; a Magnavox 14-inch 1CM135 color monitor; a PEB with TI RS232 card containing the John Guion chip upgrade; a P-GRAM with clock; Myarc 512K RAM card; Rave 99 speech synthesizer adapter card; TI disk controller and dual DSDD floppy disk drives. Outside of the PEB, he has a Consolink 256K printer buffer, Epson MX80

printer with Dresselhaus Dot-Perfect upgrade, Star 2400 baud intelligent modem and a Horizon mouse. Although he didn't include the rolltop desk as part of his system, it provides an attractive and functional home for his system. Bryant says his only problem is keeping his cat away from the mouse.

Want to share your system with other



It should also be noted that the card supports only SCSI devices, so floppy drives

readers. Send a description of your system with photo to MICROpendium, P.O. Box 1343, Round Rock, TX 78680.

TI-SWEEPER

(Continued from Page 15)
(R-1)+2,8(C-1)+1):: CALL P
ATTERN(#1,120)!029
620 FOR P=1 TO 10 :: CALL SO
UND(60,-7,P,120,P,131,P):: C
ALL COLOR(#1,2):: CALL COLOR
(#1,11):: NEXT P ! explosion
!059
630 ! ====== end ======
== !161

640 IF FND<NM THEN 660 !197

680 DISPLAY AT(21,1):USING "
q ## MINES STILL HIDDEN":NMFND-BL !122
690 DISPLAY AT(22,1):"":RPT\$
("k",28):"A)GAIN C)H. LEVE
L Q)UIT" !057
700 CALL KEY(0,K,S):: IF S=0
THEN 700 ELSE P=POS("ACQ",C
HR\$(K),1):: IF P=0 THEN 700
ELSE IF P=3 THEN END !242
710 CALL DELSPRITE(ALL):: IF

750 CALL HCHAR(R,21,128,X):: CALL HCHAR(R,21+X,32):: SUB END ! display remaining flag s !073 760 SUB SWP(R,C,CTR,UNC):: C ALL GCHAR(R,C,PK):: IF (PK<> 112 AND PK<>>15)THEN SUBEXIT ! sweep around empty square or ? !238 770 FOR X=R-1 TO R+1 :: FOR Y=C-1 TO C+1 :: CALL GCHAR(X

650 FOR P=1400 TO 3000 STEP P=1 THEN 330 ELSE 270 !158 400 :: CALL SOUND(50, P, 0) :: 720 !P+ ===== user-def suNEXT P ! got all !234 bs ======= !099660 CALL CHAR (CM, MP\$, QM, MP\$, 730 SUB FL(F):: X=F :: R=23 FM,MP\$,FE,WF\$)! reveal allmi 1079 nes + wrong flags !133 740 IF X > = 10 THEN CALL HCHAR 670 DISPLAY AT(20,1): USING " (R,21,128,10):: X=X-10 :: R= x ## CORRECT FLAGS":FND !125 R-1 :: GOTO 740 !207

,Y,PK):: IF PK=113 OR PK=114 OR PK=122 THEN CTR=CTR+1 ! count hidden/flagged mines ! 223 780 NEXT Y :: NEXT X :: CALL HCHAR(R,C,CTR+135):: UNC=UN C+1 :: SUBEND !024



YOU CAN GET FOUR OF THE HOTTEST ARCADE GAMES FOR THE 99/4A AT LOWEST PRICE EVER THEY ALL AUTO LOAD WITH EX-BASIC AND HAVE T GRAPHICS AND ARCADE ACTION.

MIDNIGHT MASON is the 99/4A ANSWER TO GHOST BUSTERS. YOU HAVE TO RETURN AT MIDNIGHT (OF COURSE) TO A HAUNTED HOUSE WHERE YOU LEFT YOUR TOOLS DURING THE DAY SHIFT. THE OBJECT IS TO GATHER UP YOUR TOOLS BEFORE THE GHOSTS GATHER YOU UP! GREAT ARCADE ACTION WHERE YOU CLIMB, RUN JUMP AND EVEN BREAK THROUGH WALLS WHILE THE GHOSTS KEEP COMING!

MICRO PINBALL II TURNS YOUR 99/4A INTO A REALISTIC PINBALL MACHINE WITH KEYBOARD OPERATED FLIPPERS AND FANTASTIC ACTION. THIS IS BY FAR ONE OF THE BEST ACTION GAMES AVAILABLE FOR THE 99/4A OR ANY OTHER COMPUTER.

TI TOAD IS EXACTLY WHAT THE NAME SAYS. IF YOU LIKE "FROGGER" YOU WILL LOVE TI TOAD AT A FRACTION OF THE PRICE BUT WITH ALL THE THRILLS IN GETTING "KERMIT" ACROSS VARIOUS ROADWAYS WITH-OUT BECOMING PART OF THE PAVEMENT.

BURGER BUILDER IS KNOWN BY ALL THE COIN OP PLAYERS AS THE GAME WHERE YOU BUILD A BETTER BURGER WHILE BEING CHASED BY "FRANK" INSTEIN. ABSOLUTELY REALISTIC ARCADE ACTION AND THRILLS!

> ALL FOUR ONLY \$495 + S & H ON DISK

THREEGREATGAMES THORN EM **Computer War SUBMARINE COMMANDER** RIVER

ised on the

HERE ARE THREE ARCADE STYLE GAMES OF THE TYPE YOU NOW SEE FOR NINTENDO® OR SEGA® FOR OVER THIRTY DOLLARS EACH. THESE THREE GAMES WERE 'INTENDED FOR RELEASE ON MODULE BY ENTERTAINMENT GIANT THRONE EMI BUT NEVER MADE IT TO THE TI MARKET. NOW TEX-COMP BRINGS YOU ALL THREE GREAT GAMES AT ONE SUPER LOW PRICE

495 + S & H



COMPUTER WAR Based on the hit movie "War Games 1377e alarm beils are ringing at NORADI Can you crack the code and destroy the simulated enemy missiles before the world is enguiled in a thermonuclear holocause? Fast action Uses joysticks or keyboard



SUE COMMANDER. Simulates a sub-patrol mission to nunt down and destroy enemy shipping. Use your sonal when submerged, rise to periscope level and attack. Hazards include enemy destroyers, depth charges, water pressure, and an uneven sea floor. Full Instrumentation display. From THORN EMI



INVER RESCUE. A group of helpless and starving refugees are trapped between a fierce battle to the north and the raging river. With your powerful boat, you must try to rescue as many as possible and deliver them to a hiendly neighboring country It won't be easy though - you must contend with hostile troops, electric eets, and other hazards. Higr speed action for one or two players from THORN.



ALL THREE GAMES

ONE ONE DISK AT

ONE LOW PRICE!





PRO TENNIS+ LETS YOU ENJOY THE EXCITMENT, ACTION AND THRILLS OF PROFESSIONAL TENNIS WITH COMPLETE CONTROL.

ы. Ц

RESCU

HE GRAPHIC THREE DIMENSIONAL DISPLAYS ADD TO INCREASED REAL-ISM AND OPTIONAL SPEECH AND REALISTIC SOUNDS OF THE BALL BEING STRUCK MAKES YOU FEEL THAT YOU ARE RIGHT ON THE COURT.

WE HAVE NOT SEEN A BETTER TENNIS GAME ON ANY BRAND COMPUTER OR GAME SYSTEM AND WE ARE SURE YOUR FRIENDS WITH OTHER BRAND COMP-UTERS AND GAME SYSTEMS WILL BE DULY IMPRESSED.

NOW YOU CAN ENJOY THE ULTIMATE ACTION ARCADE GAME ON YOUR 99/4A! EXTENDED BASIC, 32K MEMORY EXPANSION AND DISK DRIVE REQUIRED.

FREE BONUS: ON EACH PRO TENNIS+ DISK WE ALSO INCLUDE A COLLECTION OF NEVER RELEASED TI ARCADE STYLE GAMES. THESE GAMES ARE TRUE COLLECTOR'S ITEMS AND ARE WELL 95 COMPLETE ONLY WORTH THE PRICE OF THIS DISK BY THEMSELVES! ****

TEX+COMP



VISA VISA and MASTERCARD HOLDERS CALL DIRECT: (818) 366-6631

TERMS: All prices F.O.B. Los Angeles. For fastest service use cashiers check or money order. Personal checks take ten days to P.O. Box 33084, Granada Hills, CA 91344 clear. Add 3x shipping & handling (with a \$3 minimum). Add 4.5x east of Mississippi. All prices shown include a 3% cash discount. Add 3% if paying by Visa or Mastercharge. Prices and availability subject to change. Include street address for UPS delivery. California orders add 8.25% sales tax. Canada, Hawaii, Alaska and overseas shipping extra.





ORDER BY PHONE (818) 366-6631 24 HOURS A DAY 7 Days a Weeki



1992 MICROpendium Index Covering January through June 1992

The following index of MICROpendium, written in Extended BASIC, covers January through June of 1992. Like the others before it, it is written by Elton Schooling. The index for the second half of 1992 will be published next month.

The program users an assembly language routine called SORT for sorting. Although this is not included here, it is included with the February and March 1993 monthly disks. The entire MICROpendium Index, from February 1984 through December 1992, is available on two disks, and includes many enhancements provided by readers over the years. The price is \$6, including postage. It can be ordered from MICROpendium Index, P.O. Box 1343, Round Rock, TX 78680.

70 CALL CLEAR !209 80 DIM N\$(116)!204 90 INPUT "OUTPUT TO PRINTER? (Y/N)":P\$!247 100 CALL CLEAR !209 110 PRINT "WORKING" !139 120 FOR I=1 TO 116 :: READ N \$(I):: NEXT I !067

ARE LISTED TOGETHER. JAN 85 p.16 BECOMES 1/85/16." :: G OTO 390 !062 360 PRINT #1: : :!178 370 PRINT #1: DATE AND PAGE NO. ARE LISTED TOGETHER. JAN 85 p.16 BECOMES 1/85/16." ! 146 375 PRINT #1: : : : : : : : : : :: PRINT #1:TAB(23);"M ICROpendium Index, 1992A, Pa ge 31" !140 380 CLOSE #1 !151 390 END !139 400 DATA AUTOBOOT/DUMP CARTS FEEDB 1/92/6, BAS LEARN GERM AN 1/92/9, XBAS CHECKBOOK AUT OMATION 1/92/11 !231 410 DATA ART OF A/L FILE HAN DLING TIPS 1/92/17, PROGRAMMA BLE CALC TIGERCUB 1/92/19 !1 93 420 DATA CALC PROGRAMMABLE T IGERCUB 1/92/19, FILE HANDLIN G TIPS ART OF A/L 1/92/17,CH ECKBOOK AUTOMATION XBAS 1/92 REV 1/92/30, DISK OF PYRATES 2/31, BRIDE OF DISK OF DINOSA URS 1/92/31 !199 440 DATA DISK OF HORRORS REV 1/92/32, XBAS CARTRIDGE REPA IR 1/92/34, CARTRIDGE REPAIR XBAS 1/92/32, DINOSAURS REV 1 /92/31 !192 450 DATA RETIREMENT PLANNING 1/92/36, TI WRITER FILE UPKE EP USNO 1/92/37, CRACKING THE CODE USNO 1/92/38 !186 9640 !128

IND92A-A/L

10 REM INDEX92A MICROpendium INDEX for 1992, Jan to Jun, Publisher John Koloen, edit or Laura Burns. !132 20 REM Compiled by Elton Sch tained from Boston Computer r use with printer or with ! 50 !240 254 32 REM screen display. "Sort" program must be on sa 250 NEXT J 1224 me disk with index. !22635 R 280 GOTO 360 !184 EM Because of many entries t he '92 index is divided into '92A, Jan. to June, and '92 B, July to Dec. 1107 40 REM For your printer you may need to change line 160. !202

130 CALL LINK("SORT", N\$(), 11 6)!191

140 CALL CLEAR !209 150 IF P\$="Y" THEN 160 ELSE 290 !093

160 OPEN #1:"PIO" !253 170 PRINT #1:TAB(24); "MICROP endium INDEX, 1992A, Jan to Jun" !156

180 PRINT #1: : : :!103 190 FOR J=1 TO 116 :: IF J=1 05 THEN 200 ELSE 220 !120 200 PRINT #1: : : : : : PRINT #1:TAB(35);"PAGE 30" :: PRI GOTO 220 !194 210 PRINT #1: : : : : : : PRI

ooling, 4014 57th St., Sacra NT #1:TAB(31);"PAGE 31, INDE /11 !209 mento, CA 95820 !173 X '92A" :: PRINT #1: : : : : 430 DATA DUMPIT CART TO DISK 30 REM Sort routine by David : : : : : 138 Romer and John Clulow. Ob- 220 IF J/2=INT(J/2)THEN 240 REV 1/92/31, PYRATES REV 1/9 !249 Soc., TI994/A User Group. Fo 230 PRINT #1:N\$(J);:: GOTO 2 240 PRINT #1:TAB(40);N\$(J)!1 88 290 CALL CLEAR !209 300 CALL SOUND(500,110,0,131 ,0,196,0)!005 310 PRINT TAB(7); "MICROpendi um INDEX, 1992A" :: PRINT : 880 DATA 9640=GENEVE,GENEVE= : :!060 320 PRINT "DATE AND PAGE NO. 890 DATA VOLTS PROBLEMS AND ARE LISTED TOGETHER. JAN 85 p.16 BECOMES 1/85/16.": : ETBALL STATISTICS 2/92/9, XBA 1005 330 FOR J=1 TO 116 :: PRINT N\$(J):: FOR DELAY=1 TO 220 : : NEXT DELAY :: NEXT J 1023 2/92/13, ART OF A/L MORE FIL 340 PRINT : :!006 350 PRINT "DATE AND PAGE NO.

50 REM For longer dwell time on screen increase the DELA Y number in line 330. !210 52 CALL INIT !157 54 CALL CLEAR !209 56 CALL LOAD("DSK1.SORT")!07 9 60 OPTION BASE 1 !137

THE TI FEEDB 2/92/7, BAS BASK S SUBINDEX TWO/TOKENS 2/92/1 3 !226 900 DATA TOKENS/SUBINDEX TWO E TIPS 2/92/17,C99 FAST SORT (See Page 19)

MICROPENDIUM INDEX 1992A-

(Continued from Page 18) 2/92/26 !124 910 DATA TIWR FORMATTER REFO RM 2/92/29, FORMATTER REFORM TIWR 2/92/29, SON OF AIRTAXI GAME REV 2/92/34 !096 920 DATA GLOBAL WAR GAME REV 2/92/34, CERTIF99 COMPANION PLUS REV 2/92/35, CALCULATOR BUG FIX USNO 2/92/37 !242 930 DATA JOYSTICK REWIRE USN

1020 DATA MYBASIC FILES/MYAR T SLIDES REV 4/92/27, CASINO GAMES REV 4/92/27, HARRISON W ORD PROCESSOR REV 4/92/28 !1 47

1030 DATA WORD PROCESSOR HAR RISON REV 4/92/28, DISK DRIVE S 96TPI USNO 4/92/29, MYBASIC BREAK USNO 4/92/29 !221 1040 DATA 96TPI DISK DRIVES USNO 4/92/29, BAS TRIGONOMETR

IC FUNCTIONS 5/92/7 !1611050

89

1110 DATA WINDOW MAKER UPDAT E USNO 5/92/28, TIWR FORMATTE R FUNLWEB USNO 5/92/29, FUNLW EB TIWR FORMATTER USNO 5/92/ 29 !101

1120 DATA ARCHIVING PLATO BA CKUPS USNO 5/92/29, PLATO BAC KUPS ARCHIVING USNO 5/92/29, KWIKFONT COLORS USNO 5/92/29 166 1130 DATA BAS ENGLISH USAGE/ GRAMMAR 6/92/7, XBAS TI & IBM BASIC COMPARISONS 6/92/10,A RT OF A/L RANDOMLY SPEAKING 6/92/12 !104

!141 7960 DATA CHECKERS GAME REV 3 /92/26, JOYSTICKS REV 3/92/26 , GRAFICS AND MUSIC REV 3/92/ 27, PAYROLL FILES/REPORTS REV 3/92/27 !106 970 DATA ADVENTURE GAMES REV 3/92/27, PR EDITOR REV 3/92/ 28, BLOWER UNDER CONSOLE USNO 3/92/30, WINDOW MAKER CENTER S TEXT USNO 3/92/30 !145 980 DATA CHECKBOOK FIX USNO 3/92/30, ASCII LISTER USNO 3/ 92/30, STAR PRINTER WIDTH FEE DB 4/92/7 1063 990 DATA PRINTER WIDTH STAR FEEDB 4/92/7, BAS RAGLAN SWEA TER 4/92/9, SWEATER RAGLAN BA S 4/92/9, XBAS TI/PC COMPARIS ONS 4/92/11 !053 1000 DATA INDEX MICROPENDIUM 91 PART I 4/92/15, MICROPEND IUM 91 INDEX PART I 4/92/15, MY-BASIC VIDEO XOP6 PART I 4

O 2/92/37, MISSING LINK CHANG E USNO 2/92/37, CIRCLE DRAW N O TRIG USNO 2/92/38 !011 940 DATA FUNLW CASE CHANGE U SNO 2/92/38, BAS CHILD LETTER PRINTING 3/92/8, CHILD LETTE R PRINTING BAS 3/92/8 !122 950 DATA XBAS TI/IBM COMPARI SONS 3/92/14, ART OF A/L CRAS HES AND FIXES 3/92/21, STARBA SE RAIDERS GAME REV 3/92/21

DATA TRIG FUNCTIONS BAS 5/9 2/7, ART OF A/L VDP RAM 5/92/ 8, VDP RAM ART OF A/L 5/92/8, XBAS UNBASHER 5/92/10 !060 1060 DATA UNBASHER XBAS 5/92 /10, MY-BASIC VIDEO X0P6 PART 2 5/92/13, DISASSEMBLER IN X BAS 5/92/14 !244 1070 DATA INDEX MICROPENDIUM 91 PART II 5/92/21, MICROPEN DIUM INDEX 91 PART II 5/92/2 1, LINEDITOR 9640 REV 5/92/23 1082 1080 DATA OS/99 VERS 3 GRAM DEVICES REV 5/92/25, GRAM DEV ICES OS/99 VERS 3 REV 5/92/2 5 !004 1090 DATA EASY DATA HIGH SPE ED SORT REV 5/92/26, SORT EAS Y DATA HIGH SPEED REV 5/92/2 6, GRADES REV 5/92/26 !102 1100 DATA LPJ ART 5&11 REV 5 /92/26,UTILITIES XBAS & RAND OM NO REV 5/92/27, MEMORY/LOG IC OP SUBS USNO 5/92/27, FUNL WEB 440 TIPS USNO 5/92/28 !1

1140 DATA MY-BASIC VIDEO XOP 6 PART 3 6/92/20, SINK-IT GAM E 6/92/22,9640 GAMES REV 6/9 2/25, KWIKDUMP REV 6/92/26 !0 31 1150 DATA GGPM GRAPHICS LABE L MAKER REV 6/92/26, CREATURE S FOR PAGE PRO 99 REV 6/92/27, CALENDAR REV 6/92/27 !232 1160 DATA ARTIST CONVERSIONS REV 6/92/28, XBAS-A/L TRICK USNO 6/92/28, GENEVE HEAT SOL UTION USNO 6/92/29 !187 1170 DATA TI WRITER TIP USNO 6/92/29, DIAL TONES USNO 6/9 2/30, LABEL MAKER GGPM REV 6/ 92/26 !173 1180 DATA ENGLISH USAGE/GRAM MAR BAS 6/92/7, BASIC TI & IB M COMPARISONS 6/92/10, PAGE P RO 99 CREATURES REV 6/92/27 1067

Krych plans series of assembly books

James W. Krych has announced that he has begun his proposed "On Assembly" series of books, and has an outline of the first volume, a beginners guide to the assembly language. He notes, "I have no doubt that some will find it boring. I do not intend to make it boring. I intend to work very hard on each chapter to bring up the mood of why certain things are the way they are. All I ask is that you hackers out there remember this, you had to start somewhere. Most people find assembly is different, with

many advantages."

Krych notes that he cannot give a date for completion. He is a full-time Coast Guardsman and directs research and development for Asgard Peripherals. He says he is still looking for assembly material and wishes to thank those who have helped him so far, particularly Bruce Harrison, Joe Delekto, Rich Gilbertson and Chris Bobbitt. Persons with material to contribute to the book series may write Krych at 802 Barry #1208, Corpus Christi, TX 78403.

/92/22 !247 1005 DATA VIDEO XOP6 MY-BASI C PART I 4/92/22 !215 LI010 DATA ART OF A/L STRUCTU RING DATA 4/92/23, DATA STRUC TURING ART OF A/L 4/92/23, MY ART SLIDES/MYBASIC FILES REV 4/92/27 1007

EXTENDED BASIC (plus)

JUMP-A-PEG returns

By BARRY TRAVER ©1993 B. Traver

JUMP-A-PEG returns! This month (and next) we'll be looking more at this classic solitaire game and looking at some related programming tips as well, thanks to contributions from Harry Wilhelm and Ollie Hebert (Harry this month and Ollie the next), both of whom (perhaps like you?) seem to enjoy both peg solitaire and TI Extended BASIC programming. Actually, for many of us, programming itself is a recreational game, so I think the combination is a natural one. Harry Wilhelm is the author of The Missing Link, an excellent extension of TI XB available from Texaments (if you haven't ordered it yet, do it now -I don't think you'll be disappointed!). You do not need The Missing Link to make use of Harry's particular suggestions in this month's column, although a little knowledge of assembly is useful (if you — like an increasing number of TI XB programmers — like to use CALL LINKs to assembly routines

"This three line program can be used to put a long list of text onto the screen: BLWP @PRLIST DATA TEXT

B @>006A

"Simple, eh? Hope this is of interest to you and that you keep your enthusiasm for the TI." ever you prefer, as long as it is something distinctive. His code is indeed simple to use. All you need to do is provide the DATA for the screen addresses and the TEXT for what you want printed, and as he says — his program is smart enough to tell the difference between the two. Even if you don't understand why his code works, all you have to modify is the DATA and TEXT to use the routine in your own TI XB programs to put up super-fast screen displays.

A handwritten P.S. on the letter declares that the "use of PRLIST will save you 486 bytes in JUMPPEG/S. I haven't checked that figure, but Harry is indeed right about my PEGJUMP/S assembly code as being functional but inefficient. One reason for that is (and this is something of which Harry was apparently unaware) that much of that code was written by GRAPHICOMP (a graphics BASIC compiler I wrote, pub-

lished earlierin MI-CROpendium), which provides a lazy way to create assembly code for displays screen (even for someone who knows nothing about assembly la guage). The cod produced GRAPHICOM does work, but it certainly not cor pact. Harry's lett was, of course, de initely of interest me, so much so th I obtained permi sion from him share it with you well, trusting th you too will find both fascinatir and beneficial.

JUMP-A-PEG

I'll let you experiment further with Harry's code on your own. At this point we'll turn from programming to the JUMP-A-PEG game itself. I've only just now dis-(See Page 21)



from your TI XB programs). MORE EFFICIENT CODE

With Harry's permission, I'm sharing with you excerpts from a recent letter I received from him, which comment on a neat trick applicable not only to JUMP-A-PEG but also to any other TI XB program that makes use of screen displays:

"I was looking at your JUMPPEG/S code and found that, although functional, your method of putting a list of text onto the screen was cumbersome and probably very hard to make changes to. After some thought I devised a nifty subroutine for putting text up onto the screen. I've included a listing of it along with this letter."

"The subroutine is smart enough to bo know the difference between screen addresses and text, and doesn't have to be told how long a string is. Each line of text ou can be printed in one or more places on the screen. You need to put RT at the end of each list. This is easy to remember and assembles the same as DATA >045B. Of course you should only use the label FLAG you on one of the RT's."

one	START BLWP @PRLIST
ing	DATA TEXT
an-	B @BASIC
ode	TEXT DATA >0000,>0022,>0044,>0066,>0088,>00AA,>00CC,>00EE
by	DATA >010E, >012C, >014A, >0168, >0186, >01A4, >01C2, >01E0
•	TEXT 'This is a test'
M P	DATA >0222 TEXT 'More testing!'
t is	DATA >0260
)m-	TEXT 'Passed the test if we got this far!'
tter	FLAG RT
lef-	PRLIST DATA SUBWS, PRLISO
	SUBWS BSS 32
t to	PRLISO MOV *R14+,R3
hat	PRLIS1 MOV R3,R4
nis-	PRLIS2 C *R4,@FLAG
	JEQ BACK
to	JGT PRLIS3
as	INCT R4 JMP PRLIS2
hat	JMP PRLIS2 PRLIS3 MOV R4,R5
1 it	MOV *R3+,R0
ng	PRLIS4 MOVB *R5+,R1
"E	AI R1,>6000

and beneficial.JGTIncidentally, inJGTour phone conver-INCsation, Harry com-JMPprented that youJLTdon't have to useMOVRT (i.e., >045B) asJMPyour flag: you canMOVuse >1234 or what-END

JGT PRLIS5 BLWP @VSBW INC R0 JMP PRLIS4 55 C R3,R4 JLT PRLIS3 ANDI R5,>FFFE MOV R5,R3 JMP PRLIS1 RTWP

EXTENDED BASIC PLUS

(Continued from Page 20) covered what is unquestionably the best book on the subject I've seen: John D. Beasley's The Ins and Outs of Peg Solitaire (Oxford University Press, 1992), ISBN 0-19-286145-X. One reviewer called it "by far the best work on the subject," and it is certainly an essential for anyone who is serious in his solitaire, for it contains over 200 problems and their solutions and an extensive mathematical analysis of the game. (I should warn you, however, that it's priced at \$10.95, which I still regard as a bit expensive for a 275-page paperback.) Next month I hope to share some of the new puzzles with, but this month I'll merely whet your interest with some of the names: Diamond, Crossbow, Longbow, Dead, Not Quite Dead, Snake, Zip, Letter B, Letter D, Swap, Triple Cross, Whither Will He Wander?, and The Lecturer and His Audience. All of these problems are included in the first chapter of Beasley's **book**. (By the way, Beasley has written an-

other interesting book in the same series entitled The Mathematics of Games.) If you do decide to get your own copy of The Ins and Outs of Peg Solitaire, I should tell you that Beasley's numbering scheme for the board is different from that used in our own JUMP-A-PEG. Here's a chart to enable you to convert between the two: Beasley a b c d e f g 1 2 3 4 5 6 7 Traver 1 2 3 4 5 6 7 7 6 5 4 3 2

ing boxes on the screen, because each line that separates two boxes is "shared" by the two boxes. Or, rather, each line really belongs to only one of the boxes and not to any other. Thus each 24x24 pixel box really only includes a line on the left and on the bottom; lines for the right and the top have to be supplied by an adjacent box (or, in the case of boxes on the very top or on the very right, by specially defined characters).

Thus what Beasley calls "cl" would be "37" in our version (following the system of numbering suggested by Martin Gardner in The Unexpected Hanging and Other Mathematical Diversions, a book also cited by Beasley).

Getting back to programming, you may be interested to see how the board was constructed, since the same approach can be used in similar situations (e.g., if you wanted to try to program a game of checkers). What the eye sees is not the same as what is really there when it comes to draw-

It's hard to explain, so I've included a MERGE file called REDEFS/M to make it easier for you to see the redefined characters that are used as the building blocks for the gameboard. Here's how to use it: 1. Load JUMP-A-PEG into memory, 2. Enter MERGE DSK1.REDEFS/M,

and

3. Enter RUN.

If you study the building blocks, you should be able to understand how the JUMP-A-PEG gameboard is constructed. (I've used the same technique in other pro-(See Page 22)

D. Wright Stuff IT PAYS TO JOIN!



Send us a copy of your paid receipt for your '93 dues to a TI User Group and get ^{\$5} off an order of \$35 or more. This offer will also be valid at the Lima TI Conference to be held May 14 & 15. Orders must be postmarked by May 30, 1993.

- **★ 200 Watt Switching Power Supplies** for a mini tower case. It's easy to change the power supply in your P-Box. Comes with step-by-step instructions on tape. **\$30**
- **★** 101 Key Enhanced "Click Touch" Keyboards for Geneve, Rave or XT/AT compatibles. \$32 Disk Drives — Full Height \$20 Half Height \$40 2 Half Heights with cables \$80
- **★ Broukes Diskettes** Preformatted for TI & Geneve. DS/SD \$7 a box or DS/DD \$8 a box Switch Boxes

36 pin Centronics A-B (Printer) \$15 with 2 cables \$25 DB25-25 pin A-B (Serial) \$13 with 2 cables \$23 TI Modules — Educational \$9 or 4 for \$32 Games & Business \$6 or 4 for \$20 – Call for Selection **TI Joysticks** — **\$5** a pair TI Keyboards — Grey \$5 or 3 for \$12 ★ Modems — 2400 Baud External \$79 Disk Drive Cleaners — $5\frac{1}{4}$ " & $3\frac{1}{2}$ " *3 or 2 for *5 Send Check or Money Order to Free shipping in U.S. Del & Darla Wright Min. Order ^{\$}10 185 N. Post Rd. Indiana residents add 5% tax Indianapolis, IN 46219 Please include phone number 317-895-1765 with your order. 1-800-3-4DSTUF

HORIZC Up to 8 MB single		DOD RAM Built In RAMBO	
RAMDISK BARE BOARD), Manual, F	ROS 8.14b	\$65.00
ZERO K Kit, above and p	arts, NO N	IEMORY	\$125.00
128K Kit			\$155.00
256K Kit			\$185.00
384K Kit			\$215.00
512K Kit			\$245.00
1 MB Kit			\$355.00
1.5 MB Kit			\$465.00
2 MB Kit			\$575.00
ADD \$30 FOR AS	SEMBLY C	ON RAMDISK AND PO	SRAM
128K Memory Chips NO	DW \$3 0	512K Memory Chips	Now \$110
PGRAM Kit	\$150	PGRAM + Kit	\$180
PGRAM CLOCK	\$20	PGRAM Upgrade	\$30
HORIZON MOUSE	\$40	DIGI-PORT	\$40
MEMEX 504K	\$225	GENMOD	\$100
AVPC ROM FIX	\$CALL	MG EPROM	\$35
. 49			



166 DARTMOUTH DRIVE TOLEDO, OHIO 43614-2911 CALL (419)-385-5946 voice (419)-385-7484 BBS

BUD MILLS SERVICES

Prices subject to change without notice Cell for latest pricing. OHIO residents ADD 6% sales tax. FREE SHIPPING TO U.S. AND CANADA

Page 22 MICROpendium/February 1993

Mail Room V2.01

Feature-laden program makes it among the best

By TOM WILLS

Mailroom may appear to be just another mailing label database program, but once you use it, you will realize it is much more. The author of Mailroom, Larry Tippett, designed the program to be a comprehensive, but easy to operate program. Larry, by the way, is a relative newcomer to the TI community, having purchased his first TI-99/4A console in 1988. There are two similar, but distinct, versions of the program. There is the 40 column version which can be used by both the Geneve and the TI-99/4A, and an 80-column version which can be used by the Geneve and an 80-column card equipped TI-99/4A. The two versions virtually work identically. An important thing to remember is the 80-column coding was written with the 80-column cards for the TI-99/4A in mind, not the Geneve. With a couple of minor exceptions (noted further down in this review), the 80-column version will run without any problems on the Geneve.



if the address entry is a corporation or business. If you answer "Y" to this prompt, you will receive an additional field to fill in. The field is ATTN and will appear right after you enter in the telephone number. When printing out an envelope or label, the ATTeNtion line will appear on your label in the spot recommended by the US Postal Service. This can prove to be a handy feature. When you have finished entering the name information, you will be prompted if the data is correct. If not, you get another chance to correct it. If yes, you are prompted if you wish to enter another. If not, you are asked if you wish to A)bort, P)rint, U)pdate, or D)ial. If you choose to print, you are asked if you want to print to a L)abel, E)nvelope, R)olodex, or A)bort.

Ease of UseA	L .
Documentation A	k +
ValueA	
Final GradeA	. +

Cost:: \$14.95

Distributor: Asgard Software, 1423 Flagship Dr., Woodbridge, VA 22192; 703-491-1267 (7-10 p.m.); 716-778-9104 (11 a.m.-7 p.m.)

Requirements: 40-column version: TI-99/4A or Geneve 9640, memory expansion, Extended BASIC module, disk controller and at least one disk drive, printer not required, but recommended. A modem is optional. 80-column version: Same as 40-column version, except that an 80- column card is required for the TI-99/4A.

2. SEARCH/PRINT/UPDATE FILE

When selecting this option, you ar prompted for a Global search string. After you enter the string and press Enter, the program will search for any occurance of that string. Once a match has been found, you are queried if you wish to continue the search. If not, You are queried if you wish to U)pdate, P)rint, D)ial, or A)bort the search screen.

EXTENDED BASIC PLUS

(Continued from Page 21) grams — such as SHUTOUT — which use a block-type gameboard.)

Just in case you don't subscribe to the MICROpendium disks (if you don't, why don't you?), here's a listing for the simple MERGE file:

102 CALL CLEAR :: PRINT " С HARACTER REDEFINITIONS": "":T AB(8); "BUILDING BLOCKS"; :: C ALL LINK("BDDEF") 104 FOR I=96 TO 120 :: IF I/ 4 = INT(I/4) THEN PRINT "":"106 PRINT I; CHR\$(I); ";:: N EXT I :: PRINT "":"":TAB(5); "PRESS ANY KEY TO STOP" 108 CALL KEY(0,K,S):: IF S<1 THEN 108 ELSE END Well, that's enough for this month. Next time we'll take one more look at JUMP-A-PEG, and then move on to other things. Until then, keep on compuTIn'!

After booting up the program, you will be presented with a 9 option main menu. The options are:

1. ADD TO ADDRESS FILE

When selecting this option, if the file does not already exist, you are prompted to initialize (create) a file by the name you entered, or abort the operation. When you are prepared to start entering, you are presented with 9 fields to fill in, with one (CORP?) already filled with an "N". The fields are the normal Name, Address, City, etc. entries you would expect from a mailing database. However, there are 2 additional fields here to fill in. They are "CODE" and "CORP?"

CODE is a way of classifying your entry with a 6 character entry. For instance, if the entry is for a relative, you might enter "RELATE". Or if a friend, "FRIEND". Or "WORK" if someone from your place of employment. The code you enter is strictly up to you. This helps when sorting and printing out your reports or labels or whatever. CORP? is an entry to determine

3. DIRECTLY INPUT ADDRESS

When selecting this option, you are allowed to enter a one-time mailing address. One-time means it will not be added to your database. After entering in the desired information, you are queried if the data is correct, and if so, what kind of printout you wish, as in options 1 and 2 above.

4. PRINT RETURN ADDRESS LABEL

This is a very simple option. All it does is prints your return address on a label or an envelope or whatever is in the printer. There is no query here as to what you what it printed on. The return address is set up through the Configuration and is the default. **5. CHANGE DATA DRIVE FROM** This option allows you to select a data drive different than your default drive. (See Page 23)

MAIL ROOM V2.01-

(Continued from Page 22) Again, a very simple operation. 6. CHANGE FILE NAME TO:

Here is a nice feature. Mail Room will search the data disk for any file which is an I/F-255 file (which is the standard Mail Room file size). The files which are I/F-255 will be displayed for you to choose from. If the file you are looking for is not on the disk, and you have reached the end of the files available on the disk, you are prompted to enter a new file name (initialize a new one) or to accept the last filename that was displayed. is then retrieved. If Yes is selected, you will be allowed to update the record and then continue the search. If A)bort is selected, you will be sent back to the main menu.

9. EXIT OR CONFIGURE PROGRAM

Just as the option says, exit the program. When this option is selected, you are presented with a sub-menu containing three options, C)onfigure, R)eturn, E)xit. E)xit will do just that, exit the program. R)eturn will return you back to Mail Room's main menu. C)onfigure will send you to the Mail Room configuration menu, allowing you to change the defaults. The defaults include the drive, the filename, colors, modem strings, return address, and printer. Upon completing this task, you can chose to exit the program, or return to the main menu to continue the program. PERFORMANCE: Mail Room performed extremely well. One example is the sort prior to printing. I have a 163 record database which, from the time I pressed the Enter key to start the sort til the printer started printing, was just short of 2 minutes, which for a TI-99/4A is rather

parts of Mail Room confusing, due to the complexity of the software, despite all of Larry's efforts to overcome this possibility, I am only giving it an "A" here. As a programmer myself, I realize that no matter how hard one tries, what may be easy and straightforward to one person can be as clear as mud to the next.

DOCUMENTATION: Some of the best I have yet to see. Larry tells me that Harry Brashear did the docs. All I can say is "Bravo!" Larry/Harry made these docs very clear and wrote them using English words that everyone can understand. The docs are well organized and very complete, without becoming wordy. A big "A+" here! VALUE: This program, as with any software, depends on whether you need it or not. I feel the value of Mail Room is right up there just because of the added features that Larry was wise enough to include, such as the dialer option, the printing to the envelope option, etc. I find it valuable; after all, it is easier to let the computer dial the telephone than it is for me to remember the numbers of all the people I wish to call. However, because of the limited use for the program (as with any program), I feel I can only give it an "A," but it is an high "A," just under "A+." FINAL GRADE: If I was assigning stars as Stan Krajewski does in his Micro Reviews, I would give Mail Room 4 stars. I, therefore, am giving Mail Room a final grade of "A+." I feel this is a must program for anyone who uses the telephone and mails letters.

7. VIEW NAMES OR PRINT DATA FILE

This is an option which will allow you to view the records you have on file. The only field displayed at this point is the NAME field. Up to nine names are displayed on the screen. Just above the file entries is a line on the screen which tells how many entries there are in the file, such as "125 RECORDS IN: SW99UG" with SW99UG being the name of the file. By pressing the space bar, you will scroll down the list of entries. On the bottom of the screen is a options with the selections M)ore, D)ial, A)bort, and Enter. By pressing the Enter key on the desired entry, you will be presented with a detail screen of the entry. which is the same screen as used in option 2, the update screen. In this screen you will have the very same options in the edit screen.

If you press M)ore, you will be presented with another nine entries, until you finally reach the end of the file.

You will notice that you have the ability to dial up the person (company) if desired. This is a handy shortcut. If you have no telephone number in the record, The dialing routine will abort.

8. GLOBAL UPDATE

Depending on what you wish to do, the global update can be handy, provided you need to update a number of the records in your file or you do not remember the exact spelling of the name of the person/company you wish to update. You may select the number of the record at which you want to start (such as record No. 29). Starting with the desired record, that record and all subsequent records are displayed with the prompt "CORRECTION NEEDED? Y/N/A". If No is selected, the next record good.

The error routines built into Mail Room work very well. I was never able to crash the program. However, When running Mail Room on the Geneve, it seems to alter the character set so that when you leave Mail Room, your character set is still messed up. This was the only actual flaw I encountered. There can also be a problem on the Geneve, where the speed of the machine will cause the cursor to skip a field. If this is encountered, slow down your machine until it works properly. The keyboard being used can also make a difference. Because the only problems encountered

were only on the Geneve, and were very minor, the performance rating of Mail Room should still be given an "A+." It must be remembered, the coding in the 80column version was actually written for the 80-column cards used in the TI's, not for the Geneve. EASE OF USE: Larry designed this program with the average person in mind. It is as easy a program to run as you could want. What more can I say besides that? But, because some users may find certain

TPA available again

Gerald D. "Dee" Turner says he has taken over distribution of The Printers Apprentice (TPA) by Mike McCann, and will be doing periodic updates for the program. Contact Turner at 450 Skylark Dr., San Bernardino, CA 92405, (909) 881-8879.

Get more out of your

TI and Geneve.

Attend a TI Fair

in 1993

Page 24 MICROpendium/February 1993

MICRO-REVIEWS

The Animator and The M.U.N.C.H. Video

By STAN KRAJEWSKI I was planning on doing a review on the new Horizon Mouse. However, the software I received with it is defective and I'll run that column when I get it worked out.

Ratings for the software reviewed in this column are based on the Star system that follows. puts you in the drawing mode of the program. When you are in the program it looks like the zoom mode of an Artist program. You create your picture by drawing one square at a time with your joystick. The joystick button acts as the toggle between the Draw and Erase

The video starts out with identification of the TI consoles, a list of tools needed and their purpose. The procedure is then explained regarding how to remove the back cover and remove the internal boards. Both the black and silver and the tan consoles are worked on simultaneously for

 \star Leave it alone, back to the drawing board.

★ ★ Needs improvements, but workable.
★ ★ ★ A good program, worth trying.
★ ★ ★ Send your money and buy it.
NOTE: If the Geneve 9640 is *not* specifically mentioned in system requirements of any column I write, the program is TI99/4A compatible only.

$\star \star \star \star$ THE ANIMATOR

If you love to draw or create special effects on the TI or Geneve, then you'll love this one. Even if you're not a graphics person, you'll want to try it. The effect of animation is created by drawing individual frames, then displaying them one after another. This program is all you need to draw, save and then run all your frames to create your animated graphics. System requirements are Geneve 9640 or TI99/4A, 32K RAM, disk drive, Extended BASIC and a joystick. I just love a good title screen. The title screen upon auto-loading from XB meets my expectations. After all, an animator program should display what it can do! The five modules plus several packages in this program make it complete. The Main Menu options include Animator, Conversions, Configure, Printout Frames and Load Utility Program.

modes. Other options are three editing grids, invert pixels, recall frame from buffer, shift frame, set animation sequence, start animation and a few other commands.

Conversions is a utility that allows you to move data into the animator program. It also allows loading of a TI-Artist Instance for converting to a Animator format. Loading and saving options are also here for file manipulating and creating your XB Merge file for an XB program. The Configure option lets you preset

your configuration by assigning joysticks, screen columns, printer codes and animation size and speeds.

The Printout Frames option prints out each frame for editing. A printout feature owners of either system to follow. Details receive close attention so that anyone without electronic experience can follow along.

Next the video explains a cleaning procedure. It starts with cleaning the cartridge port and the right angle adapter, then goes on to cleaning the edge connector. Once again, details are pointed out very well so anyone can do this. For those who want to stop there at the cleaning, the video goes on to how to reassemble the console.

For those who are a little more adventurous, there are other ideas to try. On idea is air holes in the console, in the form of a design, to relieve the heat from the power supply. The video also includes a procedure for changing a resistor on the motherboard for improved video reception. No more white shadows when looking at the text and better graphics! The video is well done and it is a great help to have someone there to explain and show you everything. The video is a lot easier to follow than directions on paper. Computer cleaning items are also introduced to you to let you know what's out there. And the video has a lot of close-ups enabling you to see all components being worked on.

I'll start with the Animator option. This is the heart of the program. The anlets you make a hard copy of your animations.

The Load Utility Program is reserved for future expansion: however, it may be used to create your own animator utility. The animator comes on two SS/SD disks (an Example disk and a Program disk). I liked working with the program and found it easy to use, even though I do not use drawing programs much. The 22-page manual included covers all aspects of the program.

The Animator is available from Asgard Software, 1423 Flagship Dr., Woodbridge, VA 22192. The price is \$14.95 plus \$3 S&H.

 $\star \star \star \star$

THE M.U.N.C.H. VIDEO

For your copy of "How to Clean Your Computer" send \$9.95 plus \$3 S&H to M.U.N.C.H, C/O James W. Cox, 905 Edgebrook Dr., Boylston, MA 01505.

imator is an Extended BASIC program that allows you to create your own graphics for whatever purpose you choose, without having to know how to draw on an Artist program. This program lets you draw and create your effects, all within this one environment. Selecting Animator from the main menu

This is the MUNCH video, "How to Clean Your Computer." This comes on a VHS video cassette and a VCR is required to play it. It is a fund raising program to help support the Massachusetts Users' of the Ninety-Nine and Computer Hobbyists group.

If you would like your software or Hardware reviewed in this column, you may send it to Stan Krajewski, Route 6 Box 568-15, Live Oak, FL 32060. If yo. would like it returned, please include postage. If you need to call me for any reason, you may reach me at 904-364-7897 E.S.T.

Neusbutes

Orphan Reunion set for May 15

The Fourth Annual TI Orphans Reunion is scheduled for May 15 in Edmonton, Alberta, Canada, according to Don Nast of the Red Deer TI99ers.

Fair hours are 10 a.m. to 5 p.m. at the Zurich Insurance Claims Centre, 9715 Ot-

drive. Modifying fonts requires
Editor/Assembler as well, Harrison says.
The package, in either version (specify
printer), sells for \$10., including S&H,
from Harrison Software, 5705 40th Place,
Hyattsville, MD 20781. For more information, call (301) 277-3467.

80-column editor released for F'web

release; apologies," he says.

According to Neubert, the most apparent modification affects the "\$" commands which modify the default parameters. These commands now check for writeprotection of the GROM emulator and give a suitable message if it is write-protected. An additional external command is included for use with the Cor-Comp Memory-Plus RAM disk. "Not all managers work with this card and some disk utilities can be risky," Neubert comments. "The card does have its own disk manager in ROM which is always available. There was no way to reach it from the OS99 command line, however. The commands RMGR and RAMGR are provided to correct this. Typing one or the other (two versions of the card were produced) as a command should go directly to the Memory-Plus manager."

tewell Rd. (corner of 98th Avenue and 72nd Street), hosted by the Edmonton Ninety Niner Computer User Society. Nast expresses appreciation "to the generosity of Zurich Insurance Canada Ltd."

He notes, "It is the largest TI fair in western Canada and always has lots of demos, swap tables, etc. Everyone is welcome."

For more information, contact Ron Hohmann, (403) 456-0862.

Harrison produces Font Dumper

Harrison Software has released a new product which the company developed in response to a challenge from Jim Peterson of Tigercub Software. Tony McGovern of Australia has released a "completely rewritten from source code" Funnelweb V.5 80-column editor, according to Charles Good of the Lima Ohio Users Group.

The files for this software, plus some supplementary files such as extra help screens and demo text files, are available in DSSD unarchived format from the group. To receive them, send two disks and a self-addressed return mailer. "No money is required, but a fairware

donation directly to the author will be appreciated," Good notes. McGovern expects to release a similar 40-column editor soon which will be available from the group in the same way. The editors are designed to be run from the Funnelweb V4.4 environment, Good notes.

Freedom Station holds mouse wires

The challenge was to develop the capability to download his screen fonts to the printer as NLQ (near-letter-quality) characters, so that various fonts could be used on the printer as well as on the screen., according to Bruce Harrison of Harrison Software.

The new product, Font Dumper, works with Star NX-1000 and NX-1020 printers. It comes on two SSSD disks, one with programs and one with 32 fonts from Peterson's collection of 127 screen fonts. Those who want the full set of 127 can get them from Tigercub Software, 156 Collingwood Ave., Whitehall, OH 43213, but should specify the printer download versions, Harrison says. The Font Dumper package includes programs to modify the existing screen fonts and several ways to perform the download to the printer. Using it requires a TI99/4A (not Geneve) with Extended BASIC, 32K and at least one SS/SD disk

Send requests to Good at Lima Ohio User Group, P.O. Box 647, Venedocia, OH 45894.

OS99 V4 released

Guy Neubert of Kirkland, Washington, has released OS99 V4. The program is distributed by Tex-Comp.

Neubert says the new version corrects a bug found in V3, simplifies the commandline interface and improves the documentation. The "bug" affected the ED (edit) command, according to Neubert. If a floppy disk was used as the default device and a non-existent file name given in order to create a new file, it would not do so. "This is the type of thing we had hoped to discover and correct before the original The Freedom Station is a mouse peripheral which is designed to project, suspend and lock a mouse cord above the work station. According to the manufacturer, the projection tower enables the cord to rotate freely around the workspace following the mouse. The tower is made of dual balanced flexible compression coils and a projection clip and is designed to simulate the feeling of a wireless mouse, according to the manufacturer.

The Freedom Station sells for \$29.95, shipping and handling included, continental U.S. only, from CP Research Inc. of Augusta, Maine. To order, call 1-800-452-7546. The manufacturer says dealer inquiries are welcome at 1-800-582-2909 or fax (207) 775-6779.

Reach thousands of TI and Geneve users free of charge. Send your announcemts of products and services for TI and Geneve users to MICROpendium Newsbytes, P.O. Box 1343, Round Rock, TX 78680.

TRIALS OF A c99 BEGINNER

Quick sort with random access files

By CHARLES E. KIRKWOOD JR.

This article tells how we can sort 1000 - 2000 - 3000 - perhaps more-character strings with up to and including 80 characters using QUICK SORT (this sort routine was discussed in Jerry Stern's article in MICROpendium May 1991).

How can we sort this large a file? The character strings are stored in records in a file on a RAMDISK. A disk will also work, but this will give the disk drive quite a work-out and will be slower. The character strings to be sorted must be stored as records in an internal, relative, fixed length file. In this way we can access them much like accessing elements in an array.

eof=tclose(filptr);

Note that eof may be omitted from the statements. The maximum length of the character string records is set as d2, 81 characters. To save memory the two functions strcmp() and atoi() are copied with the program rather than including all the STRING (STRINGFNS) and CONV (CONV;C) function li-

A

Tom Bentley wrote an I/O library which can be used with fixed internal files. Some information about this library is:

TCIOI is the include file containing I/O definitions and REF directives for the TCIO file. The following are defined: File Type, SEQUENTIAL or RELATIVE; Record Type FIXED or VARIABLE; Data Type, DISPLAY or INTERNAL; and Mode of Operation, UPDATE, OUTPUT, INPUT or APPEND.

#include DSK1.TCIOI

TCIO contains the I/O functions and is linked to the object program along with CSUP.

Declare:

int fileptr,eof,rec,access,fsize; char name[],buff[];

braries.

The program is written as a general purpose program so that it can be used for different fixed length records without having to recompile the program. The length of the fixed length record is typed in as data from the keyboard. You remember that QUICK SORT started with element one and not element zero of the array. The sort function starts with record one also. That leaves record zero free. This record zero can be used to store the number of records to be sorted or it can be ignored completely. The program is written so that you can choose to access record zero to input the number of records or type the number from the keyboard. It is assumed that the records to be sorted have already been stored in the RAMDISK as internal, relative, fixed. The sorted records will end up in the same file. For those who might like to time the sort routine the words START and STOP appear on the screen at the beginning and end of the sort, respectively. There is no print-out of the file in this program.

filptr=topen(name,access,fsize);

Example:

filptr=topen("DSK1.FILE",INPUT+INTERNAL+RELA-TIVE+FIXED,80);

The access for a random access file will be UPDATE+INTER-NAL+RELATIVE+FIXED.

eof=tread(buff,rec,filptr,fsize);

If eof is -1 it is a valid end-of-file, if it is -2 there is an error. The character buffer, buff, should be at least one more than the size of the record, fsize is the actual size of the record, and rec is the record number.

```
eof=twrite(buff,rec,filptr,fsize);
```

See the December 1992 MICROpendium for a c99 conversion program that will either convert a variable display file to a fixed internal file or vice versa. This program automatically stores the number of records in record zero of the fixed internal file.

Note that there are three arguments for the sort function: the number of records, the disk and file name, and the record length. The library files CSUP and TCIO must be linked with the object file of FILESORT;C.

When space permits MICROpendium has been including both the source file and the ready-to-run program using E/A 5 on its monthly disks. No knowledge of c99 or any of the files of c99 are necessary for the user to use this E/A 5 program.

FILESORT;C			
/*FILESORT;C*/ #define d2 81 #define d1 3001 #include DSK1.TCIOI	++s1; ++s2; } } return(0);	<pre>sign=-1; ++s; } if(*s=='+') ++s;</pre>	

strcmp(s1, s2)char *s1, *s2;

int r; while(*s1|*s2) r = *s1 - *s2;if(r)

> return(r); else

atoi(s) char *s; int sign,n; while(*s==' ') ++S; sign=1; if(*s=='-')

n=0;while(*s>='0'&*s<='9') n=10*n+*(s++)-'0';return(sign*n);

main() int i,n,c,df,k,r,dsk;



TRIALS OF A c99 BEGINNER____

(Continued from Page 26)

```
char a[d2],nr[d2],r1[5];
 puts("
            FILESORTn^{n};
              Program uses QUICK SORT\n");
 puts("
             with random access records\n\n");
 puts("
puts("Program sorts character strings with 80\n");
puts("or less characters.\n");
puts("Numbers must be padded with zeros or\n");
puts("blanks so that the decimal points\n");
puts("line up.\n\n");
puts("RECORD LENGTH ");
r=atoi(gets(rl));
puts("\nDISK and FILE ");
df=gets(nr);
dsk=topen(df,UPDATE+INTERNAL+RELATIVE+FIXED,r);
puts("\nNumber of items input from FILE or\n");
puts("KEYBOARD (F/K) ");
c=getchar();
if(c=='F')
  k=0;
  tread(nr,k,dsk,r);
  n=atoi(nr);
else
  puts("\n\nInput number of items ");
  n=atoi(gets(nr));
putchar(10);
puts("\n\m TART");
sort(n,dsk,r);
puts("\nSTOP");
putchar(10);
tclose(dsk);
```

/*Translation and modification of*/
/*QUICK SORT, MICROpendium May 1991*/
/*for random access records*/
sort(n,dsk,r)
int n,dsk,r;
{
 int w,k,i,a,b,u,m,c,s[d1];
 char z[d2],x[d2];

++u;
if(m==u)
 break;
 tread(x,u,dsk,r);
while(strcmp(z,x)>=0)
 {
 ++u;

```
while(k!=0)
    k = k - 1;
     i=k+k;
    a=s[i+1];
    b=s[i+2];
   tread(z,a,dsk,r);
    u=a;
    m=b+1;
    while(c==0)
      m = m - 1;
      if(m==u)
        break;
      tread(x,m,dsk,r);
      while(strcmp(z, x)<=0)
        m = m - 1;
        tread(x,m,dsk,r);
        if(m==u)
break;
      if(m==u)
        break:
```

c=0;

k=1;

i=0;

s[1]=1;

s[2]=n;

```
if(m==u)
break;
       tread(x,u,dsk,r);
     if(m==u)
       break;
     twrite(x,m,dsk,r);
   twrite(z,u,dsk,r);
   if(b-u>=2)
     i=k+k;
     s[i+1]=u+1;
     s[i+2]=b;
     ++k;
   if(m-a>=2)
     i=k+k;
     s[i+1]=a;
     s[i+2]=m-1;
     ++k;
```

Name_

twrite(x,u,dsk,r);

Micropendium disks, etc.

- Series 1993-1994 mailed monthly (April 1993-March ... 1994) \$40.00
- Series 1992-1993 (Apl 1992-Mar 1993, 6 disks) \$25.00
- Series 1991-1992 (Apr 1991-Mar 1992, 6 disks) \$25.00
- Series 1990-1991 (Apr 1990-Mar 1991, 6 disks) \$25.00
- Series 1989-1990 (Apr 1989-Mar 1991, 6 disks) \$25.00
- Series 1988-1989 (Apr 1988-Mar 1989, 6 disks).\$25.00
- **110 Subprograms** (Jerry Stern's collection of 110 XB

	subprograms, 1 disk) \$6.00
	TI-Forth (2 disks, req. 32K, E/A, no docs) \$6.00
	TI-Forth Docs (2 disks, D/V80 files)
	1988 updates of TI-Writer, Multiplan & SBUG (2
	disks) \$6.00
	Disk of programs from any issue of MICROpendium between April 1988 and present\$4.00
<u>, </u>	

CHECKSUM and CHECK programs from October 1987 issue (includes docs as D/V 80 file)......\$4.00

Check box for each item orderedand enter total amount here: ------



Page 28 MICROpendium/February 1993

User Notes

Troubleshooting Horizon RAMdisks

This item, including the accompanying flowchart, was written by Stephen Andrews of the North Bay 99ers. It was published in the group's newsletter.

Certain coincidences made me decide to

write an article, or sort of quick reference guide for users of Horizon RAMdisks (HRD) of all types. Recently, I started with a call from our newsletter editor asking questions about a new HRD test program from OPA (Oasis Pensive Abucators) and problems he was having with one of his HRDs. We discussed the problem, determined that it was not likely caused by the hardware and decided on a course of action.

We said our goodbyes and I went to my system to work on something only to find that my own system would not boot. This is where the real story begins.

Anyone with an HRD, with any of the new RAM Operating Systems (ROS) installed in memory, as opposed to some of the EPROMs that are available, has had



this problem. (Come on, be honest.) At this point you have a lot of options. You can shut everything off and walk away, but that will not solve anything. You can remove the batteries on your HRD(s), replace them and start over, but that means you have lost everything you have changed since your last backup. (You do backup, right?)

You can hide the HRD from the console with the switch on the back of the card, but we are not all lucky enough to have that option because older cards which do not have the switch.

You could remove the card, put it in the closet and you will never have the problem again. (No, no, that just wouldn't do.) These are all options, but not very good ones, so let's discuss the alternatives. I am the club librarian and when trying out many new programs, or reviewing older ones, I often have conflicts with the ROS on my cards that make the system appear to be messed up. If, however, I re-(See Page 28)

Feedbach

(Continued from Page 7)

adapter plate to get DSK3 or DSK4.

This is where it gets confusing. I prefer the modifying of the adapter plate, as you have more room and you can see what you are doing. You can then have a separate adapter plate for drive 2, drive 3 and drive Pin 12 is the select switch for activating drive 2.

Pin 14 is the select switch for activating drive 3.

With this information you then:

Cut the No. 14 pin at the cable end and the No. 10 pin on the adapter plate and short across from input pin No. 14 to pin No. 10 to make this drive operate as drive 3. Using the adapter plate, you do not interfere with the signal going to any other drives.

With this method you can mix any combination of drives.

I do find the crossing of wires causes problems and the cable can only be used with this system. I hope this clears up the misunderstanding about the drives. Frank W. Aylstock President, Brea User Group Yorba Linda, California Send Feedback to MICROpendium Feedback, P.O. Box 1343, Round Rock, TX 78680.

4 Without changing the cable, you then must check the adapter plate and find pins 6, 10, 12 and 14. Remember, the slot is near the No. 2 pin. Pin 6 is the select switch for activating drive 4. Pin 10 is the select switch for activating drive 1.

Next cut the No. 6 connector at the cable and No. 12 pin on the adapter plate, then short across the adapter from input pin 6 to pin 12 to make this drive operate as drive 4.

User Notes

(Continued from Page 28) member some simple rules, I can often recover from what would seem a complete disaster.

I start by having the ROS config program on HRD No. 1. Then, when my system locks up, I start at the top of the flowchart and follow it through with my fingers crossed. Generally, only the ROS is damaged and when reloaded, usually all of the data is intact on the cards. Good luck. and see how easy it is to create a help screen.

Go into the Funnelweb editor. Create your D/V80 file, keeping in mind that you are restricted to 24 lines and 40 columns. This is all you will be able to view on the 40-column version. I imagine the 80-column version allows more columns and perhaps lines.

If you create a 25-line help screen, the

the help screen. Any characters past the 40 columns will be truncated as well.

I decided to make up a D/V80 file on the different keystrokes for my Rave keyboard. I am forever forgetting what the keystroke for OOPS is. The file is listed in box below.

As you can see, I have doubled up on some of the keys (F1/F2). I had to compromise to get all the keys and functions on

Making help screens in Funnelweb 5.0

This item, was written by Jim McLaren of the Sudbury 99ers.

One of the new features of Funnelweb is the help screens. There were eight help screens included in the beta version of Funnelweb 5.0. At first I thought making your own help screens would be similar to configuring Funnelweb. To my surprise, the help screens are very easy to make. In the 40-column version, you simply access Funnelweb and the normal editor. Your help screen file is a D/V80 file that you create with the Funnelweb editor and, once you create your help screen, Funnelweb will convert the D/V80 file into a program file format using a program called HELPMAKE4. Let's take it a step at a time last line will not appear when you display

RAVE KEYBOARD (TI/W - Shift Lock Down)				
Key	Function			
F1 / F2	Character Delete / Insert			
F 3	Line Delete			
F4 / F6	Roll Page Down / Up			
F7	Tab			
F 8	Insert Blank Line			
F9	Command/Escape			
F10	Display Line Numbers			
F11	OOPS!			
F12	Reformat			
F13	Screen Color			
F14 / F16	Next / Last / Paragraph			
F15	Duplicate Line			
F17/ F24 / TAB	Word Tab / Back Tab / TAB			
F18	New Paragraph			
F19	New Page			
F20	Word Wrap			
F21/F22	Begin/Delete End/of Line			
F23	Back Tab			
Escape	Return to Command Line			

one screen of 24 lines.

Once I completed my D/V80 file using the Funnelweb editor, I saved the file to disk under the name "DSK2.KEYS"

I then used Diskreview (V4.40) and located the filename HELP-MAKE4 on the beta disk. I typed "R" beside the file and answered all the usual Funnelweb prompts. The following screen appeared: **FW ED 40 HELP FILE MAKER Input From: DSK2.KEYS (I** typed in my D/V80 filename) **Output to: DSK8.HELP4D** (The DSK8.HELP4D is the default. I changed the drive number to DSK2 and changed the last letter from "D" to "H" to replace the last help screen.

Remember, there are eight help (See Page 30)

READER TO READER

Bill Gaskill, 2310 Cypress Court, Grand Junction, CO 81506, writes:

I am trying to verify the existence of the following cartridge titles and would like to hear from anyone who actually owns one in the flesh. If you do, please write me describing the shape, color, label color, color of the print on the label and the product number of the cartridge.

1. TI Investment Analysis module supposedly released in 1979.

2. Imagic Demon Attack (not Super Demon Attack) module.
3. Imagic FLAP module announced in September '83 issue of *Enthusiast 99*.

9. TI Nutrition Analysis.

10. TI Diagnostic module PHM 3000 released in 1979.

11. The location of any published announcement detailing the release of the Number Readiness module by Milliken Publishing. I'd like to know what magazine, flyer or official or commercial publication contains this information, and I'd like to know the month and year of the publication.

☐ Gene Downs of the Danville 99(ers), 888 Airport Rd., Danville, KY 40422 writes in response to January Feedback items by Frank D. Ormonde and Al Morgan: Getting children to use the 99/4A computer and "step by step" instruction in XBASIC programming is what we do here. It is listed in our manual of operations as "the primary objective" of this group. We do this not only on location but help 109 others through the mail.

4. Atarisoft Joust, Robotron: 2084, Star Gate and Super Storm modules.

5. Sierra On-Line Jawbreaker (not Jawbreaker II) module.
 6. TI ACS Protection PHM 3063.
 7. TI Computer Tutor PHM 3170.
 8. Romox Character Crayons.

Reader to Reader is a column to put TI and Geneve users in contact with other users. Address questions to Reader to Reader, c/o MICROpendium, P.O. Box 1343, Round Rock, TX 78680.

LSER NOTES

(Continued from Page 29)

screens included with the beta version. Note, too, that Funnelweb allows you to change only the drive number and the last letter after "HELP4" in the help screen filenames.

It took only a few seconds to convert the files from D/V80 to a program (help screen file).

I then proceeded to load the new beta 40column version of the editor. I then typed "H" for help screens. The help screens were then loaded and I pressed "A" to advance to the last help screen, "H." Presto, there was my newly created help screen.

with virtually all home video game systems, or at radio supply stores. Discount stores even carry them. The adapter has a cable-TV male connector and two screw terminals. The male plug goes into the "cable in" jack of the VCR. The screw terminals go to the modulator's "to TV" wire. You can then hook the VCR to a stereo's "aux in" jack, using a standard audio/visual cable. Plug the other end into the "audio out" on the VCR. You can then hear improved sound and tape record the computer's audio output, both audio and video, on the VCR. This isn't as good as using a monitor cable into the "audio in" and "video in" of the VCR, but it works for those without monitors or cables. 4. If a disk doesn't seem to initialize, don't give up. First, inspect the disk for cuts or grooves. Check the visible surface on the back of the disk, since the drive records data on the surface opposite of the labeled side. If nothing looks wrong, continue to re-initialize the disk. Make sure that you validate each sector. Chances are some sectors will be bad. Choosing a validate feature marks each bad sector as used. After trying this for a while, the disk

Lima User Group with Funnelweb V4.4 and the earlier V4.31. There is an item on the main DSKU menu that says "LOAD FW." It usually doesn't work. The reason is that DSKU searches the drive you specify for a file named UTIL1, which is what the main Funnelweb files used to be called. The main Funnelweb file is now called FW.

It is easy to modify to boot file FW every time you ask DSKU to "Load FW." Here's how:

After further exploration I found that you can create more than eight help screens. I created additional screens by simply adding the next letter of the alphabet at the end of "HELP4." I now have ten screens, labeled through "HELP4J." Obviously, you can create additional screens as well.

Five tips to keep in mind

The following item was written by Andy Frueh of the Lima (Ohio) User Group.

Use Funnelweb's Disk Review or other sector editor to search for the third DSKU file (named either DW or DSKW) for the ASCII text "UTIL1." You will find "DSK1.UTIL1." Change UTIL1 to "FW" and put blank spaces over the "ILL." Then change the screen display to hex (CTRL-W and then CTRL-A if you are using Disk Review). This change shortens the length of the text the computer expects to find since DSK1.FW is shorter than DSKI.UTIL1. DSKU will now properly boot Funnelweb when you select "Loa FW" from DSKU's main menu.

Printer advice

This article deals with several unique tricks that I found very useful.

1. When you have a D/V40, 132 or whatever text file that you need to edit with TI-Writer, you can change it to a D/V80 file by using a sector editor. TI-Writer will load only D/V80 files. Do a search file with your sector editor to find the header sector of the D/Vxx file. Edit that sector in hex mode. Go to byte >11. If the file is D/V40, you should see a number 28 at that byte. To change it to an "80," type a number 50 over the 28. In ASCII mode, you would see a (for a D/V40 file, and the letter P for a D/V80 file.

2. Remember that "E" is an accepted number in TI-Writer. For example, if you need to delete from line 741 to the end of the file, you can enter the following after initiating the delete function from the command line: 741, E. Lines 741 through the end of the file will be deleted. 3. You can hook up your computer to a VCR using a standard 300 ohm to 75 ohm TV antenna adapter. These can be found

should operate.

5. Finally, for those without a monitor, here is another use for the adapter mentioned above.

I have the following display set-up: One TI computer has two separate RF modulators. Each one is constantly hooked up to a TV. Only one of the DIN end plugs is connected at a time. I use a small black and white TV on the PEB (with adequate ventilation) whenever anyone needs to use the larger color TV (which is also connected to cable and a Nintendo). The problem is when I'd use the color TV, either with the computer or without (i.e. I'd be using the b/w TV), I would get interference from the computer. Placing the antenna adapter between the color TV and its modulator clear

for TI-W users

The following, by Steven Shaw, is excerpted from TI*MES, the newsletter of the TI99/4A User Group of the United Kingdom.

One heart-felt cry, from more than one member, involves the printing of text files using TI-Writer. TI-Writer normally sends a carriage return and line feed at the end of each line, and life is much easier if you switch the internal DIP switches in your printer so that your printer does not itself add an automatic carriage return and line feed at the end of each line! If both the printer and TI-Writer add a line feed, you end up with double spacing, whether you want it or no.

up the interference.

Fix DSKU

to boot Funnelweb

This item was written by Charles Good, of the Lima User Group. DSKU V4.2 was distributed by the

The TI RS232 card contains a number of software switches, and if you use RS232 as your printer name you will certainly know about those! However, PIO user generally have little call to use them and so remain unaware. You can instead of using just PIO, name (See Page 30)



(Continued from Page 29)

your printer as PIO.CR or PIO.LF - if you use the formatter you may need to use PIO.LF even if PIO on its own is okay when printing from the editor. If you ever use a graphics program, you will need to use PIO.CR to prevent an automatic carriage return every 80 characters — something that can make your graphics look a little untidy. In case of difficulty with line feeds, go through all the possible printer names and use the one that is best, be it PIO.CR or PIO.LF or possibly PIO.CR.LF. It makes life easier if you can switch the auto line feed off at the printer. Consult your printer manual for instructions. Another problem is the use of printers which are not 100 percent compatible with Epson control codes. When printing text which has these codes embedded, you may meet problems — such as a printer freeze. Again, TI-Writer was written to take care of this problem. You may instruct TI*riter to print the text file but to strip out* \therefore e control codes — that is, to print only the "printable" characters from ASCII 32 to 132 - to do this. Instead of using the output device name of PIO you use C PIO - that is, a capital C, followed by a space, followed by the normal printer name. As a reminder, if you want TI-Writer to save in D/F80 format instead of D/V80, select PF then type F DSK1.FILENAME - use the print file command instead of the usual save file, and add an F and a space in front of the output device name. You remember, of course, that TI-Writer can load both D/F80 and D/V files longer than 80, but only load the first 80 characters of each record. TI-Writer is an unusually well-written program! And remarks regarding TI-Writer also hold true for Funnelweb.

Classified

Policy

The cost of classified advertising is 25 cents per word. Classified display (i.e., special formatting or graphics) is \$9 per column inch. Classified advertisements must be paid in advance. Classified advertisers may request a category under which they would like their advertisements to appear, but the final placement decision is the responsibility of the publisher.

Classified deadlines will be kept open for as long as practical. For the purpose of classified advertising deadlines, any classified ad received later than the first day of any month cannot be assured of placement in the next edition. We will do our best to include every advertisement that is submitted in the earliest possible edition.

The publisher offers no guarantee that any advertisement will be published in any particular issue. Any damages that result either from errors in copy or for failure to be included in any particular edition will be limited to the amount of the cost of the advertisement itself. The publisher reserves the right to reject any advertisement.

The advertiser may elect to publish the advertisement in subsequent editions at the same charge, payable prior to publication. The deadline for carryover classifieds is the same as for new advertising.

In submitting an ad, please indicate whether you would like a refund if it is not published in the requested edition or whether you would like us to hold it for the next edition. Cancellations and refunds cannot be made after the second day of the month.

Send classified advertising to: MICROpendium, P.O. Box 1343, Round Rock, TX 78680.

SOFTWARE

TI-PD PUBLIC DOMAIN AND FAIRWARE

600 DISKS just \$1.50 EACH! And orders for 8 or more disks are postpaid.

Thousands of programs selected from the best from the U.S., Canada, Australia, England, Germany, Holland and Belgium. FAIRWARE IS OFFERED BY AU-THOR'S WRITTEN PERMISSION ONLY. Disks as full as possible, arranged by exact category, BASIC programs converted to XBASIC, assembly programs with XBASIC loader, disks with autoloader by full program name.

FOR SALE

TI99, 2 complete P-Boxes, dual drives, monitors, joy sticks, 3 keyboards, lots of software, all documentation, \$75. 813-726-8375. 10/1

2-TI99/4A consoles, PE-Box including 32K, disk controller and drive, speech synthesizer, TI-program tape recorder,

MICROpendium pays \$10 for items sent in by readers that are used in this Send \$1.00 (deductible from first order) for 20-page catalog listing all programs and authors. Catalog also available on disk.

TIGERCUB SOFTWARE, 156 Collingwood Ave., Whitehall, OH 43213. v10/2

```
TI-Writer and Multiplan. All for $400.
Call 513-544-2010. 10/1
```

MISCELLANEOUS

ENORMOUS TI99/4A INVENTO-RY. CATALOGS \$2.00. BRAATZS COMPUTER SERVICES, 719 E. BYRD ST., APPLETON, WI 54911. 1-414-731-3478. 10/12

Buy and sell used computer stuff

National Used Software Club haspbuyers looking for TI products, as well as1sellers. More than 100 TI items are listed5for sale. The membership fee is onlyH\$15/year and entitles you to buy or sellscomputer items via the NUS/HCGdatabase. You will also receive FREE ourTnewsletter (mailed every eight weeks). IfMyou don't buy or sell anything during theMterm of your membership we will refundMyour annual fee.EFor a free, no-obligation informationH

packet, write to NUS/HC, P.O. Box 1343, Round Rock, TX 78680; or call 512-255-1512.

Here are some of the items offered for

column. Send your User Notes to MI-CROpendium User Notes, P.O. Box 1343, Round Rock, TX 78680.

Don't let 1993 go by without attending a TI Fair sale: GRAMKracker (80K).....\$90.00 TI-Imager Maker (installed)\$150.00 Mini-Expansion System (Multicom)\$60.00 TI XBASIC.....\$20.00 MG Explorer\$25.00 Mini-Memory Module\$25.00 Mini-Memory Module\$15.00 Editor/Assembler\$10.00 Page 32 MICROpendium/February 1993

The ONLY monthly devoted to the TI99/4A⁷

Subscriptions

□ 12 issues, USA, \$25
 □ 12 issues, Mexico, \$30.25
 □ 12 issues, Canada
 □ 12 issues, other countries, \$32.50
 □ \$12 issues, other countries, surface mail, \$30.00

□ 12 issues, other countries, air mail, \$42.00

Outside U.S., pay via postal or international money order or credit card; personal checks from non-U.S. banks will be returned

		Dis	ks,	etc.		
Back issues,	\$2.50	each.	(List	issues)		
- <u></u>					<u>.</u>	· <u> </u>

No price breaks on sets of back issues. Free shipping USA. Add 30 cents, single issues to Canada/Mexico. Other foreign shipping 50 cents single issue surface, \$1.60 air mail. Write for foreign shipping on multiple copies. **OUT OF STOCK: Vol. 1, No. 1-2, Vol. 2, No. 1, Vol. 4, No. 9**

Address Changes

Subscribers who move may have the delivery of their most recent issue(s) delayed unless MICROpendium is notified six weeks in advance of address changes. Please include your old address as it appears on your mailing label when making an address change.

Check each item ordered (or list on separate page) and enter total amount here

Check/MO

Exp. Date _____

Card No.

Minimum credit card order is \$9

Signature ___

(required on credit card orders)

No sales tax on magazine subscriptions. Texas residents add 7.75% sales tax on other items, including back copies and disk subscriptions.

□ MICROpendium Index (2 SSSD disks, 1984-1991, Ext. BASIC req.), \$6.00

□ MICROpendium Index II (8 SSSD disks - 1 for each year 1984-1991, XB req.) \$24.00

☐ MICROpendium Index II with MICROdex 99 (10 SSSD disks, XB req., \$30.00

□ MICROdex 99 (for use with MICROpendium Index II, 2 SSSD disks, XB req.), \$10.00

MICROdex99 by Bill Gaskill is a program to allow users of MP Index II to modify their index entries as well as add entries. MICROdex 99 supports many other functions, including file merging, deletion of purged records, record counting and file browsing.

□ Magazine holders (12/set — add \$1 shipping/order), \$3 No. of sets _____

GENEVE DISKS (SSSD unless specified) MDOS 1.21h (req. SSDD or larger, used with MBASIC) \$4.00 MDOS 1.21F (req. for MBASIC)......\$4.00 Myarc BASIC 3B......\$4.00

Mail to:	MICROpendium	, P.O. Box	1343, Round	Rock, TX 78680
Name_				
Address			<u>.</u>	
City				
State	ZIP			

cover date of the last issue on your subscription.

MY-Word V1.21 \$4.00
I Menu 80 (specify floppy or hard disk version(s), SETCOLR,
SHOWCOLOR, FIND, XUTILS, REMIND \$4.00

GENEVE PUBLIC DOMAIN DISKS

(These disks consist of public domain programs available from bulletin boards. If ordering DSDD specify whether Myarc or CorComp.)

	SSSD	DSSD	DSDD		
Series 1	\$9.00	\$7.00	\$5.00		
Series 2	\$9.00	\$7.00	\$5.00		
Series 3	\$9.00	\$7.00	\$5.00		
Series 4	\$9.00	\$7.00	\$5.00		
Series 5	\$9.00	\$7.00	\$5.00		
Series 6	\$9.00	\$7.00	\$5.00		
Foreign residents, please inquire regarding shipping costs.					

.



a - a 🏚

A TEXPIRE 1794 CHARLES CODD F.O. EOX 647 ATOMAS

VENEDATA OH 40894