### Covering the TI99/4A and the Myarc 9640



Volume 10 Number 10	November 1993	\$3.50



The Chicago Faire features an improved PC99 Regena says farewell Barry Traver returns with some hiding places you can use in your TI-Writer documents





RLE+ IS A GRAPHICS PACKAGE OF OVER 60 RLE GRAPHICS WHICH ARE DRAWINGS, PHOTOGRAPHS AND OTHER WORKS OF ART THAT HAVE BEEN CREATED BY SCANNING PHOTOS, DRAWINGS AND OTHER ARTWORK. THESE FILES ARE FOUND BY THE DOZENS ON MANY BUL-LETIN BOARDS. WE HAVE TAKEN OVER 60 OF THE BEST ONES AND PACKAGED THEM WITH MAX RLE, A 99/4A PROGRAM THAT LETS YOU DISPLAY RLE FILES ON YOUR SCREEN AND PRINT THEM OUT OR SAVE THEM TO GRAPHX OR TI ARTIST FORMATS. LOADS IN EXBASIC AND IS EASY TO USE. COMES WITH COMPLETE DOCUMENTATION AND EASY TO FOLLOW INSTRUCTIONS. WORKS WITH ANY STAR/EPSON COMPATIBLE DOT MATRIX PRINTER AND PRINTS BIG POSTCARD SIZE PRINTOUTS WITH THE PRESS OF A KEY, ORIGINALLY PLANNED FOR FOUR DISK SIDES, WE HAVE ADDED EVEN ANOTHER





DISK TO MAKE THIS A GREAT GRAPHICS PACKAGE.

# -99/4A!

EXTRA SAVINGST



NEWIRLE+COMPANIONDISKS SPECIAL COMBO OFFER WE HAVE JUST RELEASED 4 NEW COMPANION DISKS PACKED FULL ON BOIL SIDES RLE+ AND RLE COMPANION VICE STORE A FILES. A FANTASTIC COLLECTION AT A SUPER LOW PRICE TOGETHER FOR ONLY \$19.95 THE TEX COMP RULE COMPANION DISKS 1 THROUGH FOUR ARE ONLY \$4.95 EACH OR ALL FOUR COMPANION DISK (8 DISK SIDES) FOR ONLY \$14.95 AND WE INCLUDE A FREE PLASTIC STORAGE CASE. A GREAT WAY TO GET AN ENTIRE LIBRARY OF GREAT GRAPHICS AT AN INCREDIBLY LOW PRICE!!!

#### ANNOUNCING



THE ULTIMATE GRAPHICS UTILITY FOR THE TI-99/4A COMPUTER









\*

\*

ж

\*

\*

\*

\*

ж.

ONLY CAOS Per

12 DISK SIDES OF PICTURES WITH FREE STORAGE CASE!

10

1Z

catalog

#### \*\*\*\*\*\*\*\*\*\*\*\*\*\*

Only Software Carousel<sup>tm</sup>BRAND SOFTWARE \$4.95 **GRAPHICS CODE GENERATOR** THE EASIEST TO USE AND MOST POWERFUL GRAPHICS UTILITY FOR YOUR TH

GCG ELIMINATES THE NEED TO STRUGGLE WITH TEDIOUS HEX CODE CALCULATIONS. JUST DRAW YOUR GRAPHICS ON THE SCREEN AND GCG DOES THE JOB FOR YOULLE. THE HEXCODES GENERATED BY THIS UTILITY CAN BE DISPLAYED, PRINTED, SAVED AND EVEN AUTOMATICALLY IRANSFERRED INTO YOUR PROGRAM. YOU CAN STORE IN-DIVIDUAL FILES SUCH AS TREE, "SPACESHIP", ETC. AND THEN USE THEM AGAIN AND AGAIN IN DIFFERENT PROGRAMS, \$9.05 (specify disk or casselle) Requires Exbasic & Joystick

#### WITH HALLING THE LOT THE **3D-WORLD**

CAD (COMPUTER ALDED DESIGN) COMES TO THE TI-99/4A

UP TO NOW, 99/4A OWNERS COULD ONLY READ ABOUT THE WORLD OF COMPUTER ALDED DESIGN (CAD) SINCE THE LARGE AMOUNTS OF

#### WITH THIS ONE UTILITY **PT.7** Disk

TIPS IS THE ULTIMATE GRAPHICS UTILITY FOR THE 99/4A. NOW WITH ONE LOW PRICED UTILITY (\$4.95) YOU GET A PROGRAM THAT LETS YOU CREATE YOUR OWN CUSTOM GREETING CARDS, BANNERS, FLYERS, POSTERS AND MUCH MUCH MORE. BEST OF ALL IS THE TIPS LIBRARY OF OVER 2000 GRAPHICS INCLUDING EVERY TYPE SUBJECT MATTER AND BORDERS AND MARGINS. THIS FANTASTIC FREEWARE PROGRAM CONTAINS THE LARGEST PRINTSHOP LIBRARY THAT HAS EVER BEEN AVAILABLE FOR THE 4A. NOT ONLY CAN YOU PRINT OUT THIS LIBRARY IN THE SIZES YOU NEED, YOU CAN ALSO CONVERT ALL THE ARTWORK TO THE TI-ARTIST FORMAT AND ALL OTHER POPULAR 4A FORMATS. IN ADDITION TO THE TIPS PROGRAM DISK AT ONLY \$4.95, THE GIANT TIPS LIBRARY OF OVER 2000 GRAPHIC FILES COMES ON TEN TWO SIDED (FLIPPY) DISKS WHICH CAN BE PURCHASED SEPARATELY AT ONLY \$4.95 EACH OR IN A COMPLETE PACKAGE FOR A SPECIAL PRICE OF ONLY \$39.95 WITH THE TIPS PROGRAM DISK, A \$4.95 VALUE, INCLUDED AT NO ADDITIONAL CHARGE.

THE ULTIMATE TI-99/4A GRAPHICS-BANNER-CARD-FLYER PROGRAM NEW FOR 1990 TIPS PROGRAM DISK ALONE AND TIPS LIBRARY DISKS 1-10....\$4.95 +s80 COMPLETE TIPS PACKAGE OF 11 DISKS INCLUDING ENTIRE TIPS \$39.95 LIBRARY AND TIPS PROGRAM DISK..... + S&H



MEMORY REQUIRED MADE IT IMPOSSIBLE TO RUN ON SMALLER COMPUTERS.

3D-WORLD IS WRITTEN IN THS 9900 MACHINE LANGUAGE WITCH USES ABOUL 8.5K OF PROGRAM SPACE LEAVING ALMOST THE WHOLE 32K RAM FOR DATA-ARRAYS. ABOUT 14K OF THE VDP RAM IS USED TO CREATE THE SCREEN DISPLAY AND THE DSR ROUTINES. THE PROGRAM COMES WITH COMPLETE DOCUMENTATION AND REQUIRES NO SPECIAL PROGRAMMING KNOWLEDGE. INO DEMO PICTURES ARE ALSO INCLUDED. WITH '3D WORLD' YOU HAVE THE ABILITY TO CREATE THREE DIMENSIONAL PICTURES AND ILLUSTRATIONS ON YOUR 99/44, THIS PROGRAM WILCH WAS WRITTEN IN GERMANY ALLOWS YOU TO NOT ONLY CREATE THREE DIMENSIONAL OBJECTS ON YOUR SCHEEN, BUE ALSO TO DISPLAY IT WITH HIGH RESOLUTION GRAPHICS, TO ROTATE THE OBJECT ON THE SCREEN, TO ENLARGE OR REDUCE Only THE DRAWING AND TO PRINT OUT YOUR CREATION ON A DOT MATRIX PRINTER \$4.95 \$4.95 Share the excitement of Baseball NEW THREE World Series 8 AL V ACTION ! 1. FOR 194 TI - 99/4A 11-99/4A Disk AT LASTE AN EXCELENG ALL NEW 99/44 BASEBALL GAME. STRIKE THREE COMBINES TRUE BASERALL ACTION AND SIMULATION IN A HIGH SPEED ARCADE ................... SELEND SALAMASSALAS SS PRISS ... TO THEOU BALL BATTORS WHEN BALL IS FREESS

7 Days a Week!





DISECTTE PROCRAMS

DISKETTE PROCRAMS

PHD 5002	TE-THEE (TE-LL req for speech)	6.95
PHD 1010	Nestery Helddy	. 4 95
PHD 5015	Oldies But Goodies 1	. 4 95
PHD 301/	UIGIES DUL COOCIES LE	7 93

PHT 6017 Didies Sut Coodies 11. ......

PHT 6037 Draw Poker (En-Baute)

PWT 6026 Sat. Right Bingo (Ex-Basic & Speech)... 4.95

COMPUTER PROGRAMMING AIDS

HOME ENTERTAINMENT

WITHOUGH BALOS EACH ON THINK THREE TITLES DUE TO WERENT The PETRONAL PRODUCT KE INCORD ERIPHING AVAILABLE AT \$14.95

DEFENDER, PROTECTOR II, PICNIC PARANOIA

PHIL 3003 BEGINNING GRANMAR PHM 3112 PARSEC PHM 3007 HOUSEHOLD BUDGET MANAGEMENT PHNE 3044 PERS. REPORT GENERATOR\*\* PHN 3053 TI INVADERS PHIL 3194 JAWBREAKERS I

WEIGHT & NUTRITION

EARLY LEARNING FUN PHN 3002

PHM 3057 MUNCHMAN VOLT STORE COL PHM 2110 CHISHOLM TRAIL PHIL S218 SUPER DEMON ATTACK PHM 3006 HOME FINANCIAL DECISIONS PHM 3035 TERMINAL EMULATOR N PHM 3052 TOMBSTONE CITY ditions PHM 3055 EDITOR ASSEMBLER shipping & handling PHIL SOTO PHYSICAL FITNESS - elyose PHM \$146 MUNCHMOBILE ALSO INCLUDED ARE THE FOLLOWING ARARISOFT MODULES: DONKEY KONG featuring Mario \*4\*5 (regular '9'')

BUY FIVE OR MORE BOOKS FOR ONLY 99 CENTS EACH + s&h. BUY ANY AMOUNT LESS THAN 5 FOR ONLY \$1.49 EACH + s&h. GAMES TIS PLAY THE ELEMENTARY TI COMPUTER PLAYGROUND (TI) INTRO TO ASSEMBLY LANGUAGE PROGRAMS FOR THE TI COMPUTER TI-99/4A GAME PROGRAMS STARTER PACK 1 STARTER PACK II GAME WRITERS PACK I GAME WRITERS PACK II SPECIAL PACKAGE AND PRICING ON Adventure SPECIAL PACKAGE AND PRICING ON ON DISK OR THE ADVENTURE SERIES... CASSETTE (specify) THE COMPLETE SCOTT ADAMS SERIES I (ADVENTURELAND, PIRATE ISLAND, THE COUNT

#### EDUCATION

DISKETTE PROGRAMS

#### \*\*\*\*SPECIAL Oldies But Goodies 1 & 11 .... BUY FIVE DISKS GET ONE FREE PHD 3025 Sat. Hight Bingo (Ex-Basic & Spanch) ... 4 95 PHD 5037 Draw Poker (2 BUY TEN BISKS GET THREE FREE

#### BUY FIFTEEN BISKS GET FIDE FREE CASSETTE PROCEARS

PHD 5009	Music Skills Trainet
PHD 5011	- 「「「「「」」」」」「「」」」」」」」」」」」」」」」」」」」」」」」」」
PHD 5018	Harber Similation
PHD 5030	- Charle & Shell 11 (Ex Bailt 199-)
PHD 5031	- Marine & Mark (TTT-1) (MAR )
PHD 3047	- Caali Messeer (TE-1) COO, Jaarses
PND 5074	- Reiden Biddine I
PHD 5034	- Maridaa Middina li
PHD 5041	- Retaine Biddine 111
SPECIALI	GATRET BIDRING 1 LIAILI
PHD 3070	Thus is Maker Demo (use With BOUUIT First 1997)
PHD 6010	Nystery Helody (stop the music quiz) 4 9

#### CASSETTE PROGRAMS\*

#see disk versions for requirements i.e. If-11

	Music Stills Trainer
PNT 6009	MUEIC SCILLE IL BLINEL
PHT 6010	Hystery Helody
PHT 6011	Computer Music Box
PRT 6018	Marker Simulation
PHT 6031	Speet & Math.
PHT 6042	Spell Writer
PHT 6026	Brides Biddine 1
	- Reidaa Bidding IL
	anth: # # # # # # # # # # # # # # # # # # #
FNT 6070	Nusic Maker Demo (use with module)

#### MANAGEMENT AND BUSINESS

PHT 6038 Lease/Purchase Decisions.....

#### DISKETTE PROCRAMS

PHD 5001	Mailing List (upgraded version) 4.
PHD 5003	Personal Financial Alganeses of the
PHD 5021	Checkbook Manager Laurence
PHD 5022	Finance Managet Laws a service of the State
PHD 5024	Inventory Management
PHD 5027	
PHD 5079	Cash Managebent
PHD 5038	Lease/Purchase Decisions
PHD 5075	Tl/Hultiplan upgrade diak

(818) 366-6631

#### CASSETTE PROGRAMS

PHD 5037 Draw Poker (Ex-Basic)	
CASSETTE PROCRAMS	PYRAMO OF DOOM, Q BOLDEN YOYAGE PLU
PHT 6002 TI-TREE (TEll req. for speech)	
PHT 6013 DIGLES BUL COORTES IS AND A US	

4 95

6 95

. . 4 . 95

MISSION MPOSSIBLE, VOCOOO CASTLE, STRANGE ODYSSEY, MYSTERY FUN HOUSE, QHOST TOWN, SAVAGE ISLAND I, SAVAGE ISLAND H, AND US KINGHT INCIDEART BOINUS ADVENTURE



ONLY \$9.95 FOR ALL .

THE SCOTT ADAMS ADVENTURE SERIES II (THE HULK, SPIDERMAN, BUCKAROO BANZAI, AND THE SORCERER OF CLAYNORGUE CASTLE PLUS 2 BONUS ADVENTURES

COMMAND MODULE FOR ABOVE ADVENTURES (reg \$6.95) ONLY 95 WITH EITHER OF THE ABOVE SERIES

HINT BOOK FOR ALL OF THE ABOVE SCOTT ADAMS ADVENTURES ONLY 95 TITN ATTACA OF THE ADOVE SERVER.

**NEW** First time on disk — Return to Pirate's Island with Graphics. XBASIC or Editor/Assembler Load

#### ADVENTURE EDITOR NOW WRITE AND EDIT YOUR OWN GAMES FOR THE TI ADVENTURE MODULE!



TEX COMP is proud to announce the 99/4A Adventure Editor - an all new program which allows you to write your own adventure programs - Scott Adams move over! This disk or cassette based program allows

Any existing adventure for the Adventure command module to be edited altered listed and copied hom any storage medium to any other storage medium (i.e., tape to disk or vice versar

New adventure games can be created freety using a temptate game as a start up step. These games can be curricrived using the full power and capabilities of the TL Adventure, command module.

The program is written for Mini Memory or Editor Assembler command modules (casselle or disk) and offers a full screen editor and a special easy to use imnemonic language called A.P.L. (Adventure Program ming Language) and comes with a complete and detailed 75 page manual

1EX COMP is also organizing a new TI Adventuring Users Group which will allow low cost exchange of



User written adventures between members ALEDUKIE VOIE From TFX-COMP NEW LOW PRICE Available VOB From TEX-COMP

PRESPECTAL--ALL 5 OF THE ADUVE UN V Specify Mini Memory (Cassette) or Editor Assembler (Disk) versions 

PND	5007	Teach Tourself 99/4A Basic	4 9	
	5019			• •
PND	5004		-	
	3005			
	3077	Programming Aids 1,11,111.	. 4	95
	5067		-	-
-	5076 5098			
	5078		<b>4</b> .	<b>7</b> )
-	5079	TI Forth Source Code (2 disks)	•	•)
PHD	30/9	[] POTEN SOURCE CODE (E FISIE)		

#### CASSETTE PROCRAMS

	4004	Frogramming Anda Luc	4 95
- <b>T</b>	4000	Teach Yourself 99/4A Basic	4 93
M I	000/	Teach Yourself Extended Basic	4 95
PRT	0014	Lesch joursell Eltended Doores	4.95
PHT	6067	Beginning Basic Tutor could be a series of the series of t	

#### MATH AND ENGINEERING

specify disk or tape with order

Rath Routine Library	15
Electrical Engineering Library4.5	
Graphing Package	35
Structural Engineering Library4.5	
AC Circuit Analysis	
LAL ALL S OF THE ABOVE ON DISK OR TAPE 17.	

TEX+COMP TERMS: All prices F.O.B. Los Angeles. For festest service use cambiers check or money order. Personal checks take two days to P.O. Box 33084, Granada Hills, CA 91344 clear. Add 3% shipping & handling (with a \$3 minimum). Add 4 5% east of Mississippi. All prices shown include a 3% cash discount. Add 3% if paying by Visa or Mastercharge. Frices and evailability subject to change. Include atreet address for UPS delivery VISA VISA and MASTERCARD California orders add 8.25% sales tax. Canada, Hawait, Alaska and HOLDERS CALL DIRECT:

overseas shipping extre



ORDER BY PHONE (818) 366-6631 24 HOURS & DAY 7 Days & Week!

Send \$2 for our new 1993 catalog

Page 4 MICROpendium/November 1993

# CONTENT5

**MICROpendium** 

(ISSN MICROpendium 10432299) is published monthly for \$25 per year by Burns-Koloen **Communications Inc., 502 Wind**sor Rd., Round Rock, TX 78664-7639. Second-class postage paid at Austin, Texas, and additional mailing offices. POSTMASTER: Send address changes to MICROpendium, P.O. Box 1343, Round Rock, TX 78680-1343. No information published in the pages of MICROpendium may be used without permission of the publisher, Burns-Koloen Communications Inc. Only computer user groups that have exchange agreements with MICROpendium may excerpt articles appearing in MICROpendium without prior approval. While all efforts are directed at providing factual and true information in published articles, the publisher cannot accept responsibility for errors that appear in advertising or text appearing in MICROpendium. The inclusion of brand names in text does not constitute an endorsement of any product by the publisher. Statements published by MI-CROpendium which reflect erroneously on individuals, products or companies will be corrected upon contacting the publisher. Unless the author specifies, letters will be treated as unconditionally assigned for publication, copyright purposes and use in any other publication or brochure and are subject to MICROpendium's unrestricted right to edit and comment. Display advertising deadlines and rates are available upon request. All correspondence should be mailed to MICROpendium at P.O. Box 1343, Round Rock, TX 78680. We cannot take responsibility for unsolicited manuscripts but will give consideration to anything sent to the above address. Manuscripts will be returned only if a self-addressed stamped envelope is included. Foreign subscriptions are \$30.25 (Mexico); \$32.50 (Canada); \$30.00, surface mail to other countries; \$42 airmail to other countries. All editions of MICROpendium are mailed from the Round Rock (Texas) Post Office. Mailing address: P.O. Box 1343, Round Rock, TX 78680. Telephone: (512) 255-1512 CompuServe: 75156,3270 Delphi TI NET: MICROpendium GEnie: J.Koloen Internet E-mail: jkoloen@holonet.net John Koloen.....Publisher Laura Burns.....Editor

### **Regena on BASIC**

Farewell to friends......Page 7

### The Art of Assembly

Pastafazool, etc......Page 11

### Laser Printers and the TI

How much you can expect to pay, and what you will get for your money......Page 14

### TI/Geneve BBS Directory

Reach out and touch a fellow hobbyist......Page 16

### **Extended BASIC**

Let the games begin......Page 17

### Chicago Faire

PC99 project shows improvement......Page 22

### **Hidden Secrets of TI-Writer**

Keep a secret in your document ......Page 23

### Reviews

### **User Notes**

Importing text into Page Pro, and windows with TML......Page 27

### DEPARTMENTS

Bugs and Bytes	Page 21
Comments	
Fairs	Page 5
Feedback.	Page 6
Reader to Reader	

### **\*READ THIS**

Here are some tips to help you when entering programs from MICROpendium:
1. Most BASIC and Extended BASIC programs are run through Checksum, which places the numbers that follow exclamation points at the end of each program line. Do not enter these numbers or exclamation points. Checksum is available on disk from MICROpendium for \$4.
2. Long Extended BASIC lines are entered by inputting until the screen stops accepting characters, pressing Enter, pressing FCTN REDO, cursoring to the end of the line and continuing input.

# FORDENT5

# Goodbye, Regena

Long-time TI users don't really know what life without Regena will be like. But after this issue, that's the reality we have to face. Regena, aka Cheryl Whitelaw, has written her last column covering the TI.

Cheryl started writing a column in the early 1980s. The column first appeared in the old 99er Magazine, and when it went ouf of business the column was carried by Compute. Regena has been a mainstay of MICROpendium since January 1987, but no more. Although she's moving on to other things, MICROpendium will continue to press on. I'm not sure exactly what we'll be doing to fill the void she leaves, but we've got a couple of ideas. By January we hope to have another columnist in place, though I expect he/she to concentrate mostly on Extended BASIC, rather than BASIC. We're also looking for someone who can handle a monthly or bi-monthly column about the Geneve. We're looking for someone who'd like to keep readers informed about the Geneve community as well as providing programming tips or even programs. Readers who are interested are encouraged to contact us. trade floor with seminars conducted in lecture halls. The event, like the TI user base, is shrinking. But it's now possible to see everything and speak to everybody without being rushed.

There were no major product introductions at this year's fair, but there was plenty to see. Mike Wright of CaDD Electronics demonstrated the latest version of PC99, which is substantially improved over last year's incarnation. In fact it's good enough to be reviewed, and will be in the near future. Although Horizon's SCSI card still isn't ready to go, Mike Maksimik used it to control a CD-ROM drive. A Dutch user group, represented by Barry Harmsen, displayed a new disk controller which is expected to be marketed before the end of the year. Cecure Electronics generated a lot of interest among Geneve users with its new flash ROM, an erasable, programmable chip that can be used to store SYSTEM.SYS files. Seminars weren't quite as frantic as in previous years. Bud Mills discussed at length the Horizon 4000 RAMdisk and gave an update on the SCSI project. "The hold-up is between the SCSI card and the TI not the card and the drive." He said that programmers still must translate high level routines in order to convert SCSI commands "into something the TI understands." The lowlevel routines were done by Will McGovern of Funnelweb fame. (See Page 28)

# Meanwhile, Regena, it's been a good run. Best of luck in the fu e. And thanks for all you've done for the TI community. AT THE FAIRE

This year's Chicago TI fair marked a sea change for the event. Gone are the days when thousands flooded gymnasium-sized

### **1993 TI FAIRS**

### APRIL

Northeast TI Fair, April 17, Waltham High School, Waltham, Massachusetts. Contact Ron Williams, 14 East St., Avon, MA 02322.

Canadian TI Fest, April 24, Merivale High School, Nepean, Ontario, Canada. Contact Bill Gard, 3489 Paul Anka Dr., Ottawa, Ontario, Canada K1V 9K6 or (613) 523-9396 or Fax (819) 997-2194 Attn: DMES 2.

### MAY

Fourth Annual TI Orphans Reunion, May 15, Zurich Insurance Claims Centre, 9715 Ottewell Rd., Edmonton, Alberta, Canada. Contact Ron Hohman, (403) 456-0862.

### SEPTEMBER

Western Washington TI Fair, Sept 18, Tacoma Waterworks, 3506 S. 35th, Tacoma, Washington. Jim Tompkins, (206) 756-0934. Chicago International World Faire, Oct. 30, Holiday Inn, Gurnee, Illinois. Contact Cecure Electronics, P.O. Box 132, Muskego, WI 53150, or Don Walden, (414) 679-4343.

Milwaukee TI Fair, Oct. 31, Quality Inn, 5311 Howell Ave, Milwaukee, Wisconsin. Contact Gene Hitz, 4121 North Glenway, Wauwatosa, WI 53222.



### FEBRUARY

Fest-West, Feb. 19-20, Santa Rita Park Inn, Tucson, Arizona. Contact Tom Wills, Fest-West '94 Committee, Southwest 99ers Users Group, P.O. Box 17831, Tucson, AZ 85731 or (602) 886-2460; BJ Mathis, (602) 747-5046; or the Cactus Patch BBS, (602) 290-6277.

#### MAY

Lima Multi User Group Conference, May 14-15, Ohio State University Lima Campus, Lima, Ohio. ContactLima Oho Users



# FEEDBACK

### Dupa, Dupa, Dupa

I am such a Dupa. My paramour tells me this means stupid, thickheaded, etc. She often callz mi dis. Well, she's right this time. I allowed her to "rearrange" the apartment. This precipitated a frantic search (on my part --- she just doesn't understand) for all my 99/4A docs and MI-CROpendiums. Miracle of miracles! I found all except the August issue, Volume 10, No. 7, of MICROpendium. Enclosed is \$3.50 for another copy. Love your Rag, Man! (Jack Kerouac ----1955). By the way, I thought Barry Traver's articles were hard to understand. But then, out of Baltimore flying his MIDI 99 through the sky came ... Bruce Harrison! But this is good. It's a stretch. I need that in my life. Gotta go. Now let me see. Where was I. Oh, yeah, Art of Assembly, Part 1. Sector 0, fifth nibble in the fourth column from the left....

be manufactured on *double*-sided, single density disks. There is no excuse for the members of the TI community today not to have this capacity. Certainly not when you can pick up DSDD drives for as low as \$5 apiece quite often.

2. I intend to try to put our mice to work. There have ben hundreds sold, but to date the number of programs that use these little buggers can be counted on one hand. I hope to remedy this in the near future.

3. I will be cooperative with the entire com-

puter. All future orders for Asgard Software (disk only) should be sent to: Harry Thomas Brashear, 2753 Main St., Newfane, NY 14108. Hardware and cartridge orders should go to: Asgard Peripherals, 1423 Flagship Dr., Woodbridge, VA 22192.

Harry T. Brashear

Newfane, New York

### Déjà vu all over again

#### **Gary Fitzgerald**

Milford, Connecticut

### Asgard changeover This letter is to inform MICROpendium and

munity of hardware and software producers. I have stayed out of all the wars that have occurred over the years and will continue to do so. The only possible exception to this are concerns over the 9640 and related products. I have never considered the 9640 a TI in any way, shape or form. I will not beat my brains out trying to make our software work with these units, nor will I go out of my way to make our programs hostile to it. New products will be sent to the 9640 News to see if they were with the Geneve and it will be up to them to recommend or reject said products for the Geneve 9640 community.

4. I will be looking for new programmers and products immediately. If you want a project to program, or have a completed one lying around with nothing to do, please drop me a line to the address below. Assembly programmers only, please.

The Comments of August '93 (which is actually September's issue) requested info on a patch to Logo II. This was covered in the April 1988 issue, page 32.

Also in the September issue, the article "Another potpourri," by Bruce Harrison, which appears to be a year old (header in Sidebar 27), explains the space reserved for string variables in the last paragraph on page 13. If Bruce or anyone else who is interested changes the X = "" to XX\$="" I think he will figure out what the true length of a null string is and may solve the "overhead" from the previous paragraph. In the October 1993 issue User Notes, "Program makes graph paper" is a repeat of an article published in March 1986, page 43. The code ap-

the TI community that as of Nov. 1 I have become the sole owner of Asgard Software. That is to say, I will be the manufacturer and distributor of all disk software previously distributed by Asgard Software, previously in Rockville, Maryland, and later in Woodbridge, Virginia. Asgard Peripherals will maintain responsibility for all hardware oriented products of the TI such as cartridges, memory devices and mice. Repeating, I will be sharing the Asgard name, but will be responsible for disk products only.

I intend to drop a few older products, add some new ones in the coming months (including some surprises) and give this community the best service I possibly can. As you know, I have been working for Asgard for the past two years and have come to know the needs of the community pretty well, primarily the need for timely mailing of the products purchased. I have accomplished this, within reason, for the past two years and expect to continue for some years to come. The following are some personal resolves and comments: 1. New products for the future that exceed the capacity of single-sided, single density disks will

5. My phone number is (716) 778-9104. I am available every day from noon to 9 p.m. (except Sunday or when Star Trek or DS9 is on. Tuesday is also iffy because I go to school on that day.) The phone is answered "Frontier Microfilm," my other company and the one with which I pay the bills. I will not return long distance phone calls if I am not here, but the phone will be answered by a human being — my wife or one of my adult offspring — leave a message of your needs and I will try to take care of you. Your message must be concise, complete and presented in a loud voice; otherwise, you're on your own  $\leq grin \geq$ . Also, allow me to repeat, I cannot answer questions concerning Asgard hardware or cartridge products.

6. There will be no credit card orders. COD.s will go via UPS, which costs dearly ---you'd better want it awfully bad. 7. Finally, I will be looking to add to my dealer base, but be advised, some stringent rules will apply to these dealers. If your group is interested, let me know; I'll send details. I will be looking forward to your support to help guarantee continued success for our com-

pears to be more efficient in the more recent article.

With the recent increase in the price of the magazine, the rehash of articles I do not think is warranted. Are we running out of articles to publish? Should we make a plea to programmers for new, fresh materials? Or do we lower our heads and say, "Oh, well, we are orphans in the computing world, it is to be expected"?

#### **Jim Uzzell** Key West, Florida

Feedback is a reader forum. The editor may condense excessively lengthy submissions if necessary. We ask that writers limit themselves to one subject per submission. Our only requirement is that submissions be of interest to those using the TI99/4A, the Genev. 9640 or compatibles. Send items to MI-**CROpendium Feedback**, P.O. Box 1343, Round Rock, TX 78680.



# Farewell to friends

#### **By REGENA**

It has been a difficult decision to leave my monthly column on programming the TI, but I realized I couldn't continue to try to do too much. I am looking forward to university teaching and hope I will be able to help students there learn math, computer skills and engineering for their futures. Of course, a lot of the rest of my time is spent skiing; going to my sons' football, basketball and baseball games; and attending other athletic events as a spectator. I also do custom knitting and other needlework and may continue to publish knit and crochet designs.

I wasn't sure what type of program to write for my last published program but finally decided on music. Queen Liliuokalani of Hawaii is said to have written "Aloha Oe," and the original text was a love song of parting. Now, "Farewell to Thee" is often sung as a brief goodbye for friends, and it seemed fitting for me to use for you. The chorus is in a subroutine in Lines 3050-3840. The other subroutines in Lines 3850-4120 are endings of phrases which are used several times throughout the song.

This program is nearly full memory, so be sure to use the procedure CALL FILES(1) <ENTER> NEW <ENTER> before running this program. If you wish to save typing effort, you may have a copy of this program by sending \$4 to REGENA, 918 Cedar Knolls West, Cedar City, UT 84720. Be sure to specify that you need "FAREWELL" for the TI and whether you need cassette or diskette.

#### FAREWELL TO THEE

100 REM FAREWELL TO THEE 105	,6,147,8)!213	5,110,6)!208
3	290 CALL SOUND(1.5*T,494,1,3	470 CALL SOUND(-T,330,2,277,
110 REM FROM REGENA !224	70,6,123,9)!053	3,165,5)!208
120 CALL CLEAR !209	300 CALL SOUND(.5*T,440,2,37	480 CALL SOUND(-2*T,440,2,33
30 T=300 !112	0,6,123,9)!251	0,2,277,3)!135
140 CALL SOUND(T,330,2,277,6	310 CALL SOUND(2*T,415,3,247	490 CALL SOUND(T,330,2,277,6
) 1070	,6,165,8)!212	) 1070
150 CALL SOUND(T,440,2,277,6	320 CALL SOUND(1.5*T,554,1,4	500 PRINT "NOW ";!047
		$\mathbf{r} \mathbf{r} \mathbf{r} \mathbf{r} \mathbf{r} \mathbf{r} \mathbf{r} \mathbf{r} $

) ! 072 160 CALL SOUND(T, 554, 2, 330, 6 ,110,8)!008 170 CALL SOUND(T, 554, 2, 330, 6 ,165,8)!018 180 CALL SOUND(T, 554, 2, 330, 6 ,220,8)!010 190 CALL SOUND(T, 494, 3, 349, 6 ,277,8)!036 200 CALL SOUND(T, 440, 3, 370, 6 ,147,8)!017 210 CALL SOUND(T, 415, 3, 349, 6 ,185,8)!027 220 CALL SOUND(T, 440, 3, 370, 6 ,220,8)!009 230 CALL SOUND(T, 370, 3, 294, 6 ) 1074240 CALL SOUND(T, 330, 3, 277, 6

15, 6, 165, 8) ! 055 330 CALL SOUND(.5\*T,494,2,29 4,6,165,8)!014 340 CALL SOUND(T,110,6)!118 350 CALL SOUND(-T,165,5,110, 6) ! 0 0 3 360 CALL SOUND(-T,277,3,165, 5,110,6)!208 370 CALL SOUND(-T, 330, 2, 277, 3,165,5)!208 380 CALL SOUND(-2\*T,440,2,33 0,2,277,3)!135 390 CALL SOUND(T, 110, 8)!120 400 CALL SOUND(-T, 165, 8, 110, 8)!008 410 CALL SOUND(-T,330,6,165, 8)!010 420 CALL SOUND(-T,440,4,330,

510 CALL SOUND(T, 440, 2, 277, 6 )!072520 PRINT "OUR ";!049 530 CALL SOUND(T, 554, 2, 330, 6 ,110,8)!008 540 PRINT "GOLD"; !065 550 CALL SOUND(T, 554, 2, 330, 6 ,165,8)!018 560 CALL SOUND(T, 554, 2, 330, 6 ,220,8)!010 570 CALL SOUND(T, 494, 3, 349, 6 ,277,8)!036 580 PRINT "EN ";!205 590 CALL SOUND(T, 440, 3, 370, 6 ,147,8)!017 600 PRINT "DAYS" !152 610 CALL SOUND(T/2,440,3,370 ,6,185,8)!210

620 CALL SOUND(T/2,415,3,349 6,165,8)!208 ,110,8)!011 430 CALL SOUND(-2\*T,554,2,44 , 6, 185, 8) ! 218 250 GOSUB 4020 1019 630 PRINT "ARE ";!019 0,4,330,6)!138 ▲60 CALL SOUND(1.5\*T,440,1,3 440 CALL SOUND(T, 110, 6)!118 640 CALL SOUND(T, 440, 3, 370, 6  $_{0,6,139,8}$  .046 450 CALL SOUND(-T,165,5,110, ,220,8)!009 270 CALL SOUND(.5\*T,415,1,33 650 PRINT "AT ";!207 6)!003 0,6,139,8)!254 (See Page 8) 460 CALL SOUND(-T,277,3,165, 280 CALL SOUND(2\*T,370,2,294

### REGENA ON BASIC ----

(Continued from Page 7) 660 CALL SOUND(T, 370, 3, 294, 6 ) ! 074670 PRINT "AN ";!201 680 CALL SOUND(T, 330, 3, 277, 6 ,110,8)!011 690 PRINT "END;" !121 700 GOSUB 3950 !205 710 PRINT "THE ";!028 720 CALL SOUND(T, 554, 2, 440, 6 ,110,8)!010 730 CALL SOUND(T, 494, 2, 415, 6 6, 110, 8) !011 ,165,10)1067 740 PRINT "PART"; 1082 750 CALL SOUND(T, 494, 2, 415, 6 ,165,8)!025 760 CALL SOUND(T, 494, 2, 415, 6 ,208,8)1023 770 CALL SOUND(T, 466, 2, 392, 6 ,165,8)!028 780 PRINT "ING "; !025 1150 CALL SOUND(2\*T, 370, 2, 29 1510 CALL SOUND(T, 370, 3, 294, 790 CALL SOUND(T, 494, 1, 415, 5 ,165,10)!065 800 PRINT "HOUR" !165 1170 CALL SOUND(T, 494, 1, 370, 1530 CALL SOUND(T, 330, 3, 277, 810 CALL SOUND(T, 494, 2, 415, 6 ,165,8)!025 820 PRINT "IS ";!214 1190 CALL SOUND(T,440,2,370, 1550 GOSUB 3950 !205 830 CALL SOUND(T, 587, 2, 370, 6 ,247,8)!029 840 PRINT "COM"; !249 1210 CALL SOUND(T, 415, 3, 247, 6, 110, 8) !010 850 CALL SOUND(T, 554, 2, 415, 6 6, 165, 8) ! 022 1580 CALL SOUND(T, 494, 2, 415, ,165,8)!022 860 PRINT "ING ";!025 1230 CALL SOUND(T,415,2,247, 1590 PRINT "SHARED ";!245 870 CALL SOUND(2\*T,494,2,294 ,6,165,9)!221 880 PRINT "SOON," !211 1250 CALL SOUND(T, 554, 1, 415, 1610 CALL SOUND(T, 494, 2, 415, 890 GOSUB 3850 !105 900 PRINT "AND ";!014 1260 PRINT "FRIEND";!213 1620 CALL SOUND(T,466,2,392, 910 CALL SOUND(T, 440, 2, 277, 6 1270 CALL SOUND(T/2, 554, 1, 41 6, 165, 8) ! 028 ) ! 072 920 PRINT "WE ";!214 1280 CALL SOUND(T/2,494,2,29 1640 CALL SOUND(T,494,1,415, 930 CALL SOUND(T, 554, 2, 330, 6 ,110,8)!008 940 PRINT "THINK," !019 1300 CALL SOUND(T,440,2,277, 1660 CALL SOUND(T,494,2,415, 950 CALL SOUND(T, 554, 2, 330, 6 ,165,8)!018 **960 CALL SOUND(T, 554, 2, 330, 6** 1320 GOSUB 4080 1079 ,220,8)!010

0, 6, 185, 8)!2101020 CALL SOUND(T/2,415,3,34 9,6,185,8)!218 1030 PRINT "THE ";!028 1040 CALL SOUND(T, 440, 3, 370,6,220,8)1009 1050 PRINT "MO";!181 1060 CALL SOUND(T, 370, 3, 294, 6)!0741070 PRINT "MENTS ";!196 1080 CALL SOUND(T, 330, 3, 277, 1090 PRINT "PASS" !158 1100 GOSUB 4020 !019 1110 CALL SOUND(T, 440, 1, 330, 6, 139, 8) ! 0121120 PRINT "HOW ";!041 1480 PRINT "OF ";!207 1130 CALL SOUND(T, 415, 1, 330, 1490 CALL SOUND(T, 440, 3, 370, 6, 139, 8) ! 0141140 PRINT "DE";!162 1500 PRINT "AUT";!004 4,6,147,8)!213 1160 PRINT "LIGHT";!148 1520 PRINT "UMN ";!043 6, 123, 9) ! 0191180 PRINT "FUL ";!034 1540 PRINT "DAYS," !197 6,123,9)!011 1200 PRINT "HAS ";!023 1570 CALL SOUND(T,554,2,440, 1220 PRINT "BEEN" !129 6,165,10)!067 6,165,8)!021 1240 PRINT "OUR ";!049 6,165,8)!025 6,165,8)!021 5,6,165,7)!211 4,6,165,8)!221 1290 PRINT "SHIP'S ";!236 1650 PRINT "WIN";!008 6,220,8)!0141310 PRINT "BOON." !196 1330 GOSUB 3050 1069

6,110,8)!008 1390 PRINT "FELT ";!103 1400 CALL SOUND(T, 554, 2, 330, $6, 165, 8) \cdot 018$ 1410 CALL SOUND(T, 554, 2, 330, 6,220,8)!0101420 CALL SOUND(T, 494, 3, 349, 6,277,8)!0361430 PRINT "THE ";!028 1440 CALL SOUND(T, 440, 3, 370,  $6, 147, 8) \cdot 017$ 1450 PRINT "THRILL" !056 1460 CALL SOUND(T/2,440,3,37 0, 6, 185, 8) ! 2101470 CALL SOUND(T/2,415,3,34 9,6,185,8)!218 6,220,8)!009 6)!0746, 110, 8) ! 011**{** 1560 PRINT "AND ";!014 1600 CALL SOUND(T, 494, 2, 415, 6,208,8)!023 1630 PRINT "THE ";!028 5, 165, 10) ! 0656,165,8)!025 1670 PRINT "TER'S" !205 1680 CALL SOUND(T, 587, 2, 370,

6,247,8)!029 970 CALL SOUND(T,494,3,349,6 1340 CALL SOUND(T, 330, 2, 277, 1690 PRINT "COLD "; 1094 6) 1070 ,277,8)1036 1700 CALL SOUND(T, 554, 2, 415, 980 PRINT "WHILE ";!182 1350 PRINT "WE ";!214 6,165,8)!022 1360 CALL SOUND(T,440,2,277, 1710 PRINT "AS ";!206 990 CALL SOUND(T, 440, 3, 370, 6 ,147,8)!017 6) ! 072 1720 CALL SOUND(2\*T, 494, 2, 29 1000 PRINT "SWIFT "; 202 1370 PRINT "HAVE "; 2096 4, 6, 165, 9) 221 1010 CALL SOUND(T/2,440,3,37 1380 CALL SOUND(T,554,2,330, (See Page 9)

### REGENA ON BASIC —

```
(Continued from Page 8)
1730 PRINT "WELL;" !215
1740 GOSUB 3850 !105
1750 PRINT "WHEN ";!110
1760 CALL SOUND(T, 440, 2, 277, 176)
6) ! 072
1770 PRINT "WE ";!214
1780 CALL SOUND(T, 554, 2, 330,
6, 110, 8) ! 008
1790 PRINT "KNOW" !166
1800 CALL SOUND(T, 554, 2, 330,
6,165,8)!018
1810 CALL SOUND(T, 554, 2, 330,
6,220,8)!010
1820 CALL SOUND(T, 494, 3, 349,
6,277,8)1036
1830 PRINT "WE ";!214
1840 CALL SOUND(T, 440, 3, 370,
6, 147, 8) ! 017
1850 PRINT "NOW ";!047
1860 CALL SOUND(T/2,440,3,37
0,6,185,8)!210
1870 CALL SOUND(T/2,415,3,34
<u>9</u>, 6, 185, 8) ! 218
380 PRINT "MUST ";!133
1890 CALL SOUND(T,440,3,370,
6,220,8)!009
1900 PRINT "SAY ";!040
```

```
6,165,8)!025
2090 PRINT "UAGE ";!094
                                2460 CALL SOUND(T, 494, 2, 415,
2100 CALL SOUND(T, 554, 1, 415,
                                6,208,8)!023
6, 165, 8) ! 021
                                2470 CALL SOUND(T, 466, 2, 392,
2110 PRINT "E'ER ";!063
                                6,165,8)!028
2120 CALL SOUND(T/2,554,1,41
5, 6, 165, 7)!211
                                2480 PRINT "A"; !089
                                2490 CALL SOUND(T, 494, 1, 415,
2130 CALL SOUND(T/2,494,2,29
                                5, 165, 10) ! 065
4,6,165,8)!221
2140 PRINT "CAN ";!013
                                2500 PRINT "CLES ";!099
                                2510 CALL SOUND(T, 494, 2, 415,
2150 CALL SOUND(T, 440, 2, 277,
```

```
6,220,8)!014
2160 PRINT "TELL." !199
2170 GOSUB 4080 !079
2180 GOSUB 3050 1069
2190 CALL SOUND(T, 330, 2, 277,
6) ! 070
2200 PRINT "WE ";!214
2210 CALL SOUND(T, 440, 2, 277,
6) ! 072
2220 PRINT "HAVE ";!096
2230 CALL SOUND(T, 554, 2, 330,
6,110,8)!008
2240 PRINT "SEEN ";!103
2250 CALL SOUND(T, 554, 2, 330,
6, 165, 8) \cdot 018
2260 CALL SOUND(T, 554, 2, 330,
6,220,8)!010
2270 CALL SOUND(T, 494, 3, 349,
6,277,8)!036
```

```
6, 165, 8) ! 025
 2520 PRINT "OF ";!207
2530 CALL SOUND(T, 587, 2, 370,
 6,247,8)!029
2540 PRINT "TREE" !151
 2550 CALL SOUND (T, 554, 2, 415, 
 6, 165, 8) ! 022
2560 PRINT "AND ";!014
 2570 CALL SOUND(2*T,494,2,29
 4, 6, 165, 9)!221
2580 PRINT "FLOW'R;" !086
 2590 GOSUB 3850 !105
 2600 PRINT "BUT ";!038
2610 CALL SOUND(T, 440, 2, 277,
 6) ! 072
2620 PRINT "THE ";!028
 2630 CALL SOUND(T, 554, 2, 330,
6,110,8)!008
```

1910 CALL SOUND(T, 370, 3, 294, 6)!0741920 PRINT "GOOD-";!114 1930 CALL SOUND(T, 330, 3, 277, 6,110,8)!011 1940 PRINT "BYE," !115 1950 GOSUB 4020 !019 1960 CALL SOUND(T, 440, 1, 330, 6, 139, 8) ! 0121970 PRINT "ALL ";!020 1980 CALL SOUND(T,415,1,330, 6, 139, 8) ! 0141990 PRINT "OUR ";!049 2000 CALL SOUND(2\*T, 370, 2, 29 4, 6, 147, 8) ! 213 2010 PRINT "SOR";!014 2020 CALL SOUND(T, 494, 1, 370, 6, 123, 9)!019

2290 CALL SOUND(T,440,3,370,  $6, 147, 8) \cdot 017$ 2300 PRINT "GETH"; !067 0, 6, 185, 8) ! 2102320 CALL SOUND(T/2,415,3,34 9,6,185,8)!218 2330 PRINT "ER" !252 2340 CALL SOUND(T,440,3,370, 2700 PRINT "SUM";!015 6,220,8)!009 2350 PRINT "HOW ";!041 2360 CALL SOUND(T, 370, 3, 294, 6)!0742370 PRINT "THE ";!028 6,110,8)!011

2640 PRINT "JOY" !088 2280 PRINT "TO"; 188 2650 CALL SOUND(T, 554, 2, 330, 6,165,8)!018 2660 CALL SOUND(T, 554, 2, 330, 6,220,8)!010 2310 CALL SOUND (T/2, 440, 3, 37) 2670 CALL SOUND (T, 494, 3, 349, 3)6,277,8)!036 2680 PRINT "THAT ";!109 2690 CALL SOUND(T, 440, 3, 370, 6, 147, 8) ! 0172710 CALL SOUND(T/2,440,3,37 0,6,185,8)!210 2720 CALL SOUND(T/2,415,3,34 9,6,185,8)!218 2730 PRINT "MER ";!031 2380 CALL SOUND(T, 330, 3, 277, 2740 CALL SOUND(T, 440, 3, 370, 6,220,8)!009

2030 PRINT "ROW, " !139 2390 PRINT "SPRING" !060 2750 PRINT "BRO'T ";!155 2040 CALL SOUND(T,440,2,370, 2400 GOSUB 3950 !205 2760 CALL SOUND(T,370,3,294, 2410 PRINT "MADE ";!083 6)!074 6,123,9)!011 POSO PRINT "NO ";!215
2420 CALL SOUND(T, 554, 2, 440, 2770 PRINT "TO ";!221 2780 CALL SOUND(T, 330, 3, 277, 2060 CALL SOUND(T,415,3,247, 6, 110, 8) ! 0102430 CALL SOUND(T, 494, 2, 415, 6,110,8)!011 6,165,8)!022 2070 PRINT "LANG"; !061 6,165,10) !067 2790 PRINT "US" !013 2440 PRINT "MIR"; 1002 2800 GOSUB 4020 1019 2080 CALL SOUND(T, 415, 2, 247, 2450 CALL SOUND(T, 494, 2, 415, (See Page 10) 6,165,8)!021

Page 10 MICROpendium/November 1993

### **REGENA ON BASIC---**

(Continued from Page 9) 2810 CALL SOUND(T,440,1,330, 6,139,8)!012 2820 PRINT "LED ";!016 2830 CALL SOUND(T,415,1,330, 6,139,8)!014 2840 PRINT "US ";!226 2850 CALL SOUND(2\*T,370,2,29 4,6,147,8)!213 2860 PRINT "ON ";!215 2870 CALL SOUND(T, 494, 1, 370, 6,123,9)!019 2880 PRINT "TOWARD" 1058 2890 CALL SOUND(T,440,2,370, 6,123,9)!011 2900 PRINT "THIS ";!116 2910 CALL SOUND(T, 415, 3, 247, 6,165,8)1022 2920 PRINT "PEN"; !253 2930 CALL SOUND(T,415,2,247, 6,165,8)1021 2940 PRINT "SIVE ";!115 2950 CALL SOUND(T, 554, 1, 415, 6,165,8)!021 2960 PRINT "PART";!082 2970 CALL SOUND(T/2,554,1,41 5,6,165,7)!211 2980 CALL SOUND(T/2,494,2,29 4,6,165,8)!221 2990 PRINT "ING ";!025 3000 CALL SOUND(T,440,2,277, 6,220,8)1014 3010 PRINT "HOUR." !212 3020 GOSUB 4080 1079 3030 GOSUB 3050 1069 3040 STOP !152 3050 CALL SOUND(2\*T,330,2,27 7,6,220,8)1202 3060 PRINT : "FARE"; !238 3070 CALL SOUND(2\*T,370,2,29 4,6,147,8)!213 3080 PRINT "WELL ";!112 3090 CALL SOUND(2\*T,440,2,37 0,6,147,10)!248 3100 PRINT "TO ";!221 3110 CALL SOUND(2.5\*T,587,2, 370, 5, 147, 8) 1062

5,8,110,9)!201 3180 PRINT "TO ";!221 3190 CALL SOUND(2.5\*T,554,2, 330, 6, 110, 8) ! 043 3200 PRINT "THEE," !186 3210 CALL SOUND(T, 440, 3, 330, 6,139,8)!014 3220 PRINT "OUR ";!049 3230 CALL SOUND(1.5\*T,415,3, 247,6,165,8)1056 3240 PRINT "GOLD";!065 3250 CALL SOUND(T/2,370,3,24 7,6,165,8)!213 3260 PRINT "EN ";!205 3270 CALL SOUND(T,415,3,247, 7,165,8)!023 3280 PRINT "DAYS ";!109 3290 CALL SOUND(T,440,3,247, 7,185,8)!023 3300 PRINT "ARE" !062 3310 CALL SOUND(T,494,2,294, 6,165,8)!030 3320 PRINT "COM";!249 3330 CALL SOUND(T, 494, 3, 294, 5,165,9)!031 3340 PRINT "ING ";!025 3350 CALL SOUND(T, 587, 2, 415, 6,247,6)!027 3360 PRINT "TO ";!221

370,8,147,8)!066 3530 PRINT "HOPE" !147 3540 CALL SOUND(T,370,3,294, 6,185,8)!026 3550 PRINT "FOR ";!034 3560 CALL SOUND(T,330,2,277, 6,220,8)!012 3570 PRINT "BRIGHT";!221 3580 CALL SOUND(T,330,3,277, 7,220,9)!015 3590 PRINT "ER ";!209

3600 CALL SOUND(T,440,2,277, 5,165,8)!021 3610 PRINT "DAYS ";!109 3620 CALL SOUND(T,440,3,277, 6,165,9)!024 3630 PRINT "TO ";!221 3640 CALL SOUND(1.5\*T,554,2, 330,6,110,8)!042 3650 PRINT "COME," !184 3660 CALL SOUND(T,440,3,330, 7,139,8)!015 3670 PRINT "WHEN ";!110 3670 FRIME 3680 CALL SOUND(2\*T, 415, 3, 24 7,7,165,8)!213 3690 PRINT "FRIEND ";!246 3700 CALL SOUND(T, 415, 3, 247, 7,165,10)!065 3710 CALL SOUND(T,440,3,370, 7,165,10)!060 3720 PRINT "SHALL ";!177 3730 CALL SOUND(T, 554, 2, 415, 5,165,8)!021 3740 PRINT "MEET" !146 3750 CALL SOUND(T,494,2,415, 5,294,9)1028 3760 CALL SOUND(T, 494, 2, 415, 5,165,8)!024 3770 CALL SOUND(T, 415, 2, 294, 6,165,8)!023 3780 PRINT "WITH ";!120 3790 CALL SOUND(2\*T,440,2,27 7,6,110,8)!202 3800 PRINT "FRIEND.": :!186 3810 CALL SOUND(2\*T,440,2,29 4,6,110,8)!201 3820 PRINT !156

 $\mathbf{x}$ 

3370 CALL SOUND(T,587,3,415, 7,247,8)!031 3380 PRINT "AN ";!201 3390 CALL SOUND(T, 554, 2, 330, 6,110,8)!008 3400 PRINT "END," !106 3410 CALL SOUND(T, 554, 2, 330, 6,165,8)!018 3420 CALL SOUND(T, 554, 2, 330, 6,185,8)!020 3430 CALL SOUND(T, 554, 2, 330, 6,208,8)!016 3440 CALL SOUND(T,440,2,277, 6,247,8)!023 3450 CALL SOUND(2\*T,440,2,27 7,6,220,6)!202 3460 CALL SOUND(T, 330, 3, 277, 6,220,8)!013

3120 PRINT "THEE," !18634703130 CALL SOUND(T, 370, 2, 294,34806,185,8)!0254,7,13140 PRINT "FARE";!05734903150 CALL SOUND(2\*T, 330, 2, 2735007,6,220,8)!2020,7,13160 PRINT "WELL ";!11235103170 CALL SOUND(2\*T, 440, 2, 163520

3830 CALL SOUND(2\*T,440,2,27 3470 PRINT "BUT ";!038 7,6,110,8)!202 3480 CALL SOUND(2\*T,370,3,29 3840 RETURN !136 4,7,147,8)!215 3850 CALL SOUND(T,247,8)!131 3490 PRINT "WE ";!214 3860 CALL SOUND(-T,415,6,247 3500 CALL SOUND(2\*T,440,3,37 ,8)!015 0,7,147,10)!250 3870 CALL SOUND(-T,587,4,415 3510 PRINT "WILL ";!116 (See Page 11) 3520 CALL SOUND(2.5\*T,587,3,

### **BEGENA ON BASIC** —

(Continued from Page 10) , 6, 247, 8) ! 225 3880 CALL SOUND(-2\*T,740,4,5 87, 4, 415, 6) 153 3890 CALL SOUND(T, 330, 8)!124 3900 CALL SOUND(-T,415,6,330 ,8)!008 3910 CALL SOUND(-T, 554, 5, 415 , 6, 330, 8) 1213 3920 CALL SOUND(-2\*T,659,4,5 54, 5, 415, 6) ! 157 3930 CALL SOUND (T, 330, 2, 277, 100)6) 1070 3940 RETURN !136 3950 CALL SOUND(T, 330, 3, 277, 6, 165, 8) ! 021

3960 CALL SOUND(T, 330, 3, 277, 6,185,8)!023 3970 CALL SOUND(T, 330, 3, 277, 6,208,8)!019 3980 CALL SOUND(T, 330, 3, 277, 6,220,8)!0133990 CALL SOUND(T, 330, 3, 277,  $6, 185, 8) \cdot 023$ 4000 CALL SOUND(T, 554, 2, 440, 6, 165, 8) 10204010 RETURN !136 4020 CALL SOUND(T, 330, 3, 277, 6,165,8)!021 4030 CALL SOUND(T, 330, 3, 277, 6,185,8)!023 4040 CALL SOUND(T, 330, 3, 277,

```
6,208,8) 1019
4050 CALL SOUND(T, 330, 3, 277,
6, 247, 8) ! 022
4060 CALL SOUND(T, 330, 3, 277,
6,220,8)!013
4070 RETURN !136
4080 CALL SOUND(T, 440, 2, 330,
6, 196, 8) ! 016
4090 CALL SOUND(T, 440, 2, 294,
6,185,8)1023
4100 CALL SOUND (T, 440, 2, 247, 100)
```

6, 175, 8) 10204110 CALL SOUND(2\*T, 440, 2, 27 7,6,165,8)!212 4120 RETURN 1136 4130 END !139

THE ART OF ASSEMBLY --- PART 29

# Pastafazool, etc.

#### **By BRUCE HARRISON** ©1993 Harrison Software

This will be another departure from the mainstream, and may stir up controversy among other language proponents, but after all this column is the "proponent" for assembly, so we'll brag about our favorite language here with apologies to nobody.

than Interpreted BASIC. The next best was using the BIOS Interrupt services. That was an improvement, but still not what we'd call "blazing" in speed. As on the TI, Assembly on the PC lets us do things in more ways, including the option of writing things directly to the memory section that serves the screen. (Segment address B800H, for you PC buffs.) This produced by far the fastest result, outstripping all other ways by a wide margin. Speed was measured using the PC's built in timer, and displayed on screen after the five repeats of filling the screen with "pastafazool" were finished.

Some time ago, we bought our first PC, which was a Tandy 1000-SX model. For those who follow the PC market, let's say right off that this is an old fashioned PC, with an Intel 8088 microprocessor, a mere 640 K memory capacity, and so on; by today's standards, a veritable dinosaur in that realm. One thing we wanted to find out about that machine was how fast it would do things that are important to us, like display things on the screen. We also wanted to explore the languages we had available on that machine, including BASIC, Compiled BASIC, and assembly. To do this quickly, we made a group of "nonsense" programs that we called the "pastafazool" series. The purpose of these small programs was simply to measure speed of putting something on the screen. Each program in the pastafazool series does the same job, namely print the word "pastafazool" as many times as it can fit on the screen (6 per row times 24 rows, or 144 times on the PC's screen). The program would clear the screen first, of course, then fill and reclear for a total of five cycles. (Five cycles gave us a

To summarize, the results went like this:

Compiled BASIC	20 seconds
Interpreted BASIC	9 seconds
DOS service Assembly	7 seconds
Direct-to-screen Assembly	<1 second

This last is given as <1, since the time printed on the screen would sometimes report as one second and sometimes as zero second, depending how the timing of start and finish happened to catch the phase of the timer.

Okay, so what does all this have to do with the TI, you ask? We wanted to try a similar experiment on the TI, and did so. Of course we did not have so many options open, since there's no compiler for TI BASIC (We used XB in the test) and there's no direct equivalent of either the DOS Interrupts or the "Direct to screen" capability. In today's sidebar are two things: A listing of the very simple Extended BASIC program that writes "pastafazool, pastafazool" on each row of the screen five times, and two Assembly source code files that do the same thing. The one called PASTAB/S uses the VSBW utility vector, and the one called PASTA/S uses the VMBW vector. (See Page 12)

#### measurable time span.)

Results were amazing in many ways. We found, for example, that Compiled BASIC was much slower than Interpreted BASIC performing this task! That surprised us, because BASIC in compiled form is supposed to run faster. In assembly, we had several choices of how to do the actual display operations, and the choices made a big difference. The slowest assembly method was using the DOS Interrupt services. That performed only slightly faster

#### Page 12 MICROpendium/November 1993

### THE ART OF ASSEMBLY —

#### (Continued from Page 11)

The Extended BASIC version is written as a three-line program, with all the action in line 10. Line 1 simply clears the VDP Interrupt Timer. Line 12 reads that timer, then prints the count with 255 added because the counter will have "rolled over" once, divided by 60 to report the time elapsed in seconds. This is listed in 28 column lines just as it would appear on the screen. The two Assembly versions are shown as annotated source code, so you should be able to easily follow their operation. Given what's in today's sidebar, you should be able to conduct your own tests at home. Our results went as follows:

# SIDEBAR 29 \* SIDEBAR 29 \* FIRST, THE XB PROGRAM PASTABAS \* LISTED IN 28 COLUMNS \* \* 1 CALL INIT :: CALL LOAD(-31 879,0) 10 FOR J=1 TO 5 :: CALL CLEA R :: FOR I=1 TO 24 :: DISPLA Y AT(I,3): "PASTAFAZOOL, PAST AFAZOOL" :: NEXT I :: NEXT J 12 CALL PEEK(-31879,A):: PRI

Extended BASIC	6.4
VSBW Assembly	0.6
VMBW Assembly	0.2

6.4 seconds 0.65 second 0.2 second

Timing of the two assembly versions is done using the VDP Interrupt counter at >8378. This yields a number in 60ths of a second, which is displayed on the screen after the five cycles are finished. Both versions then use a simple key scan loop to allow you to read the number. Pressing any key gets you back to Editor/Assembler. The VSBW version reported between 39 and 40 60ths on the screen, or about 0.65 seconds. For the VMBW version, time for execution ranged from 10 to 14 60ths, so we've taken that as averaged to 12 60ths, or 0.2 seconds. That's a 32:1 speed ratio between the slowest and fastest. You may notice that we've used an "undocumented" feature of GPLLNK to convert the count number to a string for screen display. Our thanks again to Merle Vogt for that little gem.

Using the VDP Interrupt counter in this way introduces a kind of "Heisenberg uncertainty" into our measurement, since the pro-

NT (A-		/60					
*							
*							
* NEX'. *	XT, THE SLOWER ASSEMBLY VERSION						
* PAS	STAB/S - SOURCE FOR VSBW VERSION						
* CODI	CODE BY B. HARRISON						
* PUBI	LIC D	OMAIN					
*							
	DEF	START2					
	_	VSBW, VMBW, H	(SCAN, GPLLNK				
START:							
		>20BA	LOAD USER WS				
	LI	@>8378 R4,5	CLEAR VDP INT COUNTER 5 SCREENS				
NEXSC		1(4,5	J SCREENS				
	LI	R2,768	768 CHARS				
		R1,>2000	SPACE CHAR				
	CLR	·	SCREEN ORIGIN				
CLRLP							
	BLWP	@VSBW	WRITE ONE SPACE				
	INC	RO	NEXT ADDRESS				
	DEC	R2	DEC COUNT				
	JNE	CLRLP	IF NOT 0, RPT				
	LI	R0,4	ROW 1, COL 5				
		R3,24					
PRLIN	LΙ	R5, PASTA	POINT AT STRING				
			GET LENGTH				
		R2,8					
DEGUE			SAVE LENGTH				
PRCHR			GET ONE BYTE				
		@VSBW	WRITE THAT				
		R0	INC SCRN ADDR				
		R2 PRCHR	DEC COUNT				
		R0,32	IF NOT 0, RPT ADD ROW LENGTH				
		R6,R0					
		2	ALLOW INTERRUPTS				
		0	THEN STOP THEM				
	DEC	R3	DEC ROW COUNT				
	JNE	PRLIN	IF NOT 0, RPT				
	DEC	R4	DEC SCRN COUNT				
	JNE	NEXSCR	IF NOT 0, RPT				
	MOV	@>8378,R10	GET VDP INTERRUPT COUNT				
	CLR	@>837C	CLEAR GPL STATUS BYTE				
	BLWP	@GPLLNK	USE GPL LINK				
	DATA	>4D00	TO SCROLL SCREEN				
		R0,-32	MOVE BACK TO ROW 24				
			MOVE TIME COUNT TO >835E				
		@>837C	CLEAR GPL STATUS				
		@GPLLNK	USE GPL LINK				
		>2F7C	TO CONVERT INTEGER TO STRING				
			GET STRING LENGTH				
		R2,8	RIGHT JUSTIFY				
			GET STRING ADDRESS LOW BYTE				
		R1,8	RIGHT JUSTIFY				
		R1,>8300	ADD HIGH BYTE				
	⊿гм⊾	@VMBW	WRITE "TIME" STRING TO SCREEN				

gram has to execute LIMI 2 and LIMI 0 to allow the timer to function. That's done after each row is written, but performing those actions eats time in itself, so we can't really discover how fast the operation would complete without the LIMI operations being performed. We tried it without, and it doesn't appear to seriously hamper the speed, but we can never be sure. Heisenberg applied his principle in the field of particle physics, but the idea works here as well, in that the things we do to measure something affect the thing we're trying to measure, so we can never be sure what the case would be without our measurement.

Now to change subjects again, we'll go back to an old theme, namely things that are just plain wrong in TI's assembly book. Back in the December 1992 issue of this magazine, there was a reader-to-reader plea from Mr. Ian J. Howle concerning use of the bit-map mode on the TI's VDP. We sent Mr. Howle a short piece of source code that corrected some of the errors induced by his reading the book, so that he'd at least have a non-crashing starting point. The trouble is that, while what we sent to him won't crash, it won't seem to do what the book indicates it should d0. Before we go on, please understand that there are things wedon't use on our TI, and bit-map mode is one of those. If it did work just as given in the book, perhaps we'd consider using it, but the amount of VDP space that it requires is so great, and the amount of code and data required to manipulate the screen dis-(See Page 13)

### JHE ART OF ASSEMBLY-

#### (Continued from Page 12)

play in that mode is also daunting. In our experimenting with it, we tried many variations on the theme as to where the screen image table, color table, and character table should be placed. Results varied, but the over-all pattern was that the definitions we put in the character table for characters 0 through 7 would simply repeat for the rest of the characters 8 through 255, in eight character groups. That is, 8 through 15 would have the same pattern as 0 through 7, 16 through 23 would repeat those patterns, and so on. Of course we know that other programmers have used bit-map mode with success, so there has to be an answer, but it's most certainly not what's given in the E/A manual. It has sometimes occurred to us that we should "document" all the known errors in the big book, but that's really a huge job, and our time keeps getting eaten up by creating new products from what we know how to use, leaving no time for the arduous task of documenting errors found. There are others in the "community" who have no doubt found errors and found corrections to make things work. Harry Wilhelm's name comes to mind, as one who not only found out how to use bit-map mode, but also how to make it accessible from Extended BASIC, complete with automatic sprite motion, which the book implies can't be done. Harry probably also knows how to use half-bit mode, whatever that is. One of our customers asked us about that, and we had to plead gnorance about the whole subject.)

	CB	@ANYKEY,@>8	37C KEY STRUCK?
	JNE	SCAN	IF NOT, REPEAT
	LWPI	>83E0	LOAD GPL WS
	В	@>6A	RETURN TO GPL
PASTA	BYTF	3 24	
	TEXT	'PASTAFAZOC	DL, PASTAFAZOOL'
ANYKEY	( BYTI	E >20	
	END		
*			
* LAST	C, THF	E FASTER ASS	EMBLY VERSION
*			
* PAST	NA/S -	- SOURCE FIL	E FOR VMBW VERSION
* CODE	S BY P	3. HARRISON	
* PUBL	TIC DC	OMAIN	
*			•
	DEF	START	DEFINE ENTRY
	REF	VMBW, KSCAN,	, GPLLNK
START			
	LWPI	>20BA	LOAD USER WS
	CLR	@>8378	CLEAR VDP INT COUNTER
	LI	R4,5	COUNT IN R4
NEXSCR	.2		
	LI	R3,24	24 ROWS
	LI	R2,32 '	32 COLUMNS
	LI	R1, BLNKLN	32 SPACES
	CLR	RO	SCREEN ORIGIN
CLRLP			
	BLWP	@VMBW	WRITE 32 SPACES
	A	R2,R0	ADD 32
		R3	DEC ROW COUNT
		CLRLP	IF NOT 0, RPT
	-	R0,4	ROW 1, COL 5
		·	24 ROWS
PRLIN		•	TEXT STRING
<b>A -</b>			GET LENGTH
		-	MAKE A WORD
		-	WRITE STRING
		R0,32	
		ŗ	ALLOW INTERRUPTS
		0	
		R3	
			IF NOT 0, RPT
			IF NOT 0, RPT
			GET VDP INTERRUPT COUNTER
		-	CLEAR GPL STATUS
		-	USE GPL LINK
			TO SCROLL SCREEN
			MOVE BACK TO ROW 24
		•	
		·	STASH TIME COUNT AT >835E
			CLEAR GPL STATUS
			USE GPLLNK TO COVERT INTECER TO STRING
			TO COVERT INTEGER TO STRING
		-	GET STRING LENGTH
		-	RIGHT JUSTIFY
		-	GET STRING ADDRESS LOW BYTE
		- •	RIGHT JUSTIFY
		R1,>8300	ADD HIGH BYTE
	BLWP	> @VMBW	WRITE STRING TO SCREEN
SCAN		P @KSCAN	SCAN KEYBOARD

Here then is another plea to our readers, many of whom have written to us. If you've discovered a case where the book is wrong, and a solution to make something work, pass it along to us at 5705 40th Place, Hyattsville MD 20781, and we'll try to work it into a future column. In past columns, we have passed along some "undocumented" features and some "trade secrets" of our own, but we are certainly not the ultimate source of such information, as our knowledge is limited to what we've tried doing. Even at that, we don't always succeed in "breaking the code" to make certain functions work (e.g. bit-map mode). Once again we are not sure about next month's topic. We are always working on little projects of one kind or another, and that is where the material for these columns comes from. The mysteries of the TI are still many, even with all the probing done by its users over the years. There's a rumor about that somebody has obtained the source code for Extended BASIC, and that may make more of TI's "trade secrets" accessible. The whole topic of GPL language is gradually being unraveled, and that's probably good, even though some of us have no plans to write in that language. At least there are practitioners exploiting that realm now, and giving still more power to the users of our beloved orphan. One more tidbit before we close. The last few of these columns were written on a laptop PC instead of on our TI. That's not because we're losing faith in out TI, but just because the RAMdisk on the TI was filled up with source code for one of our current projects, and the PC had plenty of disk space available.

SCAN BLWP @KSCAN SCAN KEYBOARD @ANYKEY,@>837C HAS A KEY BEEN STRUCK? CB IF NOT, RPT JNE SCAN LWPI >83E0 LOAD GPL WS RETURN TO GPL @>6A BLNKLN TEXT PASTA BYTE 24 TEXT 'PASTAFAZOOL, PASTAFAZOOL' ANYKEY BYTE >20 END

# Laser printers and the TI How much you can expect to pay and what you'll get for your money

#### **By DEANNA SHERIDAN**

The following article appeared in several newsletters.—Ed.

With the cost of laser printers falling almost daily, you may want to investigate the feasibility of using one with your TI. I have looked for a comprehensive review of laser printers in newsletters for the past 2 or 3 years, and not one article has appeared. You may have seen what Martin Smoley has been able to do with his laser printer and the TI, but most of us would not go through what he does to get his printouts. Since no TI software has built-in printer commands for lasers, Marty has to write his own. I recently purchased a Hewlett Packard Laserjet IIIp and thought that may experience might help others decide if there might be a laser in their future also. I knew that you could print text from the TI through Funnelweb, but was concerned that I would not be able to use my graphic programs. The laser prints at 300 dots per inch, which most dot matrix printers use under 200 dots per inch. Thus, all you would get is garbage. If you read the advertisements for laser printers, you will notice that many of them support several printer emulations. That means that if it is emulating a Diablo 630, or an Epson FX, or an IBM Proprinter, the printer commands for those printers will be accepted by the laser printer and output as though they were native to that machine. Many of the newer dot matrix printers have a variety of fonts built in. My XR-1000 has Courier, TW Light, San Serif, Cinema and several more that I can choose from the front panel of my printer. Even though most laser printers advertise 14 basic fonts, they will not be used to with your dot matrix. These 14 fonts are basically variations of one font — Courier is Courier 10 pt., 12 pt., 16 pt. (condensed as we know it), in regular, bold, italic, etc. Thus, this is the only font you will get when you are in said Epson, Diablo, Proprinter, etc. mode. The commands for condensed, enhanced, double wide, etc. will be interpreted and printed as you usually expect.

Thus when considering a laser, the first thing that you will want to know is whether it has built-in Epson emulation or whether a separate card can be purchased to emulate an Epson. With this feature, you can use Page Pro, TIPS, etc., without any modifications to the program. replace the toner and drum separately. This is not done each and every time you need toner, but every so many thousand copies. Some use the HP toners and others use their own brands, which are not as plentiful or as cheap.

I seriously looked at the Epson Action Laser II. This is a very basic inexpensive printer. It has Epson emulation built in, and uses Hewlett Packard Font cartridges (which you could use for text on the TI). The print speed on this machine is rated six pages per minute, which is fast for a low-end printer. Standard memory is 412K and additional memory was about \$100 for one meg and \$150 for two megs. The second meg is sometimes cheaper because it goes on the same board as the first. However, I started to get second thoughts when I found out that the toner cartridges were about \$100 each and the drum had be replaced at 130,000 (I may die before I reach that many, though) at a cost of about \$150. The street price of this

When considering a laser, the first thing that you will want to know is whether it has built-in Epson emulation or whether a separate card can be purchased to emulate an Epson. With this feature, you can use Page Pro, TIPS, etc., without any modifications to the program.

There are several laser printers advertised between \$600 and \$900, but the cheapest in price may not be the least costly in the long run. If the Epson emulation is not built in, the cartridge will cost about \$100. A lot of these low-end printers only have 512K memory. A laser printer is a "page printer." All of the data necessary to print an entire page is sent to the printer before it prints anything. Thus, if there is not enough memory in the printer to hold the whole page, not all of it will print. Articles on lasers say you should have at least 1 meg. in order to print a full page of graphics. I don't know how many of us would be printing a page of high density graphics and nothing else. But it is something you should consider.

The cost of laser memory varies widely from printer to printer. You can add a meg to your PC for about \$50, but it will cost you two to three times that for your printer, depending on the make. Another cost to consider is the imaging process the laser uses. Some use a toner/drum combination which is standard in the HP laserjets. Others require you to printer is a little over \$650.

Since I would be using my laser in both my TI and on my DOS machine, I looked at a machine I probably would not have passed up if I only had my TI. This is a TI microlaser which was highly rated in a *PC Magazine* review. However, when I went out to CompuADD, the only dealer in this area, they did not have one in and did not know when they would get one, and couldn't tell me how much an Epson font cartridge would cost or where I could get one. Guess you know they lost that sale in a couple of minutes.

Another machine I would definitely have considered if I were buying for only my TI would be the Star Laser 4. This comes with Epson emulation, 1 meg of memory, uses HP standard toner cartridges and font cartridges. Most dealers are including a 25-font cartridge in the price, which is about \$799. It is a fou page-a-minute printer. However, it uses something called RISC processing which sends the data out to the printer faster. (See Page 15)

### ASER PRINTERS AND THE TI —

(Continued from Page 14) Because I intended to use my laser for business as well as pleasure, I chose the Laserjet IIIp for that very reason. It is probably a little more expensive than most of you would feel free to spend, and you might choose instead the Laserjet IIp which has a street price about the same as the Star Printer.

We are getting a Laserjet III at work and what I did at home would be compatible with what I do at work without any modifications. The only noticeable difference for me is the print speed. Of course, it is not nearly as large, with smaller paper trays, but I am finding it adequate for a home printer. The Laser III and up family supports scalable typefaces, filled fonts and most of the fancy tricks you see Marty do with his Canon laser. However, just as with Marty's printer, the software drivers for the popular DOS packages do not yet take advantage of these features. If I am to use Tem, I have to learn an entirely new language called PCL and have a software

program that will let me insert my own printer codes. It comes with 1 meg of RAM standard. I added a second meg and got the Epson cartridge which added about \$200 to the street price. Recently Micro Center advertised cartridges for the IIp and IIIp at \$50. Just as diskettes and ribbons became cheaper when the volume of users increased, we should see toners decrease also. My toner cartridges are supposed to be good for 1,000 copies. After you get a couple of cartridges, you can always have them remanufactured. I am told that the cost for this is about \$40. When cartridges are selling for \$75 to \$100 this is a sizeable savings. I wrote this article using Art Gibson's Newsletter Printer program and the Epson Emulation cartridge on my HP Laserjet. I recently purchased a scanner and scanned the picture of a Laserjet from an ad in the Computer Shopper. I converted the scanned image to a Mac file and sent it over to the TI where I converted it to an instance. I used TI-Artist to add text above and below the picture.

That sounds like a lot of work when I could have just printed it in two columns from Word Perfect with high resolution graphics and a fancy font. We all know that Word Perfect can do a decent job of desktop publishing, but not everyone knows the TI is no slouch considering its age and lack of memory and sophistication.

### **New address for TIGRES**

The TIGRES de Argentina — TIGERS of Argentina have a U.S. address. Write Norberto A. Revilla — TIGRES de Argentina, 010-100581, 4405 N.W. 73 Ave., Miami, FL 33166-6436.

### Snyder address update

Bill Gaskill's article on the Extended BASIC card index for the TI99/4A gave an outdated address for obtaining Brad Snyder's 40-Column Utilities. The program is available for \$8 from Snyder at 4260 Cedar Dr., Walnutport PA 18088.



comp. sys.ti and TI ECHO messages and FULL Internet access messages now available on TI NET/Delphi!!

Join TI NET/Delphi today and receive 5 hours of non-prime access for free!

Join the premier 99/4A and 9640 network today and enjoy FULL Internet access with TI Echo and comp.sys.ti messaging. Send Internet Email messages to your friends on other networks, universities and fidonet BBS's worldwide!

SALE \* SALE \* SALE \* SALE \* SALE

128K X 8 LP 80ns MEMORY HITACHI \$19.95 Look again...\$19.95 Quantities limited to 8 per qustomer. SORRY, NO DEALER SALES.

NEW \* NEW \* NEW \* NEW \* NEW \* NEW \* NEW \$ 1 5 \* \$15 \* \$ 1 5 CFORM \* C F O R M \* CFORM \$ 1 5 \* \$15 \* \$ 1 5

FORMAT YOUR HARD DRIVE FROM MDOS \* USE 34 SECTORS PER CYLINDER \* ADD AN ADDITIONAL 6% STORAGE 1.2 MEG TO YOUR 20 MEG HARD DRIVE 2.4 MEG TO YOUR 40 MEG HARD DRIVE



HARDWARE/SOFTWARE

NEW \* NEW \* NEW \* NEW \* NEW \* NEW \* NEW

MBPII CARD BARE BOARD, MANUAL, SOFTWARE \$27 ABOVE-PLUS ALL PARTS-YOU SOLDER \$67 COMPLETED ASSEMBLY \$87 CLOCK CHIP MM58167AN CLOCK CRYSTAL 32.768 KHz ANALOG-DIGITAL CHIP ADC0809CCN

### Dial: 1-800-695-4002 At Username prompt, enter: JOINDELPHI At the password prompt, enter: GALERIA

Already on Internet? Telnet to delphi.com instead

VOICE 414-679-4343 FAX 414-679-3736 BBS 414-422-9669

MASTER CARD AND VISA OR C.O.D. ORDERS USE OUR TOLL FREE ORDER ONLY PHONE NUMBER: <u>1-800-959-9640</u> ORDERS ONLY!

#### Page 16 MICROpendium/November 1993

# TI/Geneve Bulletin Board Directory Reach out and touch a Tier

© 1993 by S&T SOFTWARE All numbers verified by Timothy A. Tesch Latest Revision Oct. 30, 1993 List released from The S&T Software **BBS**, (414) 464-1978 **NOTE TO SYSOPS:** To assure that your system information is correct and to help in the verification of your system, please have the following information available on connect: system name as desired in the BBS listing, maximum baud rate, computer used, software in use, hours of operation and the sysop's name. Only BBSes deemed to support the TI/Geneve computers will be listed.

a profit; it is permitted to be sold at a price which covers materials and labor only.

While I plan to maintain this list until I deem it impossible or impractical to do so, it is you, the users (including all sysops) who are *responsible* for notifying me of any additions, deletions or corrections to this list. You may contact me on my BBS or one of the following methods: 3804 North 75th St. Milwaukee, WI 53216 USA (415) 464-4946 voice TIECHO: TIM TESCH (1:154/414) Internet: T.TESCH1 @ **GENIE.GEIS.COM** GEnie: T.TESCH1 Please forward any changes to me directly.

Symbols before names:

"-" indicates an unverified number.

"+" means we know that a number is there, but we're not sure about it. "\*" stands for a board that is temporarily down.

"#" means a new BBS or recently updated entry. "!" means a software changeover taking place shortly. Symbols under the bits per second (Bps) column:

This list is intended to be in the public domain. Please do not sell this BBS list at

"[ "indicates 300.

"[-]" indicates 300/1200. "[\*]" indicates 300/1200/2400. "[:]" indicates 300/1200/2400 with MNP compression.

<sup>(</sup>See Page 17)

City	ST	XX	BBS Name	Phone #	RPS	Sysop
Tucson	AZ	%1	Cactus Patch	602-290-6277	[*]	Tom Wills
Sacramento	CA	5	Sac TIBBS [701]	916-927-3012	[*]	Woody Large
! San Diego	CA	?	S.C.C.G.	619-263-9135	נ . [*]	??
* Oldsmar	FL	3	Challenger BBS	XXX-XXX-XXXX	L J [*]	Joe Dematteis
* Sunrise	FL	3	The Drawing Board	305-749-5690	E J	Mark Wacholz
Indianapolis	IN	%3	HUG BBS	317-782-9942	۲ ] [*]	Bill Lucid
Belleville	IL	3	MulTIverse BBS	618-236-7907	∟」 [*]	Tim Townsend
Calumet City	IL	%3	Chicago UG BBS	708-862-0182	[:]	Mike Maksimik
! Chicago	L	1	TI South BBS	312-651-7252	[*]	Jim Brooks
# Louisville	KY	%3	KYANA TI BBS	502-495-6389	[*]	Dan Gittings
Marrero	LA	2	TI Net #4	504-340-5603	[*]	Paul Arnold
Buffalo	NY	1	AM-CAN Friends	716-835-5316		Jim Cavanaugh
Columbus	OH	?	Spirit of 99	614-263-3412	[-]	Irwin Hott
London	OH	%7	TIABS	614-851-0708		Bud Wright
Philo	OH	3	Brush Creek 9 p.m7 p.m.	614-674-4942		Jim Davis
Toledo	OH	1	TI Comm BBS	419-385-7484		Don Turner
Sperry	OK	3	Orphanage BBS, The	918-288-6708	- <b>-</b>	Harold Mayo
Walnutport	PA	%1	The First Floor	215-670-0527		Brad Snyder
Dallas	TX	5	99'er Connection	214-233-1750		Louis Guion [70
Fort Worth	TX	%7	Colossus III	817-457-7043	·	Tom Collins
Salt Lake City	UT	%1	Salt Flats PBBS	801-394-0064		Dave DeHeer
Renton	WA	5	Puget Sound Orphans	206-255-8662		Lloyd Wagner
Lake Sinnissippi	WI	1	Mayberry, R.F.D.	414-386-5699		Randall Vogt
Milwaukee	WI	%3	S&T Software BBS	414-962-3622	<b>-</b> _	Tim Tesch
- Milwaukee	WI	3	Rivendale Express	414-643-1647		Mike Podziemsk
Muskego	WI	3	Milwaukee UG BBS	414-422-9669		D. Walden/T. Tesc
Port Washington	WI	3	Graphics Clipper	414-284-6108		Scott Stasiowski
Edmonton	AB	6	É.N.E.R.C.U.S.	403-450-1787		Andrew Webster
Vancouver	BC	<b>%</b> 1	Dial a TI PBBS	604-522-9830		Ron Warfield
Ottawa	ON	6	TI Ottawa 99'ers	613-738-0617		Peter Arpin

### TI/GENEVE BULLETIN BOARD DIRECTORY —

(Continued from Page 16) "[/]" indicates 300/1200/2400/9600. "[!]" indicates 300/1200/2400/9600-/14.4K

"[\$]" indicates 300/1200/2400/9600-/19.2K/

"[?]" unsure of the bps rate.

Note: excluding the "[" indicates that the system does not allow 300 bps users

(i.e... " -]" is 1200 only, " /]" 1200/.2400/9600 only).. Excluding the "]" indicates that the system does not allow 1200 bps users (i.e. "\*" is 2400 only, "/" 2400/9600 only).

- All BBSes are 24-hour systems unless otherwise noted.
- All BBSes are free access upon logon or 1-2 day validation unless noted.

• PCP and Starlink access codes are not included with this listing.

If anyone wishes to provide me with the appropriate information, I may include it in the next update pending validation.

If the S&T Software BBS does go offline, the Milwaukee TI User Group BBS will be available for any correspondence or assistance.

### **SECTION 2: IBM AND COMPATIBLE SUPPORT SIGS for TI/Geneve**

City	ST	XX	BBS Name	Phone #	BPS	Sysop
Costa Mesa	CA	**	U.G.O.C.	714-751-4332		Ben Hatheway —
Safety Harbor	FL		Cy's Swap Shop	813-725-4568		Cy Leonard
Springfield	MA		Mass. Gold Mine	413-736-0667	[/]	Edward Goldberg
Raleigh	NC	**	TI-Raleigh	919-833-3412	[/]	Walter Tietjen
Patchogue	NY		TI Source Texaments	516-475-6463	[/]	Steve Lamberti
Columbia	SC	**	Why Knott	803-781-4626		Mike McGaughey
Sioux Falls	SD	**	Dakota Infonet	605-336-3578	[/]	Rory Binkerd
Memphis	TN	**	9640*NEWS BBS	901-368-0112	[!]	Beery Miller
Round Rock	TX		NUSHC BBS 6 p.m8 a.m.	512-255-1557	[*]	John Koloen
Milwaukee	WI	**	WRFM line #1	414-352-6176	[/]	Pete Porro
Milwaukee	WI	**	WRFM line #2-4	414-351-1823	[*]	Pete Porro —
Toronto	ON	**	TIBM Wizard	416-743-6703	[?]	Tony D'Alfonso —
Toronto	ON		TI*Tower BBS	416-921-2731	[?]	Gary Bowser

**\*\*** These systems are known to carry the TI National ECHO (FIDOnet [tm])

### NETWORK SIGNUPS (the following numbers have not been verified):

-Cambridge,	MA	800-544-4005	DELPHI
-Rockville,	MD	800-538-9636	GEnie
-Columbus	OH	800-848-8199	COMPUSERVE
-Albuquerque,	NM	505-881-6964	StarLink sign-up and Information
-Kansas City,	KS	800-736-1130	P.C.P. sign-up and Information 7 a.m7 p.m. C.S.T.
-Kansas City	KS	800-877-2006	P.C.P. sign-up BBS

## **F · H · E · G · A · M · E · S** Running and swimming event in XBASIC

By LUCIE DORAIS The following article and program appeared in the newsletter of the Ottawa TI99/4A User Group.—Ed. Another year, the seventh for this column, and I've got the seven-year itch. Nothing new in Extended BASIC from me, because I have spent part of the summer playing with BASIC on the PC: QuickBasic and now Visual Basic for Windows. While some things are more easily done on the PC, like writing and editing a program, some functions that we

take for granted on the TI, like MAX and MIN, do not exist in Microsoft Basic. But that does not mean there will be no more Fast XB column, as long as I can find other programs worthy of it, and I hope never published before, at least in English. The Games is just such a program. I found it in a French newsletter from Montreal, Le Ti-Mot, a few years back. The author, Jacques Groslouis, from Bathurst, New Brunswick (but born and reared in Ottawa), has been a member of the Ottawa UG for many years. He was kind enough

to send me the original program, which was written in English.

The Games is about two Olympic competitions: track racing and swimming. It has lots of graphics. Line 130 gives you an idea of all the competitions available. There can be up to four competitors and, as the race is under way, you can "boost" your favorite runner or swimmer by pressing its corresponding number key. The only changes I have made is adding a quit function and dividing a very long (See Page 18)

#### Page 18 MICROpendium/November 1993

# Brashear takes over Asgard Software Bobbitt to continue running peripheral division

Chris Bobbitt of Asgard Software has transferred ownership of that company to Harry Brashear as of Nov. 1.

Brashear has been subcontracting software production and order fulfillment from the company for the past 18 months.

Bobbitt continues to operate Asgard Peripherals, which deals in hardware and in cartridge software for the TI99/4A.

Bobbitt, who founded Asgard in 1983 when he was a teenag-

er, notes that at the time the company was one of approximately 100 software providers for the 99/4A.

New address for Asgard Software is 2753 Main St., Newfane, NY 14108. Phone number is (716) 778-9104.

Address for Asgard Peripherals, 1423 Flagship Dr., Woodbridge, VA 22192. No phone orders will be accepted, Bobbitt says, and all inquiries for Asgard Peripherals should be by mail.

### THE GAMES----

(Continued from page 17) string defined in line 200 into five lines, 200-204. It builds the crowd and two flags, Canada and USA.

Since I did not write the code, I will not try to explain it. Here are a few notes, however. Jacques used an old trick to make XB even faster. He replaced an often used constant with a variable name. If you look at line 110, you will notice that "@=a." So, wherever you encounter the variable "(@" (short variable names save memory), it means "1." In line 140, the CALL PEEK is to test for the Speech Synthesizer with value (yes or no) put in S. The "TI=-@" puts the computer in demo mode to start. If you are puzzled by the "IF SP=2" here and there, it refers to "Sport #2, Swimming." Some lines are very long and won't fit in the normal five lines of the TI's editing mode. Type the first five lines, press enter (don't worry if the TI indicates a mistake at that point), then press Fctn-8 (Redo). The five lines will reappear. Bring the cursor to the end of all the statements and continue to type. When you play, you will notice the very refined graphics designed by Jacques. If the runners look the same for the four races, 100, 400, 2000 and 5000 metres (although there are two white and two black runners, which is more than politically correct), the swimmers in the three competitions are designed to follow the real style of the swim: butterfly, back stroke and breast stroke. You might object that all competitors are men, at least that is what their costume tells us. There is a good reason for that: since all characters have to move at the same time, human

plus costume, it was easier to design a costume with only one character than with two!

There is one more thing you might notice: during the track competitions, the letters X, Y and Z in the text on the screen are shown in red instead of blue. This is because they use the same color set (8) as the ground. No problem in the swimming competitions, since the water also happens to be blue.

### THE GAMES

100 ! THE GAMES BY J. GROSLO UIS TI EXTENDED BASIC DECEMB CALL DELSPRITE(ALL):: GOTO 1 50 !245 170 T93\$,T44\$=RPT\$("F",16):: CALL CHAR(93,T93\$):: P\$="00 3C3C3C18FEFE00" :: P1\$="003A 3A3A92FEFE00" !061 180 T41\$="0103070F0F070301" :: T42\$="80C0E0F0F8FCFEFF" : : T43\$="0103070F1F3F7FFF" :: T40\$="80C0E0F0F0E0C080" :: T45\$="0000000183C7EFF" !251 190 T46\$="00" :: T47\$="FFFFF F000000FFFF" :: T59\$="FFFFBB FFFFFBBFFF" :: GOSUB 1210 !1

24

ER 1985 AMENDED NOVEMBER 198 7 / Ottawa UG, Sept. 1993 !1 17

110 G=138 :: E=130 :: @=1 :: CALL SCREEN(15):: DISPLAY A T(12,5)ERASE ALL: "SETTING UP THE GAMES" :: OPTION BASE 1 :: DIM TR\$(7), AT\$(4), AW\$(4) !076

120 RESTORE :: GP=0 :: H=7 : : FOR A=@ TO H :: READ TR\$(A ), Z\$ :: TR\$(A) = TR\$(A) & RPT\$(" ",14-LEN(TR\$(A)))&Z\$ :: NEX T A :: GOSUB 170 !123 130 DATA 100 METRE, 15, 400 ME TRE, 35, 2000 METRE, 55, 5000 ME TRE, 98, BACK STROKE, 15, BUTTER FLY, 35, BREAST STROKE, 55 !115 140 CALL PEEK(-28672,S):: CA LL CHARPAT(42,Q\$):: CALL CHA R(64,Q\$):: TI=-@:: EV,Q,AA=@ :: PAT=2 :: GOSUB 350 :: G OSUB 400 !008 150 IF U=H THEN AU, U=0 !228160 GOSUB 500 :: GOSUB 1340 :: GOSUB 1090 :: GP=GP+1 ::

195 !=== RENUM... ==== !188200 TI\$=TI\$&",,...,h.... ....h;;;;////" !134 201 TI\$=TI\$&",,.\*,+.,,hTHE.. ...h;;;;////" 1213 202 TI\$=TI\$&",,),,,(,,h.... ...h;;;;////" !118 203 TI\$=TI\$&",,,,,,,,h....G AMESh/////" !216 204 TI\$=TI\$&",,...,h.... ...h////// !085 205 !=== renum... === !092210 CALL MAGNIFY(4):: CALL C HAR(91, "00"&RPT\$("F", 14)):: CALL CHAR(92, RPT\$("FE", 8)):: SC\$="12345678" !126 220 SR1\$=RPT\$("0",17)&"10204 0810201"&RPT\$("0",18)&"3FF97 503050905" !044 230 S1\$="030301010F090909010 2040810204020808080008850200 000804020100A04" !175 240 S2\$="0303010103050905030 305794101010180808000808080F "&RPT\$("0",15)&"8" !077 (See Page 19)

### THE GAMES---

1207

(Continued from Page 18) 250 S4\$="030301010F090909010 204784000000808080000088502 0008040202020203" !216 260 S5\$="0303010103050905030 10101010101018080800080808080F 0008040204080008" !208 270 UR\$=RPT\$("0",17)&"101"&R PT\$("0",28)&"808" :: SW1\$=RP T\$("0",17)&RPT\$("10",8)&RPT\$ ("0",14)&"3FF1710101010008"

EY": :" BE CAREFUL: AN OFFIC IAL MAYDISQUALIFY AN ATHLETE " 1078 390 DISPLAY AT(15,@):"WITHOU T EXPLANATION": :" TRY TO WI N ALL EVENTS";"GOOD LUCK !!! " :: GOSUB 1220 :: RETURN !1 48 400 FOR A=@ TO 4 :: AT\$(A)=R PT\$(" ",26):: NEXT A :: AT\$(

GE SPEED PRESS YOUR NUMBER K

384):: DISPLAY AT(5,H)SIZE(1
7):"IN AUTOMATIC MODE" !171
520 IF AU=-@ THEN U=U+@ :: A
\$=SEG\$(SC\$,U,@):: GOSUB 1190
:: GOSUB 680 :: GOTO 590 !1
71
530 DISPLAY AT(2,3):"TRACK
 TIME TO BEAT" :: FOR R=4
 TO H :: DISPLAY AT(R,3):R-3
;TR\$(R-3):: NEXT R !095
540 DISPLAY AT(9,3):"SWIMMIN

280 SW2\$=RPT\$("0",42)&"1C1C1 C08F8080808" :: SW3\$=RPT\$("0 ",57)&"8746261" !088 290 SW4\$=RPT\$("0",54)&"E080C 0C0C" :: SW5\$=RPT\$("0",23)&" 8040201"&RPT\$("0",28)&"6060F E" !139 300 SW7\$=RPT\$("0",16)&"FF8"& RPT\$("0",29)&"FF38" :: SW8\$= RPT\$("0",25)&"20180FF"&RPT\$( "0",25)&"810B0F" !200 310 SW9\$=RPT\$("0",28)&"80FF" &RPT\$("0",22)&"40404070FF" : I: SW0\$=RPT\$("0",28)&"80FF"&R PT\$("0",28)&"30FF" !041 320 SWA\$=RPT\$("0",58)&"60607 F" :: SWB\$=RPT\$("0", 58)&"606 07C" :: SWC\$=RPT\$("0",58)&"6 0607" :: US\$=RPT\$("\$",31)&"3 "&RPT\$("0",32)!228 330 OFF\$="010101000103050911 01010101010101C4C8D0A0C0C0C0 COCOCO40404040404" !146 340 OFU\$="01010100010101010101 01000000000000C4C0C00040C0C0 COCOC" :: RETURN 1009 350 CALL CHAR(37, P1\$):: SP=@ :: C1=16 :: C2=H :: CH=37 :: GOSUB 720 :: GOSUB 1270 :: GOSUB 1200 :: GOSUB 1210 !0 10 360 IF S THEN CALL SAY ("THE1 ,GAMES")ELSE DISPLAY AT(H,@) : "NO SYNTHESIZER ATTACHED" ! 150

(0) = " NAME" !104 410 CALL SCREEN(9):: DISPLAY AT(2,5) ERASE ALL: "NAME ATHL ETES" :: DISPLAY AT(4,3): "# OF ATHLETES (2 TO 4)?:4" !06 5 420 ACCEPT AT(4, 27)SIZE(-1)VALIDATE("234")BEEP:A\$ :: NP= VAL(A\$):: CALL CHAR(124, OFF\$),120,OFU\$)!180 430 CALL SPRITE(#8,124,12,14 0, 29, #7, 120, 2, 140, 29, #6, 124,2,116,21,#5,120,16,116,21,#4 ,124,12,92,15)!117 440 CALL SPRITE(#3,120,13,92 ,15,#2,124,2,68,9,#1,120,14, 68,9)!176450 FOR A=@ TO NP :: DISPLAY AT(A\*3+6, 2+A):A :: DISPLAYAT(A\*3+6, 5+A)SIZE(10):SEG\$(A)T\$(A),3,8):: ACCEPT AT(A\*3+6 , 5+A) SIZE (-7) VALIDATE (UALPHA) ) BEEP: AT\$ (A) ! 171 460 AT\$(A) = STR\$(A) & CHR\$(32) &AT\$ (A) & RPT\$ (" ", 26-LEN (AT\$ (A ))):: NEXT A !142 470 DISPLAY AT(24,3): "CHANGE ABOVE (Y N)?:N" :: ACCEPT A T(24, 23) SIZE(-@)VALIDATE("YN ")BEEP:A\$ :: IF A\$="N" THEN 490 !022 480 DISPLAY AT(24,3): "CHANGE # PLAYING? (Y N):N" :: ACCE PT AT(24, 27)SIZE(-@)VALIDATE("YN")BEEP:A\$ :: IF A\$="Y" T HEN 400 ELSE 450 !198

G" :: FOR R=11 TO 13 :: DISP LAY AT(R,3):R-6;TR\$(R-6):: N EXT R :: DISPLAY AT(15, 3): "8 STANDINGS" !100 550 DISPLAY AT(17, 3): "9 STAR T AGAIN": : : " A AUTOMATIC MODE": " Q QUIT" :: DISPLAY AT(24, 0): "YOUR CHOICE(A OR 1) TO 9)?:8" !147 560 ACCEPT AT(24, 27)SIZE(-0)VALIDATE("AQ123456789")BEEP: A\$ :: IF A\$="9" THEN CALL CL EAR :: GOTO 110 !015 570 IF A\$="8" THEN GOSUB 680 :: GOTO 500 ELSE IF A = "Q" THEN CALL CLEAR :: END !230 580 IF A = "A" THEN U=U+Q :: A\$=SEG\$(SC\$, U, 0):: AU=-0::IF U>H THEN U=@!166590 ON ASC(A\$) -48 GOSUB 640, 650,660,670,640,650,660 1097 600 IF A\$<"5" THEN SP=@ :: C 1=6 :: C2=H :: GOTO 620 !229610 SP=2 :: C1=16 :: C2=5 !244 620 GOSUB 720 :: IF SP=@ THE N EV1=EV\*SP\*2 ELSE EV1=(EV\*S) P+4-EV)\*2 1020 630 RETURN !136 640 LLAP=15 :: EV=@ :: RETUR N 1060 650 LLAP=35 :: EV=2 :: RETUR N !249 660 LLAP=55 :: EV=3 :: RETUR N !252 670 LLAP=98 :: EV=4 :: RETUR

370 GOSUB 820 :: SP=@ :: NP= 490 CALL DELSPRITE(ALL):: RE N !004 4 :: LLAP=15 :: GOSUB 1340 : 680 CALL SCREEN(12):: DISPLA TURN !125 : CALL CLEAR :: CALL DELSPRI 500 AA, Q=@:: LLAP=0:: CALLY AT(2,@)ERASE ALL: "STANDING TE(ALL):: GOSUB 1240 :: DISP SCREEN(14):: DISPLAY AT(0,1 EVENTS" :: DISPLAY AT( S LAY AT(7,7): "INSTRUCTIONS" ! 2) ERASE ALL: "EVENTS" :: GOSU 4,11): "TRACK\_\_\_\_SWIM " !088 690 DISPLAY AT(6,11):"1 2 3 B 1240 !176 152 510 CALL COLOR(0,2,0):: IF A 380 DISPLAY AT(9, 0): "SPEED I 4 5 6 7 PTS" :: DISPLAY AT(2 U=-@ THEN CALL HCHAR(2,@,96, S SELECTED AT RANDOM TO CHAN (See Page 20)

### THE GAMES—

(Continued from Page 19) 0,1):"POINTS #1=4 #2=3 #3=2#4=1" :: GOSUB 1490 :: GOSUB 1530 !136 700 FOR R=@ TO NP :: DISPLAY AT(R\*3+6, 0): ATS(R):: IF SEG $(AT_{(R)}, 12, 13) = 1111111$ **1"** THEN GOSUB 1250 !176 710 NEXT R :: CALL DELSPRITE (ALL):: GOSUB 1220 :: RETURN 129 720 CALL CLEAR :: CALL SCREE N(C1):: CALL COLOR(@, H, 16, 2,H, 16):: FOR Z=3 TO H :: CALLCOLOR(Z,5,16):: NEXT Z !055 730 IF TI THEN DISPLAY AT(2, 0):TI\$ ELSE CALL HCHAR(2,1,C H,160)!237 740 TI=0 :: CALL COLOR(10,15 ,15):: FOR A=2 TO 32 STEP 10 :: CALL VCHAR(2,A,104,5):: NEXT A !187 750 CALL HCHAR(@,@,104,32):: CALL HCHAR(H, @, 104, 32) :: IF SP=@ THEN CALL COLOR(9,13,1 3):: CALL HCHAR(8, 0, 96, 64):: CALL HCHAR(22,@,96,96)!003 760 CALL COLOR(8, C2, 16):: CA LL HCHAR(10,0,93,384):: CALL COLOR(8,C2,16):: FOR A=11 T O 21 STEP 2 :: CALL HCHAR(A, @,91,32):: NEXT A !004 770 IF SP=2 THEN 790 !114 780 Y=0 :: FOR Z=SP+12 TO SP +18 STEP 2 :: Y=Y+@ :: DISPL AY AT(Z, 5)SIZE(@):SEG\$(SC\$, 5)-Y,@):: NEXT Z :: CALL VCHAR (11, 5, 92, 10)!040790 IF SP=@ THEN DISPLAY AT( 8,3)SIZE(16): "TRACK ";SEG\$(T R\$(EV), @, 10):: DISPLAY AT(9, )3) SIZE(16): "TIME TO BEAT "& SEG\$(TR\$(EV),15,3)!212 800 IF SP=@ THEN BEST=VAL(SE G\$(TR\$(EV),15,3))!177 810 IF SP=2 THEN GOSUB 830 : : RETURN !043

))!136 840 Y=0 :: FOR Z=14 TO 20 ST EP 2 :: Y=Y+@ :: DISPLAY AT( Z, 6) SIZE(@):SEG\$(SC\$, 5-Y, 1): : NEXT Z !166 850 DISPLAY AT(8,3)SIZE(23): "SWIMMING ";SEG\$(TR\$(EV+4),@ ,14):: DISPLAY AT(9,3)SIZE(2)3): "TIME TO BEAT "&SEG\$ (TR\$ (EV+4), 15, 3)!116860 CALL DELSPRITE(ALL):: CA

1020 CALL SPRITE(#6,136,2,88 ,35,#5,120,16,88,35)!184 1030 CALL SPRITE(#4,136,12,1 04, 35, #3, 120, 13, 104, 35) ! 0471040 CALL SPRITE(#2,136,2,12 0,35,#1,120,14,120,35):: IF SP=@ THEN 1080 !082 1050 CALL CHAR(120,US\$):: IF EV=@ THEN CALL CHAR(136, SW8 \$)!050 1060 IF EV=2 THEN CALL CHAR(

LL CHAR(124,SW1\$):: ON EV GO SUB 870,880,890 :: SP=2 :: R ETURN !062 870 CALL CHAR(120,US\$,128,SW 9\$,132,SW0\$,136,SW8\$,140,SW0 \$):: RETURN !008 880 CALL CHAR(120, UR\$, 128, SW 3\$,132,SW5\$,136,SW4\$,140,SW3 \$):: RETURN !005 890 CALL CHAR(120, UR\$, 128, SW C\$,132,SWB\$,136,SWA\$,140,SWB \$):: RETURN !062 900 ON NP GOTO 940,930,920,9 10 !124 910 CALL SPRITE(#8,124,12,72 ,16,#7,120,2,72,16)!165 920 CALL SPRITE(#6,124,2,88, 16, #5, 120, 16, 88, 16) ! 179 930 CALL SPRITE(#4,124,12,10 4,16,#3,120,13,104,16)!042 940 CALL SPRITE(#2,124,2,120 ,16,#1,120,14,120,16)!241 950 CALL SPRITE(#10,116,12,1 60,18,#9,112,2,160,18)!053 960 IF SP=2 AND EV=0 THEN CA LL LOCATE(#8,88,16,#6,104,16 ,#4,120,16,#2,136,16):: CALL CHAR(124,SW2\$)!189 970 IF S THEN CALL SAY("GET, SET") ELSE DISPLAY AT(23,4) SI ZE(7): "GET SET" !053 980 DISPLAY AT(24,5)SIZE(16) BEEP: "ANY KEY TO START" :: I F SP=2 AND EV<>0 THEN CALL C HAR(136,SW7\$)!125 990 GOSUB 1230 :: CALL SOUND

136,SW4\$)!150 1070 IF EV=3 THEN CALL CHAR( 136,SWA\$)!164 1080 FOR Z=10 TO 20 STEP 2 : : CALL HCHAR(Z,@,93,5):: CAL L HCHAR(Z+0,0,91,5):: NEXT Z :: CALL DELSPRITE(#9,#10):: RETURN 1003 1090 CALL DELSPRITE(ALL):: G OSUB 1190 :: FOR A=@ TO NP : : CALL CHAR(CH, P\$):: DISPLAY AT(A+9,3)SIZE(16):A;AW\$(A): : CALL CHAR(CH, P1\$):: NEXT A 1054 1100 IF S THEN CALL SAY ("#GO OD WORK#, NUMBER#"&Z\$)ELSE DI SPLAY AT(23, 2)SIZE(14): "GOOD WORK "&"# "&Z\$ !083 1110 GOSUB 1220 :: RETURN !0 \*4 34 1120 IF AA THEN CALL VCHAR(1 1,29,92,11):: AA=0 !151 1125 Z=5 :: FOR P=H TO @ STE P -2 :: Z=Z-1 :: P2=20-P :: P3 = 128 - 8 \* P :: CALL COINC(#P, P3,214,15,F)!194 1130 IF F = -0 THEN DISPLAY AT (P2, 28) SIZE(@):SEG\$(SC\$, Q, @) :: GOSUB 1150 :: Q=Q+@ :: CA LL DELSPRITE(#P, #(P+1))!154 1140 NEXT P :: RETURN !240 1150 AT\$(Z) = SEG\$(AT\$(Z), 0, EV)1+8)&SEG\$(SC\$,Q,@)&SEG\$(AT\$( Z), EV1+10, 37-EV1):: IF Q=@ T HEN Z\$=CHR\$(Z+48)!023 1160 AW\$(Q) = SEG\$(AT\$(Z), @, 10

820 CALL DELSPRITE(ALL):: CA LL CHAR(112, OFU\$, 116, OFF\$, 12 0, UR\$, 124, SR1\$, 128, S1\$, 132, S 2\$,136,S5\$,140,S4\$):: RETURN !248 830 FOR A=2 TO 4 :: CALL VCH AR(10, A, 104, 12) :: NEXT A :: BEST=VAL(SEG\$(TR\$(EV+4), 15, 3)

,0):: IF SP=2 THEN CALL COLO R(9,16,16)!138 1000 CALL HCHAR(23,0,96,64): : ON NP GOTO 1040,1030,1020, 1010 !194 1010 CALL SPRITE(#8,136,12,7 2,35, #7,120,2,72,35) ! 170

(100, 110, 0, 130, 5, 34000, 30, -8)

)&CHR\$(32)&STR\$(LAP-@):: BES T=MIN(BEST, LAP-@)!0821170 IF SP=2 AND Q=0 THEN TR (EV+4) = SEG(TR(EV+4), 0, 14)&STR\$(BEST)ELSE IF SP=@ AND Q=@ THEN TR\$(EV)=SEG\$(TR\$(EV)) ),@,14)&STR\$(BEST)!202 (See Page 21)

### THE GAMES-

(Continued from Page 20) 1180 RETURN !136 1190 FOR A=10 TO 30 :: CALL SOUND(-50,700,A,2100,A,4200, A):: NEXT A :: RETURN 1066 1200 CALL CHAR(37, P\$, 40, P1\$, 41, P\$, 42, P1\$, 43, P\$, 44, P\$, 45, P\$,46,P1\$,47,P\$,59,P1\$):: RE TURN !139 1210 CALL CHAR(37, P1\$, 40, T40 \$,41,T41\$,42,T42\$,43,T43\$,44 ,T44\$,45,T45\$,46,T46\$,47,T47 \$,59,T59\$):: RETURN !198 1220 DISPLAY AT(24,3) BEEP SI ZE(25): "ANY KEY TO CONTINUE" 1029 1230 CALL KEY(0, K, SS) :: CALL CHAR(CH, P\$):: CALL CHAR(CH,P1\$):: IF SS=0 THEN 1230 :: RETURN !071 1240 FOR A=@ TO 8 :: CALL CO LOR(A, 2, 0) :: NEXT A :: RETURN !154 1250 DISPLAY AT(21, R+1): "OUR NEW GRAND CHAMP!!!!" :: R1= R\*24+57 !023 1260 CALL CHAR(120, OFF\$, 124, OFU\$):: CALL SPRITE(#10,120, 16, R1, 12, 0, 11, #9, 124, 2, R1, 12

,0,11)!223

9

1270 RESTORE 1310 !128

1290 IF DR=0 THEN RETURN !00

1300 CALL SOUND(DR\*150,F,3):

1310 DATA 1,294,1,277,1,294,

1,330,1,349,2,392,1,440,2,44

1280 READ DR, F !038

: GOTO 1280 !152

0,5,440,1,392,2,392,5,392,1, 440 !006 1320 DATA 2,440,5,440,1,294, 1,277,1,294,1,330,1,349,1,34 9,2,392 1235 1330 DATA 1,440,2,440,3,440, 1,349,1,392,2,440,2,392,1,34 9,1,349,2,330,2,294,2,220,1, 147,0,0 1080 1340 L1=LLAP-10 :: GOSUB 900 :: FOR LAP=@ TO LLAP :: GOS

PAT=-PAT :: IF LAP>L1 THEN GOSUB 1120 !227 1430 C = (RND\*4) + 2 :: D = (RND\*4))+2 :: CALL KEY(0,K,SS):: IF SS<>@ THEN RETURN !056 1440 IF K=49 AND D<H THEN D= D+2 !124 1450 IF K=50 AND C<H THEN C= C+2 !113 1460 IF K=51 AND B<H THEN B= B+2 !111 1470 IF K=52 AND A<H THEN A= A+2 !109 1480 RETURN !136 1490 FOR B=@ TO NP :: L1=0 : : FOR A=11 TO 24 STEP 2 :: B  $=SEG_{(AT_{(B)},A,1):: IF B_{=}"$ D" OR B\$=" " THEN L1=L1+5 :: GOTO 1510 !107 1500 L1 = L1 + VAL(B\$)!0381510 NEXT A :: L1=35-L1 :: I F L1<10 THEN L1\$="0"&STR\$(L1 )ELSE L1\$=STR\$(L1)!155 1520 AT\$(B) = SEG\$(AT\$(B), 1, 26))&L1\$ :: NEXT B :: RETURN !0 34 1530 IF GP >= 7 THEN GP = 7 ELSE RETURN !167

1540 HI=0 :: FOR B=@ TO NP :

: PT=VAL(SEG\$(AT\$(B),27,2)):

: HI=MAX(HI, PT) :: IF HI=PT T

1550 NEXT B :: GOSUB 1190 ::

DISPLAY AT(22,1): "THE WINNE

R IS "&SEG\$(AT\$(WIN), 1, 10);"

CONGRATULATIONS!!" :: RETUR

HEN WIN=B !237

AP !218 1350 IF Q>NP THEN RETURN !10 1360 FOR P=H TO @ STEP -2 !0 66 1370 CALL POSITION(#P,ROW,CO L):: IF ROW>136 THEN 1390 :: Z1=INT((136-ROW)/16):: IF Z 1>4 THEN 1390 !169 1380 AW\$(Q) = SEG\$(AT\$(Z1), 0, 1)0) & "D" :: AT\$(Z1) = SEG\$(AT\$(Z1), @, EV1+9) & "D" & SEG\$ (AT\$ (Z1) ), EV1+11, 37-EV1):: Q=Q+0 !05 4 1390 NEXT P :: GOTO 1350 !00 2

1400 T1=E-PAT :: CALL PATTER

N(#2,T1,#4,T1,#6,T1,#8,T1)::

A = (RND\*4) + 2 :: B = (RND\*4) + 2

1410 CALL MOTION(#8,0,A,#6,0

,B,#4,0,C,#2,0,D,#7,0,A,#5,0

1420 T2=G+PAT :: CALL PATTER

N(#2,T2,#4,T2,#6,T2,#8,T2)::

A N D

,B,#3,0,C,#1,0,D)!115

1016

G S

UB 1400 :: DISPLAY AT(24, 20)

SIZE(8): "TIME"; LAP :: NEXT L

### Final MDOS mailing planned In past years, the Geneve presentation at Chicago's TI fair was

U

B

immensely popular, with standing-room-only crowds being common. This year's presentation, by Beery Miller of 9640 News, attracted only a handful of Geneve users. During the hour-long, informal discussion, Miller said that he plans a final mailing of MDOS by Christmas to registered buyers of the Geneve, but is still waiting for Lou Phillips of Myarc Inc. to provide the complete list of registered users. Miller also noted that very little programming is being done for the Geneve. "The problem is that many people don't have the time to write code," he said. One bright spot, however, is the expected release of a new word processor for the Geneve.

N !252

BYTES

### **Unusual tribute**

Videotapes of the 1991 Lima Multi User Group Conference contain a segment showing Eunice Spooner, sponsor of the Oakland Computer Group for elementary school children in Maine, giving a demonstration of Logo to a six-year-old girl. The little girl, Megan Good, daughter of Lima MUG newsletter editor and MICROpendium columnist Charles Good, has been corresponding with Ms. Spooner ever since. In fact, Ms. Spooner recently acquired a new dog, and in honor of her friend in Lima, she named the dog Megan.

# Chicago TI Faire PC99 project shows improvement

**By GARY W. COX** The 1993 Chicago TI Faire has come and gone leaving faire-goers with a variety of products both new and old.

One of the first items catching my eye was the progress of PC99 by Mike Wright and Mark Van Coppenolle of CaDD Electronics. PC99 is a project whereby an IBM compatible PC can emulate a TI99/4A. Stage 2 additions include the ability to emulate all sprite features, operate with joysticks, limited TI sounds, disk I/O, and RS232 and PIO emulation abilities. The new release has somewhat faster system operations and adds several utilities. In the demonstration of PC99 I witnessed the operation of several TI modules, although execution speed remained slow and operations limited. Wright has also released "The Cyc," described as "an encyclopedia of knowledge relating to the Texas Instruments TI99/4A home computer" intended to provide a starting point for an information search. The files are in Word Perfect format accessible only on a IBM compatible PC and contain reference material drawn from MICROpendium, 99' er Magazine, user group publications, Computer Shopper and many other sources. If, for example, you wish to look up an article in Com*puter Shopper* you have the reference material on disk to locate the right issue. The

Cyc costs \$20. Richard Gilbertson of CaDD Electron-

UFOs" programmed using "the Missing Link" and described as a text and graphics type adventure game containing both animated graphics and TI-Artist quality still



ics demonstrated V.5.57 of Supercharged XB (RICHXB), an impressive enhancement of Extended BASIC (GRAM device required)! Beery Miller of 9640 News had copies of the final version of MDOS (new); 9640 News volumes 1, 2 and 3; and a variety of Geneve 9640 software products.

Mike Wright, of CaDD Electronics, demonstrated the progress being made on PC99, a TI emulator that runs on a PC. (Photo by Gary Cox)

> graphics. The game was described as simple enough for young children yet complex enough for adults. It sells for \$12.95. Bud Mills of Bud Mills Services/Hori-(See Page 23)

Ron and Ada Markus of Ramcharged computers had quite a variety of products, including a new game called "Mexican

### **READER TO READER**

Jim Dolvin, 1418 Osceola Hollow Rd., Odessa, FL 33556, writes:

I need the current address of Monty Schmidt who wrote Technical Drive.

I'm also trying to locate a copy of TI Publication #943441-9701, Model 990 Computer/TMS Microprocessor Assembly Language Programmers Guide.

Jim Uzzell, 518D Truman Annex, Key West, FL 33040-7560, writes:

Geneve users: I am attempting to compile a comprehensive "bug report" for MY-BASIC 3.00. If you are aware of any bugs and can provide detail of how the but was encountered, i.e. a copy of the program, this will narrow the search for the fix. I have spent many, many hours poring over the source code and identified many bugs (in my opinion about 90 percent of them). So, send me your bugs and maybe one or two more updates to MY-BASIC and we may have a finished product. Arnold L. Stewart, 232 N. Ridgewood Ave. #20, Edgewater,

#### FL 32132, writes:

My Hewlett-Packard Think-Jet, model #2225C prints in Elite type only, no matter what I do, with minimum left and right margins of one inch. Furthermore, it doesn't seem to understand any printer codes (even from a TI)! HP's Tech Support people told me that moving DIP switch No. 5 to the "Up" position yields Epson MX emulation, but it ain't so! Anybody got any ideas?

Thomas P. Kirkpatrick, 433 W. Roscoe, Chicago, IL 60657-3649 writes:

I would be glad to pay the programming cost for someone to put the TI PRK program in Q-BASIC or GW BASIC so that I can use it on a PC. I am so used to this simple program that I would like to continue using it for all my record keeping. Reader to Reader is a column to put TI and Geneve users in contact with other users. Address questions to Reader to Reader, c/o MICROpendium, P.O. Box 1343, Round Rock, TX 78680.

### CHICAGO TI FAIRE----

(Continued from Page 22) zon computer had products including Digi Port, RAMdisks, P-Gram cards, Miller Graphics EPROMS and the SCSI controller card. Although the SCSI DSR is still not complete, Mike Maksimik got the SCSI card functioning on a primitive level with a CD-ROM drive and Bud had the card performing limited functions with a SCSI hard drive.

held a sort of going out of business sale, with any software item in stock for \$5, as after Dec. 31 he will no longer accept orders. However, Bruce said he will continue to write public domain software.

Someone new this year was Meredith Adkins of Brukin Software who carried interesting software products ranging from utilities to games, many of which I haven't seen before! Ken Gilleland of Notung Software again presented his varied products including many graphic oriented programs. Ken also had information on some of his paintings, many of which are on display at the Orlando Gallery in Sherman Oaks, California! Berry Harmsen of the Dutch TI users group distributed his group's newsletters and was selling a special Dutch demo disk of programs by Tlers in his group! I saw many tables full of generic computer products from Linda of Disk N Dat. Tom Freeman of T and J Software was present with a variety of software products. Many user groups from the U.S. had tables as well.

List of vendors 9640 News, P.O. Box 752465, Memphis, TN 38175, (901) 368-1169 Berry Harmsen, TI Gebruikersgroep, le Oosterparkstraat 141E 1091 GZ Amsterdam, Telephone# 020-6941047 Brukin Software, 7919 Mitchell Farm Lane, Cincinnati, OH 45242, (513) 984-8421 • Bud Mills Services, 166 Dartmouth Drive, Toledo, OH 43614-2911, (419) 385-5946 • CaDD Electronics, 81 Prescott Road, Raymond, NH 03077, (603) 895-0119 Cecure Electronics Inc., P.O. Box 132, Muskego, WI 53150, (414) 679-4343 • Chicago TI Users Group, P.O. Box 578341, Chicago, IL 60657 Competition Computer, 2219 S. Muskego Ave., Milwaukee, WI 53215 (800) 471-1600 or (414) 672-1600 • Disk 'N Dat, 14 S. River Street, Aurora, IL 60508 (708) 897-3337 · Hoosier Users Group, P.O. Box 2222, Indianapolis, IN 46206-2222 Micropendium, P.O. Box 1343, Round Rock, TX 78680 • Notung Software, 7647 McGroarty St., Tujunga, CA 91042, (818) 951-2718 Ramcharged Computers, P.O. Box 81532, Cleveland, OH 44181 (216) 243-1244 or (800) 669-1214. Program Innovators, 4122 Glenway, Wauwatosa, WI 53222, (414) 535-0133 S&T Software, 3804 North 75th Street, Milwaukee, WI 53216, (414) 464-4946 • TI Users of Will County, P.O. Box 216R, Romeoville, IL 60441

Larry Conner of L.L.Conner had a variety of programs and hard to find hardware and parts including chips, connectors and so on all specific to the TI99/4A.

Ted Kieper of Competition Computer had TI products including cartridges, PEBs, consoles and hard to find MBX systems.

Mickey Cendrowski and Mike Sealy of MS Express Software's products included a few new ones such as Adventure Database (database of TI Adventure games),

**Rattlesnake Bend (adventure game for the** adventure module), Genealogy Plus (genealogy tracking assistant compatible with TI-BASE, TI-Writer and Personal Record Keeping formats).

Tim Tesch of S&T Software and Don Walden of Cecure Electronics distributed a list of U.S. and Canadian TI BBSes (See Page 16 - Ed.) as well as several programs, including VCLR 2.0, described as an MDOS color ANSI file viewer, and MDOS Polyport 2.0, which allows Geneve 9640 users to include digitized files (VOC and FX format files) in batch files. Tim also had available his TI BBS program.

Bruce Harrison of Harrison Software

James Schroeder, author of REDISKIT, received this year's John Birdwell award for outstanding achievement in the TI community.



Page 24 MICROpendium/November 1993

# Hidden Secrets of TI-Writer

TI-HIDE-IT lets you keep a secret in your documents

#### By BARRY A. TRAVER ©1993 B.A. Traver

Like many TI'ers, the program I use most on my TI is TI-Writer (or an equivalent, like Funnelweb, MY-Word, or RAG-Writer). In fact, I've always wanted to write a "hidden secrets of TI-Writer" article for MICROpendium, but have never done so ... until now! Don't look now, but some of your TI-Writer files may contain some "hidden secrets." I'm talking about "hidden, secret" messages that don't show up when you look at the file in the TI-Writer editor or when you print out the file with the TI-Writer formatter. Before this article, few people knew how to hide such secret messages or how to unhide them later, but I will be sharing with you both secrets! FOR YOUR EYES ONLY

#### moving the "invisible" references.

Again, TI-HIDE-IT is presented as a novelty program, and is not intended for the serious security of comments at the beginning of text files (they certainly won't be very safe and secure after the publication of this article!). The program is presented here primarily for fun. Besides, although the technique will protect your comments from the TI-Writer editor and formatter, it will not protect them from other ways of exploring the files (e.g., the comments will be seen if someone explores the file using a sector editor program such as DPATCH). should be no more than 79 characters long, if you don't want to lose anything. With lines that are 80 characters long, the last character will be missing when the hidden lines are restored.)

TO)

Again, TI-HIDE-IT is presented here simply as a novelty program, at least in its present form, for you to enjoy. If you want, of course, you can experiment with the program, perhaps making it more sophisticated (e.g., by adding routines to encrypt the hidden lines), but the decision to go serious is entirely up to you. Personally, one reason why I like the TI is that it's a fun machine, and my hope is that these "hidden secrets of TI-Writer" will provide some fun for you!

If you want serious security for your text files, you should use encryption or some other serious technique. (See, for example, the routines in Subroutine Sandwich or More Subroutine Sandwich, two books written by J. Grillo and J.D. Robinson, the same authors who wrote the excellent book Data and File Management for the TI-99/4A.) That's not a topic I will be discussing here. What I do have for you is a fun, novelty program written in TI Extended BASIC — TI-HIDE-IT which will allow you to "hide" from the **TI-Writer editor and TI-Writer formatter** (or their equivalents) a selected number of lines at the beginning of a D/V80 file, and then "unhide" the lines at a later time, if so desired. Why would you want to use such a program? Well, I used it myself to "hide" comments in some files that I prepared for the TI RoundTable on GEnie after I discovered that someone on a competing network was downloading the files, removing any reference to me from them, and uploading them to his own network. After I started using TI-HIDE-IT, people could still remove "visible" references to me from TI-Writer files that I had created, but I had at least the satisfaction of knowing that they would have more difficulty re-

#### **IT'S SIMPLE**

How does the program work? Well, it's really rather simple. Did you ever notice a "garbage" line at the end of a message that someone may have uploaded to a BBS? Well, that line of garbage is there because the person used "SF" rather than "PF" to save the file to disk. The result is not a regular, plain vanilla, text (or ASCII) file, but a file with a "hidden" line at the end: a line which is "hidden" to the TI-Writer editor and formatter, but which is "unhidden" when uploaded as an ASCII file to a BBS. It usually looks something like this: UUUUUUXX". This line, normally "hidden" to the TI-Writer editor and formatter, really has a purpose, even though you don't normally get to see the line: it stores information for TI-Writer relating to screen margins and tabs. I won't take the space to analyze the line for you here; I will merely mention that the key to "hiding" a line from being seen in the TI-Writer editor or being printed out by the TI-Writer formatter is to make sure that the first character is CHR\$(128), and with TI-HIDE-IT we can

### **TI-HIDE-IT**

100 ! TI-HIDE-IT COPYRIGHT ( C) 1993 by Barry A. Traver !

110 CALL CLEAR :: CALL COLOR (0, 16, 1, 1, 16, 1, 2, 16, 1, 3, 16, 1,4,16,1,5,16,1,6,16,1)!182 120 CALL COLOR(7,16,1,8,16,1 ,9,16,1,10,16,1,11,16,1,12,1 6,1):: CALL SCREEN(5)!218 130 CALL HCHAR(2, 3, 42, 28):: CALL HCHAR(21, 3, 42, 28):: CAL L VCHAR(2,3,42,20):: CALL VC HAR(2, 30, 42, 20) | 185140 DEF H\$(N) = CHR\$(N) 1255150 A\$=H\$(128)&H\$(134)&H\$(12) 8) & H\$ (213) & H\$ (139) & H\$ (144) & H (149) & H (159) & H (169) & H (17)9) 1027 160 DISPLAY AT(5, 10): "TI-HID E-IT";:: DISPLAY AT(7,11):"V ers. 1.1";!218 170 A\$=A\$&H\$(189)&H\$(199)&RP T\$(H\$(213),8)&H\$(128)&H\$(134)

use that same ability to hide lines for our own purposes! From what has just been said, you can see that, since we need that special character at the beginning of the line in order to hide the line, and since lines can be a maximum of 80 characters long in D/V80 files, any lines that you want to hide )&H\$(128)&H\$(134)&H\$(128)!07

180 DISPLAY AT(10,6):"(C) CO
PYRIGHT 1993";:: DISPLAY AT(
12,6):"by Barry A. Traver";!
065

190 A\$=A\$&H\$(213)&H\$(134)&H\$ (141)&H\$(146)&H\$(164)&RPT\$(H





(Continued from Page 24) \$(213),12)&H\$(128)&H\$(134)!0 89 200 DISPLAY AT(14, 4): "835 Gr een Valley Drive";:: DISPLAY AT(16,4): "Philadelphia, PA 19128";:: DISPLAY AT(18,4):" (phone: 215/483-1379)";!225 210 DISPLAY AT(24,1):"(Press any key to continue.) " !089 220 CALL KEY(0,K,S):: IF S<1 THEN 220 !034 230 DISPLAY AT(4, 1) ERASE ALL :"The purpose of this progra m":"":"is to ""hide"" lines at the !206 240 DISPLAY AT(8,1): "beginni ng of a DV80 file":"":"from the TI-Writer editor":"":"an d TI-Writer formatter (or" ! 072 250 DISPLAY AT(14,1): "their equivalents, such as":"":"Fu nnelweb and MYWORD), and !0 \_06 ,60 DISPLAY AT(18,1):"then " "unhide"" the lines at":"":" a later time if so desired." 1048 270 DISPLAY AT(24,1):"(Press THEN 280<sup>°</sup> 1095 290 DISPLAY AT(1,1)ERASE ALL :"TI-HIDE-IT is presented as is" !213 300 DISPLAY AT(5,1): "not int ended for serious":"":"secur ity of hidden comments" !029 310 DISPLAY AT(9,1): "in text files.":"":"In other words, the program" 1085 320 DISPLAY AT(13,1):"is pri marily ""for fun."" If":"": "you want to really protect" !141

350 DISPLAY AT(24,1): "(Press any key to continue.) " !089 360 CALL KEY(0,K,S):: IF S<1 THEN 360 1175 370 DISPLAY AT(1,1) ERASE ALL :"TI-HIDE-IT, Vers. 1.1" !13 8 380 DISPLAY AT(2,2): "(C) COP YRIGHT 1993":" by Barry A. Traver":" 835 Green Valley Drive" !212

G...\* 1096 550 IF EOF(1) THEN 560 ELSE L INPUT #1:B\$ :: GOTO 550 !150 560 CLOSE #1 :: IF B\$="" OR SEG\$(B\$,1,1)<>CHR\$(128)THEN C\$=A\$ ELSE C\$=B\$ !181 570 OPEN #1:I\$, INPUT :: PRIN T #2:C\$ 1047 580 IF EOF(1) THEN 580 !116 590 FOR I=1 TO N :: LINPUT # 1:M\$ :: IF LEN(M\$) = 80 THEN M $= SEG_{(M_{2}, 1, 79)} + 173$ 600 M\$=CHR\$(128)&M\$ :: PRINT #2:M\$ :: NEXT I :: PRINT #2 :C\$ !208 610 IF EOF(1) THEN 620 ELSE L **INPUT #1:M\$ ::** PRINT #2:M\$ : : GOTO 610 !085 620 CLOSE #1 :: CLOSE #2 :: CALL SCREEN(5):: GOTO 800 !1 89 630 DISPLAY AT(20,1): "Input File: DSK": : "Output File:DS K" !220 640 ACCEPT AT(20,13)SIZE(-15 ):I\$ !122 650 ON ERROR 660 :: OPEN #1: I\$, INPUT :: ON ERROR STOP :: DISPLAY AT(24, 1):"" :: CALL SCREEN(5):: GOTO 680 !229 660 ON ERROR 670 :: CLOSE #1 !194 670 CALL SCREEN(7):: DISPLAY AT(24,3):"FILE ERROR - TRY AGAIN!" :: RETURN 640 !183 680 ACCEPT AT(22,13)SIZE(-15 ):0\$ !130 690 ON ERROR 700 :: OPEN #2: O\$, OUTPUT :: ON ERROR STOP : : DISPLAY AT(24, 1):"" :: CAL L SCREEN(5):: GOTO 720 !161 700 ON ERROR 710 :: CLOSE #2 !235 710 CALL SCREEN(7):: DISPLAY AT(24,3):"FILE ERROR - TRY AGAIN!" :: RETURN 680 !223 720 CALL SCREEN(13):: DISPLA Y AT(14,10) ERASE ALL: "WORKIN G..." !096 730 IF EOF(1) THEN 740 ELSE L INPUT #1:B\$ :: GOTO 730 !254 740 CLOSE #1 :: C\$=B\$ :: OPE N #1:1\$, INPUT !035 750 IF EOF(1) THEN 820 ELSE L (See Page 26)

any key to continue.)" !089 280 CALL KEY(0,K,S):: IF S<1 ":"":"a novelty program, and

390 DISPLAY AT(5,2):" Phi ladelphia, PA 19128":" ( phone: 215/483-1379)" !011 400 DISPLAY AT(9,1): "Which w ould you like to do?":"":" 1. Hide beginning lines." !1 27 410 DISPLAY AT(12,1): 2. U nhide beginning lines.": :"W hat is your choice? 1" !202 420 ACCEPT AT(14,23)VALIDATE

("12")SIZE(-1)BEEP:CH !235 430 IF CH=1 THEN DISPLAY AT( 16,1): "How many lines to hid e?" :: ACCEPT AT(16,26)SIZE( 3):N !017

440 ON CH GOTO 450,630 !044 450 DISPLAY AT(20,1): "Input File: DSK": : "Output File:DS K" !220 460 ACCEPT AT(20,13)SIZE(-15 ):I\$ !122 470 ON ERROR 480 :: OPEN #1: I\$, INPUT :: ON ERROR STOP :: DISPLAY AT(24,1):"" :: CALL SCREEN(5):: GOTO 500 !123 480 ON ERROR 490 :: CLOSE #1 1013 490 CALL SCREEN(7):: DISPLAY AT(24,3):"FILE ERROR - TRY AGAIN!" :: RETURN 460 !002 500 ACCEPT AT(22,13)SIZE(-15 ):0\$ !130 510 ON ERROR 520 :: OPEN #2: O\$, OUTPUT :: ON ERROR STOP : : DISPLAY AT(24,1):"" :: CAL L SCREEN(5):: GOTO 540 !057 520 ON ERROR 530 :: CLOSE #2 1055 530 CALL SCREEN(7):: DISPLAY AT(24,3): "FILE ERROR - TRY AGAIN!" :: RETURN 500 !042 540 CALL SCREEN(13):: DISPLA Y AT(14,10) ERASE ALL: "WORKIN

330 DISPLAY AT(17,1): "commen ts in your files, you":"":"s hould use encryption or" 102 340 DISPLAY AT(21,1): "other similar techniques.":"":":" (Press any key to continue.) " !157

### TI-HIDE-IT---

(Continued from Page 25) INPUT #1:M\$ :: IF M\$="" THEN 890 !159 760 IF M\$="" OR SEG\$(M\$,1,1) <>CHR\$(128)THEN 780 ELSE M\$= SEG\$(M\$,2,LEN(M\$)-1):: PRINT #2:M\$ :: GOTO 750 !039 770 IF EOF(1)THEN 790 ELSE L

```
INPUT #1:M$ !143
780 PRINT #2:M$ :: GOTO 770
!144
790 CLOSE #1 :: CLOSE #2 ::
CALL SCREEN(5)!201
800 DISPLAY AT(13,11)ERASE A
LL:"Finished!" !183
810 DISPLAY AT(15,6):"Do ano
```

```
ther file? Y" :: ACCEPT AT(
15,24)VALIDATE("YNyn")SIZE(-
1)BEEP:R$ !083
820 IF R$="Y" OR R$="y" THEN
370 ELSE CALL CLEAR :: STOP
!096
```



# Card File and Audio Calculator

#### **By CHARLES GOOD**

#### CARD FILE by Bill Gaskill

Many data base programs exist, some full featured and complex and some simple and easy to use. Card File is in the simple easy category. It is written in Extended BASIC with 40-column assembly support and simulates a paper index card collection with "cards" that have information on both sides of the card.

Card File loads from a SSSD disk.You

other file names. This template concept comes in handy, and Card File comes with a bunch of templates to get you started. These include part of a multi-year calendar, employee personnel record, auto insurance, birthday list, TI cartridge data sheet, personal information, phone list, golf score record, recipe, personal references, a "to do list," personal weight record, and motor vehicle service record. These templates are blank, waiting for you to enter the data. Other useful "cards" that come with Card File already have useful quickly view a disk full of cards with Disk Review's V(iew) option.

Bill offers at extra cost two "libraries" of filled data cards. One will interest TI history buffs (like me), and the other has broad general interest. The CARTRIDGE LIBRARY is based on Bill's extensive TI command module collection. Cartridge name, product number, type, date released, manufacturer, release price and ad ditional notes are included for each cartridge of the cartridge library. Of particular interest are the actual dates acquired and actual price paid for the cartridges Bill has. The STATES card library is really interesting. I recommend its purchase to anyone. He evidently obtained this information from a good very recent atlas. I have a similar STATES database on my home MS-DOS machine's hard drive and I paid more for that than Bill is asking for his STATES library. Each state card has the following information: total land area; highest point; lowest point; record high and low temperatures; list of natural resources; percent of land area that is federal; number of hazardous waste sites; 1990 population and percent change since 1980; population density; per capita cost of public education; average pupil/teacher ratio; annual deaths from cancer, heart disease and homicide each per 10,0000; date and order of admission to Union; capital; governor electoral votes; number of congressional" representatives; average federal income tax per capita; number of police officers (See Page 27)

can easily alter drive number and printer defaults. You are presented with a freeform data entry screen on which you can type data any way you want. There is a text mode for data entry and a command mode. Text mode allows full screen cursor movement. Word wrap is included (coded in XB, so it is a little slow) as well as the ability to add solid vertical and horizontal lines to divide your card into sections and make it look good. Command mode lets you delete single lines or the whole screen, insert lines, display either "side 1" or "side 2" of your index card, print both sides of the card (direct screen dump or in a report format), save the card, load an existing card for viewing, display a disk directory

data, such as help screens for several TI word processors.

Card File is not a full-featured database, but it is nice for those with a minimal expansion system. You can't sort and you can't search. All you can do is find card files from a disk directory, load the card to display and alter the data, then print and/or resave the data.

Card File's cards are saved as D/V80 text files, and that is the key to Card File's usefulness. In my opinion, Bill Gaskill's card templates and word processing help screens are worth more than the software he has created to manipulate the cards. You can load any of the cards or handy blank card templates into an ordinary word processor for easy viewing and editing. I find this procedure quicker than using the Card File software itself, because text editing from a word processor at assembly speed is faster and usually more convenient. For searching you can use Funnelweb's Disk Review or Birdwell's DSKU to search a whole disk full of card files for key words quickly. You can also

or bring up the on-line help. I've said it before and I'll say it again: "all software should have on-line help screens" for those of us who don't remember all the commands.

Card File lets you load in templates, fill in the templates with your own custom data and save these filled cards back using

### MICRO-REVIEWS ----

(Continued from Page 26) and lawyers per resident; per capita income; number of farms, radio and TV stations and daily newspapers; area of national parks; and phone number of tourist board. This is useful interesting information.

Card File is fairware. If you just want to try it out I will send it to you for \$1. Better yet, send a fairware donation of any amount plus a disk and paid return mailer directly to Bill. The Cartridge and States libraries are not fairware. They are available only directly from Bill for \$7 each, which includes the SSSD disk and postage: Bill Gaskill, 2310 Cypress Ct., Grand Junction, CO 81506. of the tape.

You start out by inputting into the computer a tape title and date (or other information in place of the date, such as the name of the artist). Then you enter the titles and durations of all the songs you want to squeeze onto your tape. Duration information can be read directly from a CD player or found on the CD's documentation. The program then asks you for an "autospace," a soundless time interval you will insert between songs. The default of four seconds usually works well. Finally you enter the tape length (e.g., enter "90" for a C90 tape), and Audio Calculator begins to calculate. A suggested list of songs (title and individual durations) for side 1 and 2 of the tape, a statement of total used and unused time (after the last time) on each side, and a listing of which songs will NOT fit on the tape appear on screen. At this point you have the opportunity to edit your song entries. Maybe you have a lot of room left and want to put more songs onto the tape. Or maybe you really want to put some of the "won't fit" songs onto the tape and must delete some of the fitted songs to make room. When you finish editing, Audio Calculator will recalculate based on your new data. As an example of what can be done; I took a favorite CD and typed in the names and durations of all its 13 songs, specified a four-second "autospace" and a C30 (15 minutes on each side) tape length. Audio Calculator told me it could put six of my songs on each side of the tape with unused time of 29 seconds on side 1 and 45 seconds on side 2. One song with a duration of 3 minutes 24 seconds would not fit. When everything is set up as you wish you can print either a full 80 column listing or a cassette label to cut out and put in the cassette box. Each printout includes the tape title and date plus information about song duration and unused tape space. Each label contains room for a maximum of 25 songs per tape side. Then comes the hard part. You have to use your audio equipment manually to transfer music onto the tape in the sequence specified by Audio Calculator, which is not necessarily the same sequence you used to input the song titles. Don't forget to leave the

"autospace" between songs manually. Wouldn't it be nice if this could be done automatically under computer control!

Audio Calculator is written in Extended BASIC and comes in 40- and 80-column versions, both of which come on the same SSSD disk and are almost functionally identical. The 80-column version (requires a Geneve or a 99/4A 80-column device such as TIM or AVPC) is written using Alexander Hulpke's X80. I am grateful for another really useful 80-column application for my 99/4A. Not many of them exist. I highly recommend Audio Calculator to anyone who makes backup cassette music tapes. It is fairware, and the requested donation is only \$5. If you just want to try it out before sending Larry his money, I will send it to you if you mail me a buck (pays for the disk and return postage). Why not save some time and postage by getting it directly from the author? Send the \$5 fairware donation AND a disk with paid return mailer to Larry Tippett, 5826 Buffalo St., Sanborn, NY 14132. It has been 10 years since "Black Friday," and the Micro-Reviews column proves that new really useful software is still being created for our trusty old 99/4A. Please continue to send new material my way for a quick Micro-Review. My address is P.O. Box 647, Venedocia, OH 45894. My evening phone is (419) 667-3131. COMPUTER SOLUTIONS 2219 S Muskego Milwaukee WI 53215 414-672-1600 Fx 672-8977 800-471-1600 (Nationwide & Canada orders only) **BUY - SELL - TRADE** HARDWARE - SOFTWARE Dual 1/2 HT drive kit \$65 P.E. Box Complete \$125 Star NX-1001 Printer \$165 **DS/DD 1/2 Ht Drive \$30** 2400 Baud Modem \$89 **TI-99/4A Console \$35** Catalog \$2 Open Daily 9-5 Sat 10-3 Huge Genuine TI Inventory Since 1982 Bankcards, Discover, Checks & UPS/COD **100 Plato Titles in Stock!** 

(Card File was also published in the October 1993 MICROpendium. — Ed.)

#### AUDIO CALCULATOR by Larry Tippett

Lots of "me too" applications and reames exist in the TI world, software that loes the same things as previously available software. Newer software may be faster, more user friendly or just slightly different, but the game formats and types of applications don't seem to change much. You don't often find software that does something new and different, a type of computer task that nobody thought of before. Audio Calculator is new and different. Audio Calculator is for use by those who transfer music from CDs and phonograph records to cassette tapes. The software will calculate (with emphasis on the work "calculate") the maximum number of song titles that will fit on each side of an audio cassette tape and then will print a tape box label. Yes, I know. Several public domain cassette tape box label printing programs exist, and you can use Bruce Harrison's Time Calc program to add up accurately the cumulative elapsed times of songs you add consecutively to an audio tape. Audio Calculator is different. It acrually calculates the ideal fit of songs onto bth sides of an audio cassette of any length so that you can squeeze the maximum number of songs onto the tape without leaving out part of the last song and with minimum unused tape time at the end

#### Page 28MICROpendium/November 1993

USER NOTES

### Author recognized

The author of the User Note "Hardware fix for shadows," which appeared in September 1993, is Bob Larson of the Long Island 99ers.

### Chili today ...

The following item was written by John Boldand appeared in the newsletter of the Users Group of Orange County (California). ... and hot tamale. That's the Mexican weather front coming in. Have you noticed (on bank buildings or other displays) the hourly temperature reports are given in Celsius? Celsius is okay, but I was reared on Fahrenheit. When I see these Celsius figures, I don't know whether to put on my ear muffs or take off my sweater. Going back to my reform school days, I recalled the conversion factor. Subtract 32 from the Fahrenheit value and multiply by five-ninths. I also remembered that water freezes at 32 degrees F. That's pretty warm when you consider the same water won't freeze until it gets to zero degrees if you are reading Celsius!

I decided to do something about this by writing a little READ/DATA program in BASIC using 10 pieces of data built around the freezing point of water.

10 REM WEATHER

15 PRINT "FAHRENHEIT CELSIUS" 20 FOR TEMPERATURE=1 TO 10 30 READ FAHRENHEIT

40 LET CELSIUS=5/9\*(FAHRENHEI

just to be safe.

# Importing text files into Page Pro

The following was written by Eunice B. Spooner and appeared in the newsletter of the Oakland Computer Club of Oakland, Maine. The club started its seventh year of operation in September.

```
T-32)
```

45 LET CELSIUS=INT(CELSIUS+0.5)

50 PRINT FAHRENHEIT, CELSIUS 60 NEXT TEMPERATURE 70 DATA 93,-20,32,212,1

80 DATA 81,14,50,40,-10 When you run this list, you'll get two

nice columns of figures, one in Fahrenheit and one in Celsius. Notice that line 45 has an integer, used for rounding off to the nearest decimal. You may also change the Fahrenheit DATA statements in lines 70 and 80 or put them all on one line.

This little program should help you with any little weather problems. kCarry a pair of rubber boots in the trunk of your car, First, I load my word processor and set the tabs to no greater than 59 columns. I like to set the right tab at 39 so the text will remain on screen. Then I press enter and start typing the text I want to use in my Page Pro layout.

When I have finished, making sure I have not exceeded the 66-line limit of Page Pro, I make note of the number of lines I used so I will know where the text will fit on my Page Pro screen. I save this text with the Save File command in case I need to make changes or corrections.

The best way to save the text for importing into Page Pro is with the Print File command. I type PF and press enter. (See Page 29)

# COMPENTS

#### (Continued from Page 5)

"It's going to be a lot of skull sessions yet before we've got something I'm willing to release."

Bruce Harrison demonstrated his BASIC compiler for the TI. Noting that the compiler "is not a true compiler because it doesn't convert one language entirely into another," he ran several programs that gave an indication of how it much a compiler can speed up BASIC. The compiler works on the slower commands and functions in Extended BASIC while leaving the faster aspects of XB untouched. The compiler "switches back and before from assembly language to Extended BASIC." In one demo, the program, written entirely in Extended BASIC, took 2 minutes to run. In the compiled version, the same program ran in 17 seconds. This program filled the screen with ASCII characters 32-126. He also ran a program that used sprites and sound. He credited Harry Wilhelm with the ideas that made the compiler possible and a special high memory loader. The PC99 emulator project spearheaded by Mike Wright showed considerable progress over the past year. PC99 is a program that runs on a PC and provides software emulation of a TI99/4A. The emulator runs most cartridge software that can be saved to disk, as well as BASIC, XBASIC and other programs. However, even on a 486-66 MHz PC many cartridges run slower

on the PC than on a TI. This is particularly true of programs that make heavy use of graphics, such as Parsec. TI-Writer and Funnelweb, among others, work normally. The emulator can support joysticks through a game card and printers are supported through the PC's com ports.

The trade floor, though somewhat smaller that in the past, was crowded throughout the day. There were numerous deals to be had and a lot of difficult to find hardware and software. And it's one of the few places at which you can talk to the programmers who keep the TI and Geneve going. ~If you're interested in the TI or Geneve but have never attended a TI fair, whether in Chicago, Lima, Utah, or elsewhere, you're missing a lot.

#### **GENEVE WRITER WANTED**

MICROpendium is looking for a Geneve user who'd like to write a column about the Geneve. We're not necessafily looking for a programmer but someone who enjoys the Geneve and can keep our readers informed about the computer and how to get more out of it. This would include updating readers on available software, whether shareware or commercial. Previous writing experience is a plus. If you're interested, send us a writing sample and an outline of how you would handle a Geneve column.

# JSER NOTES

(Continued from Page 28) When PIO appears, I type over the PIO with C DSK1.FILENAME, using a different file name than the one I used for Save File, and press enter again. This method saves the file without any carriage returns or other printer codes.

I load Page Pro and put the cursor in the row and column where I want the text to start, making sure there is room for my text. the easiest to make. The windows are just a bit more interesting. It helps to have graph paper laid out to represent your screen, which is 193 dots (or pixels) high and 241 wide. Graph paper with one-quarter inch squares, with each square representing six dots, works very well for me.

Most of us who are not mathematically, or geometrically, inclined will look at the sample on page 7 of the TML manual and say, "Huh?" The first time I typed that line in --- 10 CALL LINK("WINDOW"[,row1 ,column1,row2,column2,1]) - I dideverything wrong. In the first place, the left bracket isn't supposed to be typed in, only the parentheses. Also, somehow I missed the ",1" at the end, which resulted ' in a blank screen. Now, thinking of your screen as a grid of 193x241 dots, or 46,513 dots, let's begin, making it as simple as possible. A window requires only two dots on your graph or screen, and the program will do the rest. So, we want to make a window in the upper left-hand corner, say 20 dots high and 40 dots wide. To make it easy, let's use one for the row and one for the

termine the height, so we punch in 20 and, for column two we punch in 40. And that's all there is to it.

Your program will look like this: 10 CALL LINK("WINDOW",1,1,20,40) Add a second line: 20 GOTO 20. This will keep the image on the screen for your viewing pleasure. After loading The Missing Link, run the program.

If you want to send the image to your printer, press the FCTN and CTRL keys simultaneously.

Next, I press CNTL and F and select 3, the number to import text.

To import or load the text I saved using the PF command, I type DSK1.FILE-NAME and press enter, which will then load my text.

A different small font may be loaded if you want your text file in a different font. From here on it will be up to you to add any pictures or lines to your page before printing it.

### Creating windows With The Missing Link

This comes from Jim Lesher, another in a continuing series of items having to do with The Missing Link. He writes: As mentioned before, the circles are Below is an exercise in windows. A large window is assembled with four smaller ones.

10 CALL LINK("WINDOW", 10, 20, 20, 200, 1)

20 CALL LINK("WINDOW",20,20, 170,30,1)

30 CALL LINK("WINDOW", 20, 190, 170, 200, 1)

40 CALL LINK("WINDOW", 170, 20, 180, 200, 1)

If you would like to have a sheet of graph paper with the squares numbers which can be duplicated using a photocopier, send \$2 to cover the shipping and handling to Jim Lesher, 722 Huntley, Dallas, TX 75214.

column. That's our first dot. Now, the second dot. Row two will de-

(See Page 30)

### MICROpendium disks, etc.

- **Series 1992-1993** (Apr 1992-Mar 1993, 6 disks) .. \$25.00
- **Series 1991-1992** (Apr 1991-Mar 1992, 6 disks).. \$25.00
- **Geries 1990-1991** (Apr 1990-Mar 1991, 6 disks) ..\$25.00
- **Series 1989-1990** (Apr 1989-Mar 1991, 6 disks) ..\$25.00
- **Geries 1988-1989** (Apr 1988-Mar 1989, 6 disks)...\$25.00
- **110 Subprograms** (Jerry Stern's collection of 110 XB

subprograms, 1 disk)\$6.00
<b>TI-Forth</b> (2 disks, req. 32K, E/A, no docs)\$6.00
<b>TI-Forth Docs</b> (2 disks, D/V80 files)\$6.00
CHECKSUM and CHECK programs from October

1987 issue (includes docs as D/V 80 file) ......\$4.00

Check box for each item orderedand enter total amount here:



# HSER NOTES

### Another naming system for disks

This comes from Bill Gaskill, of Grand Junction, Colorado. He writes:

In the January 1992 issue of MI-CROpendium, Paul Scheidemantle showed us how to create a disk/file name scheme for organizing floppy disks loaded with TI-Writer files. Among other benefits offereed, Paul's method allowed the user to annotate file names to describe the contents of a file, thereby mitigating the 10 character file naming limitation that has helped me to locate files on a variety of floppy disks. I name and label 26 disks A through Z. This works for me because I save my correspondence by the recipient's last name. For example, if I were writing a letter to Jim Peterson, I would save the file under PETERSON1. That way, I always know to look at the floppy disk labeled "P" to look up a previous letter to Jim Peterson. The next thing I do after saving a file is to load DM1000 and then press FCTN 3 to change the printer name to DSK1.CATA<sup>c</sup> LOG.

Have you ever been on-line to a BBS when someone picks up an extension phone and leaves you with nothing but garbage?

Here's an idea that might help. All you need is a switch, a long piece of two conductor wire, two LEDs (Radio Shack 270-036 blinking LED), two AA batteries, a battery holder and a 100 ohm resisitor.

Run the wire from the extension phone to the computer. Solder the wire at the phone end to one of the LEDs (observe polarity, the flat side is negative) and the wire at the computer end to the other LED with the 100 ohm resistor in series to help balance the current load. Hook the wire to the battery through the switch. The LED at the computer end should have the 100 ohm resistor and the remote LED should be hooked directly to the battery through the switch.

110 A = 1 + A120 PRINT I;A 130 NEXT I

Run the program. Before "I" reaches 100 press FCTN-4 to break.

Type PRINT I; A and press enter. You should see the current value of "I" and "A."

Now type A=888 and press enter. The count on the screen will continue from 888 or 889, depending on where you broke the program. You could set "I" to a lower number or higher number before typing CON. See what happens when "I" is outside the 1 to 100 range. When the program ends, \*READY\* appears.

If the LEDs don't light, reverse the battery loads.

Now when you call a BBS, just turn on the switch and the blinking red light will tell everybody not to pick up the phone, at least not if they know what is good for them.

Type PRINT I; A and press enter. You should see the exit value of the variables.

1.01-11

Let's try another one. 100 C=1110 A\$="START OVER" 120 DIM X(40) 130 FOR I=1 TO 40 140 X(I) = INT(RND\*200) + C150 PRINT I; X(I)160 NEXT I 170 PRINT A\$ 180 GOTO 130

Then I use DM1000 to catalog the disk and press FCTN 7 and it writes a D/V80 file named CATALOG to the floppy that I can then load into TI-Writer or Funnelweb and edit.

The CATALOG file loads left-justified, with the usual information about file name, size, type and protection status. I edit the file so that size and type contain the creation date — MM/DD/YY — then Protection Status and the unused columns to the right of it are used to describe the contents of the file.

CATALOG is then saved back to the same disk, but now it contains all of the information about a particular file that I need to help me decide if it is the one I want to

### Command mode plus

The following item was written by Jerry Keisler of the Paris (Texas) 99/4A User Group.

Most of us use command mode to type in programs. Also to load, save and run programs.

But, did you know that you can execute almost any program command in the command mode while in the middle of a program? You can even view and change variables. Viewing variables can assist you in determining why a program crashed. Also, long Extended BASIC lines can be written and executed without destroying the current program. When done, type "CON" and press enter. The program will continue to run using any changes you made to the variables. The disadvantages to this are that all

This program will put a number between 1 and 200 in variables X(1) through X(40). Run the program and press FCTN-4 when "I" reaches or passes 40. Type FOR B=1 TO 40 :: PRINT X(B) ::

NEXT B and press enter.

You should get a list of what is in X(1)through X(40) listed to the screen. If you have a printer and want a printout of X(), assuming you typed the FOR B line, press FCTN-8 to retrieve the last line you typed and edit to read:

OPEN #1: "PIO" :: FOR B=1 TO 40 :: PRINT #1: "N"; B; "="; N(B); :: NEXT B :: CLOSE #1 Your printer will print X1=186 X2=192, etc. Use RS232 in place of PIO if required by your printer. Type CON and press enter. The program should continue where left off. Try FCTN-4, type C=1000, press enter. Type CON, press enter. Try FCTN-4, type A\$="END OF (See Page 31)

load.

### A solution

### for modem

### interruptions

This item has appeared in several user group newsletters. The author is unknown.

graphics will be lost and the screen will scroll unless it is refreshed by a program command.

Try it. Type in the following program: 100 FOR I=1 TO 100

# USER NOTES CLASSIFIEDS

(Continued from Page 30) LINE", press enter. Type CON, press enter.

Do not change any line numbers or anything in any line of the program if you want to use the CON command.

If the program crashed with an error statement, you can still view current values.

Change line 120 to: 120 DIM X(30)

### Policy

The cost of classified advertising is 25 cents per word. Classified display (i.e., special formatting or graphics) is \$9 per column inch. Classified advertisements must be paid in advance. Classified advertisers may request a category under which they would like their advertisements to appear, but the final placement decision is the responsibility of the publisher.

Classified deadlines will be kept open for as long as practical. For the purpose of classified advertising deadlines, any classified ad received later than the first day of any month cannot be assured of placement in the next edition. We will do our best to include every advertisement that is submitted in the earliest possible edition.

The publisher offers no guarantee that any advertisement will be published in any particular issue. Any damages that result either from errors in copy or for failure to be included in any particular edition will be limited to the amount of the cost of the advertisement itself. The publisher reserves

and press enter. Type RUN and press enter. The program will run for a while and then say "BAD SUBSCRIPT IN 140."

Type 140 and press FCTN-4.Here's what you should see:

140 X(I) = INT(RND 0) + C

Press enter. Print the values of all variables in this line by typing PRINT C; I: X(I) and press enter.

You should see the current values of C, I and BAD SUBSCRIPT. "I" equals 31 but our DIM statement said DIM X(30). here is no X(31). We either have to increase the DIM statement, or reduce the FOR I staement.

You can review any program line using

the right to reject any advertisement.

The advertiser may elect to publish the advertisement in subsequent editions at the same charge, payable prior to publication. The deadline for carryover classifieds is the same as for new advertising.

In submitting an ad, please indicate whether you would like a refund if it is not published in the requested edition or whether you would like us to hold it for the next edition. Cancellations and refunds cannot be made after the second day of the month.

Send classified advertising to: MICROpendium, P.O. Box 1343, Round Rock, TX 78680,

### FOR SALE

### FOR SALE

	TI99/4A			
PHP1100	TI, 99/4A DUAL JOYSTICKS	14.95		
PHP1260	32K MEMORY CARD	99.95		
PHP1500	SPEECH SYNTHESIZER	29.95		
PHM3109	TI LOGO II (32K Mem. Req.)	1.95		
PHA4100	TI VIDEO MONITOR (Used)	99.95		
PHM3058	MINI-MEM (W/Assembler)	39.95		
UM1381-1	<b>RF MODULATOR</b>	19.95		
4530	JOYSTICK "Y" ADAPTER	7.95		
AC9500	T199/4A POWER SUPPLY	9.95		
JOY ELECTRONICS INCP.O. BOX 542526				
DALLAS, TX 75354-2526				

**ENORMOUS** TI99/4A INVENTO-RY. CATALOGS \$2.00. **BRAATZS COMPUTER SERVICES**, 719 E. BYRD ST., APPLETON, WI 54911. 1-414-731-3478. 10/12



WANTED TO BUY: Triton Super XBA-SIC Module. (708) 459-9389. Fred Golbeck, 468 Harmony Dr., Wheeling, IL 60090-6245. 10/11

line numbers and FCTN-X before viewing or changing variables.

MICROpendium pays \$10 for items sent in by readers and used in the User Notes column. Send items to MI-CROpendium User Notes, P.O. Box 1343, Round Rock, TX 78680.



(800) 527-7438, OUTSIDE DALLAS AREA (214) 243-5371, DALLAS AREA ADD \$5.00 S&H—TEX RES ADD 8 ¼ % TAX 10/12 CALL OR WRITE FOR FREE CATALOG

### Buy/Sell Used Hardware and Software

National Used Software/Hardware Club has buyers looking for TI products, as well as sellers. More than 170 TI items are listed for sale. The membership fee is only \$15/year and entitles you to buy or sell computer items via the NUS/HC database. You will also receive FREE our newsletter (mailed every 8-12 weeks). If you

term of your membership we will refund your annual fee. For a free, no-obligation infor-mation packet, write to NUS/HC, P.O. Box 1343, Round Rock, TX 78680; or call 512-255-1512. Here are some of the items offered for sale: Horizon RAMdisk (192K) \$125.00

Advanced Diagnostics	\$25.00
Seamste 251 HD (10 mag)	ድፖና ሰብ



# The ONLY monthly devoted to the TI99/4A

### **Subscription Fees**

□ 12 issues, Mexico, \$40.25 12 issues, USA. \$35

□ 12 issues, Canada \$42.50 □ 12 issues, other countries surface mail, \$40.00

□ 12 issues, other countries, air mail, \$52.00

Outside U.S., pay via postal or international money order or credit card; personal checks from non-U.S. banks will be returned.

### Disks, Etc.

□ Back Issues, \$3.50 each. List issues:

No price breaks on sets of back issues. Free shipping USA. Add 30 cents, single issues to Canada/Mexico. Other foreign shipping 50 cents single issue surface, \$1.50 airmail. Write for foreign shipping on multiple copies. OUT OF STOCK: Vols. 1, No. 1-2; Vol. 2, No. 1; Vol. 4, No. 9

### Address Changes

Subscribers who move may have the delivery of their most recent issue(s) delayed unless MICROpendium is notified six weeks in advance of address changes. Please include your old address as it appears on your mailing label when making an address change.

Check each item ordered (or list on separate page) and enter total amount here:

Check/MO

Card No.

Expiration Date

(Minimum credit card order is \$9)

(check one)

Signature

(Required on credit card orders.) No sales tax on magazine subscriptions. Texas residents add 7.75%

00	1  OF STOCK. VOS. 1, NO. 1-2, VOL. 2, NO. 1, VOL. 4, NO. 7					
	MICROpendium Index (2 SSSD disks, 1984-1992),					
	Extended BASIC required\$6.00					
	MICROpendium Index II (9 SSSD disks — 1 for each					
<b>a</b>	r — 1984-1992), XB required\$30.00					
	MICROpendium Index II with MICROdex 99 (11					
	SD disks), XB required\$35.00					
	MICROdex 99 (for use with MP Index II, 2 SSSD					
disl	ks), XB required\$10.00					
MIC	ROdex 99, by Bill Gaskill, is a collection of programs that allow users of MP					
	x II to modify their index entries, as well as add entries. MICROdex 99 sup-	ł				
•	s many other functions, including file merging, deletion of purged records,					
reco	rd counting and file browsing.	Į				
	GENEVE DISKS (SSSD unless specified)	ĺ				
	MDOS 1.23F (req. SSDD or larger, for MBASIC)\$4.00					
	MDOS 1.50H (req. for MBASIC)\$4.00					
	GPL 1.5\$4.00	ŧ				
	Myarc Disk Manager 1.50\$4.00					
	Myarc BASIC 3.0					
	MY-Word V1.21\$4.00					

sales tax on othe tions.	er items, including back issues and disk subscrip-
Mail to: MICRO	Opendium, P.O. Box 1343, Round Rock, TX 78680
Name	
Address	
City	
State	ZIP
The set of numb cover date of the	pers at the top of your mailing label indicates the e last issue of your subscription.

Menu 80 (specify floppy or hard disk versions(s); includes SETCOLR, SHOWCOLOR, FIND, XUTILS, REMIND ......\$4.00 **GENEVE PUBLIC DOMAIN DISKS** These disks consists of public domain programs available from bulletin boards. If ordering DSDD, specify whether Myarc or Cor-Comp.

	SSSD	DSSD	DSDD
Series 1	\$9.00	\$7.00	\$5.00
Series 2	\$9.00	\$7.00	\$5.00
Series 3	\$9.00	\$7.00	\$5.00
Series 4	\$9.00	\$7.00	\$5.00
Series 5	\$9.00	\$7.00	\$5.00



Venedocia, OH 45894 P.O. Box 647

Charles Good